
MERITOR®

An ArvinMeritor™ Brand

DRIVELINE COMPONENTS




Revised 6/05


TABLE OF CONTENTS


SEE FOLLOWING PAGES FOR DETAILS


Companion Flanges and Flange Yokes	1
Slip Yokes	2
End Yokes	3
Easy Service Yokes	4
Weld Yokes	5
Yoke and Tube Assemblies	6
Bearing Stubs	7
Spline Plugs	8
Shaft Yokes	9
Small Parts and Tubing	10
U-Joint Kits	11
Center Bearings	12
C.V. Components and P.T.O. Assemblies	13
L6N Steering Components	14
10N Series	15
Companion Flange and End Yoke Application Guide Index	16

YOKE IDENTIFICATION

ROUND BEARING	X ACROSS EARWORK	Y BETWEEN EARWORK	Z BEARING DIA.	SERIES	TYPE
		1.44"	.97"	L6N	
	2.19"		.94"	10N	
		2.38"	1.06"	131N	ISR
	3.47"		1.06"	131N	OSR
		2.56"	1.19"	135N	ISR
	3.88"		1.19"	135N	OSR
		3.13"	1.19"	141N	ISR
	4.44"		1.19"	141N	OSR
		3.13"	1.38"	148N	ISR
	4.44"		1.38"	148N	OSR
	4.19"		1.38"	148N	BRG. ST.
	5.25"		1.38"	155N	OSR
	4.97"		1.38"	155N	BRG. ST.
	5.31"		1.88"	16N	
	6.09"		1.94"	17N	
	7.00"		1.94"	176N	
	7.55"		1.94"	18N	
	5.19"		1.63"	750N	
	6.06"		1.94"	850N	
	7.89"		2.50"	950N	
	7.00"		2.06"	20RPL	
	8.33"		2.06"	25RPL	

U-BOLT AND STRAP & BOLT	X BETWEEN LUGS	Z BEARING DIM.	SERIES
	3.22"	1.06"	131N
	3.63"	1.06"	133N
	3.63"	1.19"	135N
	4.19"	1.19"	141N
	4.19"	1.38"	148N
	4.97"	1.38"	155N
	5.31"	1.88"	16N
	6.19"	1.94"	17N
	7.09"	1.94"	176N
	7.63"	1.94"	18N

RPL DRIVELINE	X BETWEEN LUGS	SERIES
	7.06"	20WYS
	8.38"	25WYS

WING BEARING	X SWING DIA.	Y PILOT DIA.	SERIES
	5.63"	5.31"	58WB
	5.84"	5.53"	62N
	6.22"	5.84"	72N
	6.88"	6.50"	85WB
	8.50"	8.13"	82N
	8.63"	8.25"	92N

ISR - Inside Snap Ring **OSR - Outside Snap Ring** **BRG. ST. - Bearing Strap**

TABLE OF CONTENTS (Cont.)

Supercession Listing 17


Cross Reference 18

Numerical Parts Listing 19

For additional parts and information, visit our online catalog at:

XpresswayPlus.ArvinMeritor.com

MERITOR XTENDED LUBE – MXL™ DRIVELINES



Available in popular sizes: 17N, 176N and 18N in both easy service and full round styles.


Moving you past your competition is the mobility that ArvinMeritor gives you. And, what better example of this mobility can be seen than in Meritor® universal joints and driveline components?

These components have been linking transmissions and drive axles for trouble-free driving for decades. Now Meritor has combined technologies to create the Meritor XTended Lube - MXL™ Driveline.

*Inspection intervals may differ. See ArvinMeritor driveline manual for details.

Features and Benefits:


- Extended Lubrication Intervals
  - Lube intervals of 100,000 miles for both slip section and u-joint reduce operating and maintenance costs
- Advanced Sealing - Slip Section



  - Field proven internally mounted advanced nitrile seal design ensures lubrication is protected from contaminants and prevents water intrusion
  - Seal shroud incorporated from RPL design improves sealing characteristics and retains seals securely in place
- Maximum Life - U-Joints



  - Incorporates and builds upon the proven RN series U-joint design with RPL premium sealing technology
  - U-joints are equipped with triple-lip seals to keep lubrication in and contaminants out for longer life
  - U-joints feature proven technology including nylon thrust washers that eliminate metal-to-metal contact, preventing wear and extending life
  - 3 year, 350,000 mile linehaul warranty
  - 100,000 mile lubrication intervals for linehaul applications
- Center Bearing - Self Aligning



  - Standard on MXL
  - Accommodates +/- 5 degree driveline angularity
  - Sealed bearing with integral deflector shield and grease barrier protects the bearing against contamination without the use of external deflectors
- Additional Performance Advantages
  - Available in both full round and easy service yoke configurations
  - Corrosion resistant seal guard protects and secures advanced slip seal improving durability over "booted" designs
  - Standard with Polyglide™ coating which minimizes axial loads by reducing friction
  - Robust easy service u-joint retention system eliminates spinning cups, through improved clamping force
  - Tighter balance specifications reduces the potential for vibrations and ensures smooth operating performance

DECIMAL & MILLIMETER EQUIVALENTS

INCH	INCH	MM	INCH	INCH	MM
1/64	.0156	.397	33/64	.5156	13.097
1/32	.0313	.794	17/32	.5313	13.494
3/64	.0469	1.191	35/64	.5469	13.890
1/16	.0625	1.587	9/16	.5625	14.287
5/64	.0781	1.984	37/64	.5781	14.684
3/32	.0938	2.381	19/32	.5938	15.081
7/64	.1094	2.778	39/64	.6094	15.478
1/8	.125	3.175	**5/8**	.625	15.875
9/64	.1406	3.572	41/64	.6406	16.272
5/32	.1563	3.969	21/32	.6563	16.669
11/64	.1719	4.366	43/64	.6719	17.065
3/16	.1875	4.762	11/16	.6875	17.462
13/64	.2031	5.159	45/64	.7031	17.859
7/32	.2188	5.556	23/32	.7188	18.265
15/64	.2344	5.953	47/64	.7344	18.653
1/4	.25	6.350	**3/4**	.75	19.050
17/64	.2656	6.747	49/64	.7656	19.447
9/32	.2813	7.144	25/32	.7813	19.884
19/64	.2969	7.541	51/64	.7969	20.240
5/16	.3125	7.937	13/16	.8125	20.637
21/64	.3281	8.334	53/64	.8281	21.034
11/32	.3438	8.731	27/32	.8438	21.431
23/64	.3594	9.128	55/64	.8594	21.828
3/8	.375	9.525	**7/8**	.875	22.225
25/64	.3906	9.922	57/64	.8906	22.622
13/32	.4063	10.319	29/32	.9063	23.019
27/64	.4219	10.716	59/64	.9219	23.415
7/16	.4375	11.113	15/16	.9375	23.812
29/64	.4531	11.509	61/64	.9531	24.209
15/32	.4688	11.906	31/32	.9688	24.606
31/64	.4844	12.303	63/64	.9844	25.003
1/2	.5	12.700	**1**	1.000	25.400

DRIVELINE SERIES INFORMATION CHART

SERIES	PRODUCT LINE	APPLICATION
L6	Steering	- Medium/Heavy Truck - Off-Highway
L15	Marine	- Inboard/Outboard Drives
121N **131N** **133N** **135N**	Light/Medium Truck	- Components - Assemblies
141N **148N** **155N**	Medium Truck	- Class 5 & 6 - Off-Highway - Flange/Drum Components - Components - Assemblies
10N	Heavy Truck	- Components - Assemblies
16N **17N** **176N** **18N**	Heavy Truck	- Class 7 & 8 - Off-Highway - Easy Service and Round - Components - Assemblies
58WB **85WB** **62N** **72N** **82N** **92N**	Wing Style	- Off-Highway - Construction - Heavy Truck - Components - Assemblies
750N **850N** **950N**	Axle Shafts	- Military - Off-Highway - Construction
WCS	Companion Flange	- Military - Off-Highway - Construction
CB	Center Bearings	- Medium Truck thru Off-Highway
CP	Center Parts Kits	- All Above Series
RPL	Heavy Truck	- Components - Assemblies

XpresswayPlus.ArvinMeritor.com



Don't forget about using *XpresswayPlus* for:

- Ordering parts online
- Order status
- Price and availability
- Invoice Lookup
- Parts Catalog
- Reference Library
- The Company Store
- Literature
- Dealer/Distributor locator
- Online e-mail or phone numbers for Customer Service, Information Services, Marketing, Catalog, and eSupport

XpresswayPlus is easy to use, can reduce phone calls, and save you valuable time.

WHAT YOU NEED:	WHERE TO LOOK:
ACCOUNT CHANGE	CUSTOMER SERVICE
AFTERMARKET & PRODUCTION ASSEMBLIES	CATALOG
APPLICATION INFORMATION	CATALOG
BILL-OF-LADING NUMBER	ORDER STATUS
BILL-OF-MATERIAL	CATALOG
BULLETINS	REFERENCE LIBRARY
CONTACT NAMES & NUMBERS	CUSTOMER SERVICE
FIELD SUPPORT REPRESENTATIVES	CUSTOMER SERVICE
INVOICE (VIEW & PRINT)	ORDER STATUS
NEWSLETTER	REFERENCE LIBRARY
ORDER DETAILS	ORDER STATUS
ORDER HISTORY FILE	ORDER STATUS
ORDER MERCHANDISE	COMPANY STORE
ORDER SUBMIT	CREATE NEW ORDER
ORDER SUBMIT - STOCK UPLOAD (MULTIPLE LINES)	CREATE NEW ORDER
PART DETAILS	CATALOG
PART IMAGES	CATALOG
PART NUMBER COMPARISON	CATALOG
PARTS BOOKS	REFERENCE LIBRARY
PASSWORD CHANGE	CUSTOMER SERVICE
PRICE (LIST)	CATALOG
PRICE (NET) & AVAILABILITY	PRICE & AVAILABILITY
PRODUCT BROCHURES	REFERENCE LIBRARY
PRODUCT UPDATES	REFERENCE LIBRARY
PROOF-OF-DELIVERY	ORDER STATUS
REQUEST-FOR-QUOTATION (FOR MERITOR BRAND)	PRICE REQUEST
SALES LITERATURE	REFERENCE LIBRARY
SEND QUESTIONS, COMMENTS, ISSUES	CONTACT US
SHIPPER NUMBER	ORDER STATUS
TECH TIPS	REFERENCE LIBRARY
TRACKING NUMBER	ORDER STATUS
WARRANTY INFORMATION	REFERENCE LIBRARY
WHERE-USED INFORMATION	CATALOG

SECTION 1

INDEX

Companion Flanges and Flange Yokes **Page**

BRAKE FLANGE YOKES
Round Bearings 1-4
Wing Bearings 1-5


COMPANION FLANGES
Round 1-1

FLANGE YOKES
Bearing Plate 1-3
Outside Snap Ring 1-2
Wing Bearings 1-3


MERITOR NUMBERING SYSTEM

Meritor components may be identified by one of the numbering systems shown below. Aftermarket numbers are issued to make Meritor components easy to select when choosing a replacement component.


MERITOR ENGINEERING NUMBER



MERITOR AFTERMARKET NUMBER




COMPANION FLANGES - ROUND



Spline Size	Face to End	Spline Length	Hub Dia.	Pilot Dia. M=Male F=Female	Bolt Circle Dia.	Hole Dia.	Flange O.D.	Style	Part Number
1.75"-10	3.50"	2.00"	2.50"	M-3.75"	4.75"	.50"	5.75"	1	148N-1-6081X
1.75"-34	2.94"	2.25"	2.50"	F-6.63"	6.13"	.38"	6.88"	1	3WCS28-93A [1]
1.97"-10	3.38"	2.62"	2.75"	F-7.75"	7.25"	.38"	8.00"	1	5WCS31-7A1 [1]
2.00"-39	3.31"	2.31"	3.00"	F-7.75"	7.25"	.41"	8.00"	1	5WCS32-86A
2.00"-39	3.31"	2.44"	2.75"	F-7.75"	7.25"	.38"	8.00"	1	5WCS32-103
2.00"-39	3.31"	2.63"	2.75"	F-7.75"	7.25"	.38"	8.00"	1	5WCS32-103A1 [1]
2.00"-39	3.38"	2.44"	2.75"	F-3.86"	5.08"	.58"	6.30"	2	3WCS32-75A1
2.38"-46	3.56"	2.32"	3.25"	F-7.75"	7.25"	.44"	8.00"	2	5WCS38-23A2
2.38"-46	3.64"	2.88"	3.25"	F-7.75"	7.25"	.44"	8.00"	2	5WCS38-24A
2.38"-46	3.88"	2.32"	3.25"	F-7.75"	7.25"	.38"	8.00"	1	5WCS38-18A
2.53"-16	3.50"	2.75"	3.50"	F-7.75"	7.25"	.44"	8.00"	1	5WCS40-45A [2]
2.53"-16	3.68"	2.75"	3.50"	F-7.75"	7.25"	.44"	10.06"	1	5WCS40-39 [3]

1 Includes deflector/slinger.
2 Includes wear sleeve/wiper.
3 Has additional pilot and threaded holes for mounting a parking brake drum. Includes wear sleeve and deflector.


FLANGE YOKES - OUTSIDE SNAP RING



Center to Face	Yoke Dim. Across Ears	Pilot Dia. M=Male F=Female	Bolt Circle Dia.	Bearing Cap Dia.	Hole Dia.	Flange O.D.	Joint Angle	Part Number
1210 SERIES		**U-JOINT KIT: CP443X**						
1.48"	2.69"	M-2.25"	2.75"	1.06"	.31"	3.36"	20°	**121N-2-899**
1.50"	2.69"	M-1.81"	2.16"	1.06"	.31"	3.81"	20°	**121N-2-2323**
1.63"	2.69"	M-2.00"	3.50"	1.06"	.50"	4.88"	20°	**121N-2-1049**
1.63"	2.69"	F-2.87"	3.94"	1.06"	.39"	4.88"	20°	**121N-2-1050**
1.81"	2.69"	M-1.77"	2.39"	1.06"	.39"	4.62"	20°	**121N-2-686**
131N SERIES		**U-JOINT KIT: CP153X or CP200X**						
1.38"	3.47"	M-2.38"	3.13"	1.06"	.38"	3.88"	20°	**131N-2-329**
1.38"	3.47"	M-2.75"	3.75"	1.06"	.44"	4.63"	20°	**131N-2-479**
1.38"	3.47"	M-3.63"	2.63"	1.06"	.38"	3.63"	20°	**131N-2-349**
1.38"	3.47"	M-3.75"	4.75"	1.06"	.50"	5.88"	20°	**131N-2-579**
1.63"	3.47"	M-1.81"	2.21"/2.52"	1.06"	.31"	4.25"	15°	**131N-2-799**
1.63"	3.47"	M-1.81"	2.36"	1.06"	.39"	4.25"	15°	**131N-2-799-1**
1.63"	3.47"	F-2.00"	3.50"	1.06"	.50"	4.75"	20°	**131N-2-939**
1.63"	3.47"	M-2.25"	2.75"	1.06"	.31"	3.36"	15°	**131N-2-899-1**
135N SERIES		**U-JOINT KIT: CP178X**						
1.56"	3.88"	M-2.75"	3.75"	1.19"	.44"	4.63"	20°	**135N-2-119**
141N SERIES		**U-JOINT KIT: CP141N or CP160X**						
1.69"	4.44"	M-2.75"	3.75"	1.19"	.44"	4.63"	22°	**141N-2-159**
2.00"	4.44"	M-3.75"	4.75"	1.19"	.50"	5.88"	30°	**141N-2-429**
148N SERIES		**U-JOINT KIT: CP148N or CP188X**						
2.00"	4.19"	M-3.75"	4.75"	1.38"	.51"	5.88"	20°	**148N-2-479**
155N SERIES		**U-JOINT KIT: CP155N or CP155X**						
1.97"	4.97"	3.75"	4.75"	1.38"	.51"	5.88"	22°	**155N-2-669** [9]


9 Round flange.

FLANGE YOKES - BEARING PLATE



Center to Face	Yoke Dimension Across Ears	Pilot Dia. M=Male F=Female	Bolt Circle Dia.	Bearing Cap Dia.	Hole Dia.	Flange O.D.	Style	Joint Angle	Part Number
16N SERIES		**U-JOINT KIT: CP16NS or CP279X**							
2.75"	5.31"	M-6.62"	6.13"	1.63"	.38"	6.88"	1	22°	**16N-2-279**
2.75"	5.31"	M-7.75"	7.25"	1.63"	.38"	8.00"	2	22°	**16N-2-629**
17N SERIES		**U-JOINT KIT: CP17NS or CP280X**							
3.00"	6.09"	M-7.75"	7.25"	1.94"	.38"	8.00"	1	22°	**17NF20**
3.00"	6.09"	M-7.75"	7.25"	1.94"	.40"	8.00"	2	22°	**17NF1**
3.00"	6.09"	M-7.75"	7.25"	1.94"	.44"	8.00"	1	22°	**17N-2-739**
3.00"	6.09"	M-7.75"	7.25"	1.94"	.44"	8.00"	1		**17NF27** [4]
3.00"	6.09"	M-7.75"	7.25"	1.94"	.44"	8.00"	1		**17NF28** [5]

FLANGE YOKES - WING BEARINGS




Face to Face	Bolt Circle Dia.	Bolt Holes Dia.	Bolt Holes No.	Bolt Holes Spaced	Drum Pilot Dia. M=Male F=Female	Pilot Dia.	Flange Thickness	Slot Width	Kit Mtg. Holes	Part Number
92N SERIES		**U-JOINT KIT: CP92N-DWT, CP92N-HB, CP92N-HWD, or PERMALUBE**								
2.94"	7.25"	.44"	12	Unequally	M-7.75"	8.13"	.31"	.63"	.50"-20TH	**92NF26**

4 Flange has eight holes equally spaced, dished out for nut clearance for ZF and Voith transmissions.

5 Flange has eight holes equally spaced, dished out for nut clearance for Allison transmission.


BRAKE FLANGE YOKES - ROUND BEARINGS




Spline Size	Ctr. to End	Hub Dia.	Bore Lgth.	Yoke Dim. Across Ears	Brg. Cap Dia.	Pilot Dia.	Outbrd Pilot Mtg. Surface	Inbrd Pilot Mtg. Surface	B. C. Dia.	Bolt Hole Size	Style	Joint Angle	Part Number
141N SERIES				**U-JOINT KIT: CP141N or CP160X**									
1.50"-35	5.06"	2.50"	2.00"	4.19"	1.19"	4.73"	3.56"		5.75"	.50"-13TH	2	22°	**141TYSB24-6** [6]
1.50"-35	5.06"	2.50"	2.00"	4.19"	1.19"	4.73"	3.56"		5.75"	.50"-13TH	2	22°	**141TYSB24-6A** [7]
1.75"-10	5.06"	2.50"	2.00"	4.19"	1.19"	4.73"	3.56"	3.19"	5.75"	.50"-13TH	1		**141NYSB28-4** [6]
1.81"-34	9.38"	3.38"	2.75"	4.19"	1.19"	4.19"		6.97"	5.50"	.45"-DR	2		**141TYSB29-1A**
148N SERIES				**U-JOINT KIT: CP148N or CP188X**									
1.75"-10	5.06"	2.50"	2.00"	4.19"	1.38"	4.73"	3.56"	3.19"	5.75"	.50"-13TH	1	20°	**148NYSB28-17** [6]
1.78"-34	6.19"	2.56"	2.75"	4.97"	1.38"	3.75"		3.55"	4.75"	.50"-13TH	2		**148TYSB29-1**
1.78"-34	6.25"	2.56"	2.75"	4.19"	1.38"	6.44"	3.55"		7.25"	.38"-24TH	2		**148TYSB28-11A** [6]
1.81"-34	6.19"	2.56"	2.75"	4.19"	1.38"	3.75"	3.05"	3.55"	4.75"	.50"-13TH	1	40°	**148NYSB29**
2.00"-38	6.00"	2.75"	2.13"	4.19"	1.38"	6.45"	4.19"	3.69"	7.25"	.38"-24TH	2		**148TYSB32-2A** [6]
155N SERIES				**U-JOINT KIT: CP155N or CP155X**									
1.78"-34	6.25"	2.56"	2.75"	4.97"	1.38"				7.25"	TH	2		**155TYSB28-22A**
1.78"-34	6.25"	2.56"	2.75"	4.97"	1.38"	3.75"		3.55"	7.25"	.38"-24TH	2		**155TYSB28-14A** [8]
1.78"-34	6.25"	2.56"	2.75"	4.97"	1.38"	6.44"	3.80"		7.25"	.41"-DR	2		**155TYSB28-40A**
2.00"-38	5.98"	2.75"	2.13"	4.97"	1.38"	6.44"		4.19"	7.25"	.38"-24TH	2		**155TYSB32-13A**

6 Pilot diameter is located on earwork side of flange.
7 Includes drum, capscrews and washers.
8 Pilot diameter is located on earwork side of flange. Flange has eight holes equally spaced.


BRAKE FLANGE YOKES - ROUND BEARINGS





Spline Size	Center to End	Yoke Dim Across Ears	Brg Cap Dia.	Hub Dia.	Hub Lgth	Bore Lgth	Barrel Dia.	Center Bore Dia.	Pilot Dia.	Bolt Circle Dia.	Bolt Hole Size	Outbrd Pilot Mtg Surface	Inbrd Pilot Mtg Surface	Part Number
141N SERIES					**U-JOINT KIT: CP141N or CP160X**									
1.38"-32	8.55"	4.19"	1.19"	2.13"	1"	3.72"	1.77"	1.44" x .41"	3.38"	5.50"	.45"-DR	6.77"	6.17"	**141TYSB22-18A** [7]
1.38"-32	8.72"	4.19"	1.19"	2.13"	1"	3.66"	1.69"	1.44" x .39"	3.56"	5.50"	.45"-DR	6.97"	6.35"	**141TYSB22-11A** [7]

BRAKE FLANGE YOKES - WING BEARINGS



Spline Size	Face to End	Hub Dia.	Bore Lgth	Pilot Dia	Drum Pilot Dia	Outbrd Pilot Mtg Surface	Inbrd Pilot Mtg Surface	Bolt Circle Dia	Flange O.D.	Bolt Hole Size	Kit Mtg. Holes	Slot Width	Part Number
85WB SERIES					**U-JOINT KIT: CP85WB-DWT, CP85WB-HB, CP85WB-HWD, or PERMALUBE**								
2.25"-10	4.31"	3.00"	3.00"	6.50"	6.78"	3.22"		7.81"	8.69"	.45"-DR	.50"-20TH	.63"	**85WBYSB36-30** [6]
2.38"-46	4.31"	3.25"	2.88"	6.50"	6.75"	3.08"		7.81"	8.69"	.45"-DR	.50"-20TH	.63"	**85WBYSB38-16** [6]
92N SERIES					**U-JOINT KIT: CP92N-DWT, CP92N-HB, CP92N-HWD, or PERMALUBE**								
2.25"-10	7.63"	3.25"	3.00"	8.25"	10.50"	6.66"	6.00"	12.00"	13.63"	.63"-11TH	.50"-20TH	.63"	**92NYSB36-72** [10]

10 Flange has ten holes equally spaced.
7 Includes drum, capscrews and washers.
6 Pilot diameter is located on earwork side of flange.

DRIVELINE TIPS I

1. Check for excess tolerances before lubing application. Lube may mask, or hide excessive play and tolerances.

2. U-Joint maximum end play is .006. More than that will result in failure.

3. Slip movement, up and down, maximum allowance is .017. More than that will result in failure.

4. Dents, missing weights, dirt and foreign material buildup on shaft, can cause vibration and balance issues, resulting in failure that can also cause damage to transmission and axle.

5. Center Bearings, new self aligning style, has gold colored collar, without deflectors. Self align style became available in 2002 and will allow + / -5° angle deflection.

6. Driveshaft standard slip application has splines that face the power source and end yoke.

7. Driveshaft outboard slip assembly has splines that face toward rear of application.

8. Phasing - mark slip position with paint stripe during disassembly to make sure that you reassemble in same position and phasing to avoid timing and vibration issues.

9. Lubrication Basic Procedures:
   U-joints - make sure that grease purges at all four seals, to ensure that old grease does not contaminate new grease, potential chemical incompatibility.
   Slip Splines - 6 to 8 pumps from grease gun is acceptable.

10. Refer to Maintenance manual MM-96147 for additional information regarding torque specifications and troubleshooting information.

SECTION 2

INDEX

Slip Yokes **Page**


SLIP YOKES
Bearing Plate 2-2
Inside Snap Rings 2-2
Outside Snap Rings 2-1
Wing Bearings 2-4

TRANSMISSION SLIP YOKES
Inside Snap Rings 2-5
Outside Snap Rings 2-5


MERITOR NUMBERING SYSTEM

Meritor components may be identified by one of the numbering systems shown below. Aftermarket numbers are issued to make Meritor components easy to select when choosing a replacement component.


MERITOR ENGINEERING NUMBER



MERITOR AFTERMARKET NUMBER




SLIP YOKES - OUTSIDE SNAP RINGS



Spline Size	Center to End	Length of Hole	Yoke Dimension Across Ears	Bearing Cap Dia.	Dust Cap Style	Dust Cap	Joint Angle	Part Number
121N SERIES		**U-JOINT KIT: CP443X**						
1.25"-14	6.41"	5.13"	2.69"	1.06"	2 Snap-On	R280196	20°	**121N-3-8861KX** [1]
1.25"-14	8.02"	6.75"	2.69"	1.06"	2 Snap-On	R280196	20°	**121N-3-8961KX** [1]
131N SERIES		**U-JOINT KIT: CP153X or CP200X**						
1.25"-16	6.56"	6.03"	3.47"	1.06"	1	ND2K	30°	**131N-3-4441KX**
1.38"-16	5.38"	4.84"	3.47"	1.06"	2 Snap-On	R280194	15°	**131N-3-128KX**
1.38"-16	6.00"	4.95"	3.47"	1.06"	2 Snap-On	R280194	20°	**131N-3-7981KX**
1.38"-16	6.88"	5.34"	3.47"	1.06"	2 Snap-On	R280194	30°	**131N-3-8001KX**
1.38"-16	7.88"	6.34"	3.47"	1.06"	2 Snap-On	R280194	30°	**131N-3-8021KX**
1.38"-31	6.63"	6.09"	3.47"	1.06"	2	ND3A	15°	**131N-3-7171KX**
1.50"-16	6.88"	6.34"	3.47"	1.06"	2	ND3A	30°	**131N-3-6061KX**
133N SERIES		**U-JOINT KIT: CP213X**						
1.38"-15	6.63"	6.09"	3.88"	1.06"	2 Snap-On	R280194	15°	**133N-3-7681KX**
1.38"-16	6.00"	4.95"	3.88"	1.06"	2 Snap-On	R280194	15°	**133N-3-7961KX**
1.38"-16	7.50"	6.41"	3.88"	1.06"	2 Snap-On	R280194	19°	**133N-3-8041KX**
135N SERIES		**U-JOINT KIT: CP178X**						
1.38"-16	5.25"	4.66"	3.88"	1.19"	1	ND3E	15°	**135N-3-758KX**
1.38"-16	5.25"	5.22"	3.88"	1.19"	1 Snap-On	R280195	15°	**135N-3-1501KX**
1.38"-31	6.63"	6.03"	3.88"	1.19"	2	ND3A	20°	**135N-3-2471KX**
1.50"-16	5.81"	5.22"	3.88"	1.19"	2	ND3A	20°	**135N-3-598KX**
1.50"-16	6.72"	6.13"	3.88"	1.19"	2	ND3A	20°	**135N-3-1561KX**
1.50"-16	7.31"	6.72"	3.88"	1.19"	2	ND3A	20°	**135N-3-488KX**
141N SERIES		**U-JOINT KIT: CP141N or CP160X**						
1.38"-16	5.25"	4.66"	4.44"	1.81"	1	ND3E	20°	**141N-3-788KX**
1.38"-16	5.81"	5.22"	4.44"	1.81"	1 Snap-On	R280195	20°	**141N-3-1481KX**
1.50"-16	5.25"	4.66"	4.44"	1.81"	1	ND3K	20°	**141N-3-2041KX**
1.50"-16	6.50"	5.91"	4.44"	1.81"	2	ND3A	20°	**141N-3-118KX**
1.50"-16	7.81"	7.22"	4.44"	1.81"	2	ND3A	28°	**141N-3-508KX**
148N SERIES		**U-JOINT KIT: CP148N or CP188X**						
1.56"-16	6.81"	5.45"	4.44"	1.38"	2	ND3H	21°	**148N-3-1601KX**
1.56"-16	9.50"	7.50"	4.44"	1.38"	2	ND3H	35°	**148N-3-1641KX**
155N SERIES		**U-JOINT KIT: CP155N or CP155X**						
1.75"-16	6.88"	5.81"	4.97"	1.38"	2 Snap-On	SERUR21-3	22°	**155N-3-1241X**
20R SERIES		**U-JOINT KIT: CP20RPLS**						
2.50"-16	11.45"	8.53"	7.25"	2.06"	3	KIT 20RPL SEAL	32°	**20RLS40-2A1S** [2]
2.50"-16	12.05"	8.53"	7.25"	2.06"	3	KIT 20RPL SEAL	44°	**20RLS40-3A1S** [2]
2.50"-16	12.15"	9.23"	7.25"	2.06"	3	KIT 20RPL SEAL	27°	**20RLS40-11A1S**
25R SERIES		**U-JOINT KIT: CP25RPLS**						
3.00"-16	11.28"	8.53"	8.58"	2.06"	3	DEFR61-3 and SERUR40-21	22°	**25RLS48-1A1S** [3]


1 Spline is 14 based on 16 spacing.
2 Slip Yoke Assembly includes dust seal and shroud. Use RPL-Lube-50 grease supplied with slip yoke in installation.
3 Slip Yoke Assembly includes dust seal and shroud. Use RPL-Lube-50 grease supplied with slip yoke in installation. If using as a replacement for 25RLS40-1A2, then must replace with kit 25RPLSLIP which includes Slip Yoke and Spline Plug.

SLIP YOKES - INSIDE SNAP RINGS




Center to End	Length of Hole	Yoke Dimension Across Ears	Bearing Cap Dia.	Dust Cap	Joint Angle	Part Number
3R SERIES	**1.38" - 31 SPLINE (Based on 32 Involute Spline)**			**U-JOINT KIT: CP3147X**		
7.38"	6.02"	2.56"	1.13"	ND3A	22°	**R3R-3-9165KX**
131N SERIES	**1.38" - 16 SPLINE**		**U-JOINT KIT: CP1306X**			
6.88"	5.68"	2.13"	1.08"	R280194	18°	**131N-3-7260KX**

SLIP YOKES - BEARING PLATE



Spline Size	Center to End	Length of Hole	Yoke Dimension Across Ears	Bearing Cap Dia.	Dust Cap Style	Dust Cap	Joint Angle	Part Number
16N SERIES		**U-JOINT KIT: CP16NS or CP279X**						
2.00"-16		8.60"			2 Snap On	SERUR25-4		**16NLS32-47A1**
2.00"-16	7.81"	6.38"	5.31"	1.88"	2 Snap-On	SERUR25-4	22°	**16N-3-108X**
2.00"-16	8.94"	7.50"	5.31"	1.88"	2 Snap-On	SERUR25-4	21°	**16N-3-128X**
2.00"-16	9.31"	7.38"	5.31"	1.88"	2 Snap-On	SERUR25-2	30°	**16N-3-288X**
2.00"-16	10.31"	8.38"	5.31"	1.88"	2 Snap-On	SERUR25-4	27°	**16N-3-1411X**
2.00"-16	10.81"	8.38"	5.31"	1.88"	2 Snap-On	SERUR25-4	35°	**16N-3-2261X**
17N SERIES		**U-JOINT KIT: CP17NX or CP280X**						
2.50"-10	8.84"	7.13"	6.09"	1.94"	1	DC17N		**17N-3-1461X**
2.50"-16	6.73"	5.00"	6.09"	1.94"	2 Snap-On	SERUR33-5		**17N-3-2761X**
2.50"-16	7.97"	6.25"	6.09"	1.94"	2 Snap-On	SERUR33-5		**17NLS40-98CA**
2.50"-16	8.84"	7.13"	6.09"	1.94"	2 Snap-On	SERUR33-5		**17N-3-2631X**
2.50"-16	9.59"	7.88"	6.09"	1.94"	2 Snap-On	SERUR33-5	22°	**17N-3-2671X**
2.50"-16	10.41"	7.50"	6.09"	1.94"	2 Snap-On	SERUR33-5		**17N-3-3021X**
2.50"-16	11.41"	8.50"	6.09"	1.94"	2 Snap-On	SERUR33-5		**17NLS40-124A**
2.50"-16	11.41"	8.50"	6.09"	1.94"	1	DC17N-3		**17NLS40-82DC**
2.50"-16	11.69"	9.25"	6.09"	1.94"	2 Snap-On	SERUR33-5	30°	**17N-3-2651X**
2.50"-16	11.72"	8.50"	6.09"	1.94"	2 Snap-On	SERUR33-5		**17N-3-2571X**
2.50"-16	11.97"	9.06"	6.09"	1.94"	2 Snap-On	SERUR33-5		**17NLS40-121A**
2.50"-16	12.72"	9.63"	6.09"	1.94"	1	DC17N-3	45°	**17N-3-2401X**

SLIP YOKES - BEARING PLATE




Spline Size	Center to End	Length of Hole	Yoke Dimension Across Ears	Bearing Cap Dia.	Dust Cap Style	Dust Cap	Joint Angle	Part Number
18N SERIES		**U-JOINT KIT: CP18NS or CP281X**						
3.00"-16	7.06"	5.56"	7.55"	1.94"	2 Snap-On	SERUR40-9	30°	**18NLS48-13A**
3.00"-16	8.94"	7.97"	7.55"	1.94"	2 Snap-On	SERUR40-9	30°	**18N-3-1431X**
3.00"-16	10.25"	7.94"	7.55"	1.94"	2 Snap-On	SERUR40-9	30°	**18N-3-1351X**
3.00"-16	11.88"	9.56"	7.55"	1.94"	2 Snap-On	SERUR40-9	30°	**18N-3-1371X**
176N SERIES		**U-JOINT KIT: CP176NS or CP407X**						
2.50"-16	9.25"	7.88"	7.00"	1.94"	2 Snap-On	SERUR33-5	30°	**176N-3-41X**
2.50"-16	11.16"	9.25"	7.00"	1.94"	2 Snap-On	SERUR33-5	30°	**176N-3-21X**

MERITOR


an *ArvinMeritor* brand

SLIP YOKES - WING BEARINGS




Spline Size	Face to End	Length of Hole	Pilot Diameter	Slot Width	Dust Cap Style	Related Dust Cap Group	Kit Mtg. Holes	Part Number
58WB SERIES	**U-JOINT KIT: "CP58WB-DWT, CP58WB-HB, CP58WB-HWD, or PERMALUBE"**							
1.75"-16	6.75"	5.50"	5.31"	0.63"	3 Threaded	SERUR25-4	.47"-DR	**58WBLS28-41A**
1.75"-16	8.75"	7.50"	5.31"	0.63"	3 Threaded	SERUR25-4	.47"-DR	**58WBLS28-42A**
62N SERIES	**U-JOINT KIT: CP62N-DWT, CP62N-HB, CP62N-HWD, or PERMALUBE**							
1.75"-10	5.63"	5.00"	5.53"	.56"	1	DC62N-1	.38"-24TH	**62NLS28-43DC**
1.75"-10	7.38"	6.44"	5.53"	.56"	2	DC62N	.41"-DR	**62NLS28-3DC**
1.75"-16	6.38"	5.50"	5.53"	.56"	3 Threaded	SERUR22-4	.41"-DR	**62NLS28-82A**
1.75"-16	9.50"	8.00"	5.53"	.56"	3 Threaded	SERUR22-4	.41"-DR	**62NLS28-2A**
72N SERIES	**U-JOINT KIT: CP72N-DWT, CP72N-HB, CP72N-HWD, or PERMALUBE**							
2.00"-10	7.44"	6.50"	5.84"	.63"	3 Threaded	SERUR25-1	.50"-20TH	**72NLS32-1DC**
2.00"-16	7.06"	6.06"	5.84"	.63"	3 Threaded	SERUR25-1	.47"-DR	**72NLS32-142A**
2.00"-16	10.88"	9.25"	5.84"	.63"	3 Threaded	SERUR25-1	.47"-DR	**72NLS32-20DC**
82N SERIES	**U-JOINT KIT: CP82N-DWT, CP82N-HB, CP82N-HWD, or PERMALUBE**							
2.50"-16	8.56"	7.56"	8.13"	.63"	3 Threaded	SERUR33-4	.47"-DR	**82NLS40-83A**
2.50"-16	9.75"	8.63"	8.13"	.63"	3 Threaded	SERUR33-4	.47"-DR	**82NLS40-85A**
92N SERIES	**U-JOINT KIT: CP92N-DWT, CP92N-HB, CP92N-HWD, or PERMALUBE**							
3.00"-10	6.75"	5.50"	8.25"	.63"	1	DC92N	.50"-20TH	**92NLS48-3DC**
3.00"-16	9.63"	8.50"	8.25"	.63"	3 Threaded	SERUR40-3	.50"-20TH	**92NLS48-47DC**
3.00"-16	10.63"	9.50"	8.25"	.63"	3 Threaded	SERUR40-3	.53"-DR	**92NLS48-66A**

TRANSMISSION SLIP YOKES - OUTSIDE SNAP RINGS



Center to End	Length of Hole	Yoke Dimension Across Ears	Bearing Cap Diameter	Seal Diameter	Joint Angle	Spline Length	Part Number
121N SERIES	**0.998" - 20 SPLINE (Based on 22 Involute Spline)**				**U-JOINT KIT: CP443X**		
6.00"	4.73"	2.69"	1.06"	1.38"	20°	CB	**121N-3-686X**
121N SERIES	**1.005" - 22 SPLINE (Based on 24 Involute Spline)**				**U-JOINT KIT: CP443X**		
4.75"	3.48"	2.69"	1.06"	1.38"	20°	CB	**121N-3-1224-1X**
6.00"	4.73"	2.69"	1.06"	1.38"	20°	CB	**121N-3-1224X**
121N SERIES	**1.102" - 21 SPLINE (Involute Spline)**				**U-JOINT KIT: CP443X**		
6.00"	4.73"	2.69"	1.06"	1.50"	20°	FS	**121N-3-2321X**

TRANSMISSION SLIP YOKES - INSIDE SNAP RINGS




Center to End	Length of Hole	Yoke Dimension Across Ears	Bearing Cap Diameter	Seal Diameter	Spline Length	Part Number
3R SERIES	**1.17" - 26 SPLINE (Based on 27 Involute Spline)**			**U-JOINT KIT: CP3147X**		
5.47"	4.59"	2.56"	1.13"	1.50"	FS	**R3R-3-6081X**
3R SERIES	**1.39" - 31 SPLINE (Based on 32 Involute Spline)**			**U-JOINT KIT: CP3147X**		
7.50"	6.50"	2.56"	1.13"	1.88"	CB	**R3R-3-9131X**
7.50"	6.50"	2.56"	1.13"	1.88"	FS	**R3R-3-9161X**
8.06"	6.70"	2.56"	1.13"	1.88"	FS	**R3R-3-9101X**

Spline Length: CB - Counterbore in end of barrel. FS - Fully Splined

MERITOR PERMALUBE™ RPL SERIES DRIVELINES

Performance Advantages:

- Proven longer U-joint life on today's gear fast/run slow drivetrains
- The only driveline available that is permanently lubricated and sealed for life
- Permanent lubrication reduces both operating and maintenance costs
- Delivers significantly higher torque capacities



Features and Benefits:

- Designed specifically for the needs of line-haul trucking applications
- Simple bolt-together driveline assembly provides the ultimate in easy service
- Patch Lock Bolts with "Patch Lock" feature assure a secure connection for life
- Both U-joint and slip section are sealed and greased for life which reduces operating costs
- A "first" in on-highway U-joints – double-row needle bearings provide optimum bearing alignment and longer life
- U-joint features nylon thrust washers that eliminate metal-to-metal contact to prevent wear
- Patented U-joint snap ring retention feature correctly positions U-joints for lifetime fit

For more information, call our customer service team at 888.725.9355 or visit www.XpresswayPlus.arvinmeritor.com.

SECTION 3

INDEX

End Yokes **Page**

ROUND BEARINGS
131N Series 3-1
16N Series 3-1
176N Series 3-9
17N Series 3-4
18N Series 3-11

ROUND BEARINGS STRAIGHT ROUND HOLE
131N Series 3-13

RPL
20R Series 3-22
25R Series 3-24


WING BEARINGS
58WB Series 3-13
62N Series 3-14
72N Series 3-16
82N Series 3-18
92N Series 3-20


WING BEARINGS STRAIGHT ROUND HOLE
58WB SERIES 3-22
72N SERIES 3-22
92N SERIES 3-22

MERITOR NUMBERING SYSTEM


Meritor components may be identified by one of the numbering systems shown below. Aftermarket numbers are issued to make Meritor components easy to select when choosing a replacement component.

MERITOR ENGINEERING NUMBERS






MERITOR AFTERMARKET NUMBER




ROUND BEARINGS - 131N SERIES



Center to End	Spline Length	Hub Diameter	Joint Angle	Deflector	Part Number
.88" - 13 SPLINE					
2.56"	1.57"	2.00"			131N-4-3331 [13]


ROUND BEARINGS - 16N SERIES



Center to End	Spline Length	Hub Diameter	Joint Angle	Deflector	Part Number
1.75" - 10 SPLINE					
4.12"	2.25"	2.19"	24°		16N-4-1721
4.12"	2.25"	2.50"	23°		16N-4-1051
4.12"	2.25"	2.62"	24°		16N-4-781
4.75"	2.25"	2.62"	29.5°		16N-4-2081
4.75"	2.00"	2.62"	29.5°	DEFR43-2	16NYS28-4A
4.75"	2.25"	2.75"	32°		16N-4-1931
4.75"	2.25"	2.75"	32°	DEFR47-6	16N-4-3601X
5.00"	2.25"	2.75"	32°		16N-4-3621
5.34"	2.25"	2.62"	36°		16N-4-4571
6.00"	2.25"	2.62"	45°	DEFR42-1	16N-4-4761X
6.00"	2.25"	2.75"	45°		16N-4-3861
6.00"	2.25"	2.75"	45°	DEFR47-6	16N-4-4441X
1.75" - 34 SPLINE					
4.88"	2.25"	2.50"			16N-4-5621X
4.88"	2.25"	2.50"	32°		16N-4-5571
5.44"	1.75"	2.38"	35°	DEFR47-7	16N-4-5081X
5.44"	2.25"	2.50"	30°		16N-4-6261
6.03"	2.25"	2.50"	45°		16N-4-6251

13 .375" diameter set screw. Hub not ground.


ROUND BEARINGS - 16N SERIES




U-JOINT KIT:
R279X

Center to End	Spline Length	Hub Diameter	Joint Angle	Deflector	Part Number
1.77" - 45 SPLINE					
5.36"	2.25"	2.51"	43°	DEFR47-3	**16NYS28-64A**
1.78" - 34 SPLINE					
4.94"	2.43"	2.62"	27°		**16NYS28-60**
5.31"	2.75"	2.56"			**16N-4-4841X**
1.88" - 10 SPLINE					
4.56"	2.38"	2.75"			**16NYS30A**
5.00"	2.38"	2.75"	32°		**16N-4-2501**
1.97" - 10 SPLINE					
5.12"	2.62"	2.75"	32°		**16N-4-3681**
5.12"	2.62"	2.75"	32°	DEFR47-2	**16N-4-5281X**
5.22"	2.00"	2.50"	35°		**16N-4-4551**
5.31"	2.25"	2.62"	32°		**16N-4-4471**
5.38"	2.25"	3.00"	32°		**16N-4-4541**
2.00" - 10 SPLINE					
5.19"	2.56"	2.94"	32°		**16N-4-1631**
2.00" - 16 SPLINE					
4.94"	2.38"	3.25"	27°		**16NYS32-47**
2.00" - 30 SPLINE					
6.00"	2.69"	3.00"	45°		**16N-4-5721**
2.00" - 38 SPLINE					
4.00"	2.13"	2.75"			**16N-4-6321**
2.00" - 39 SPLINE					
4.50"	2.00"	2.75"			**16NYS32-43**
4.72"	2.25"	2.62"	23°		**16NYS32-74**
4.72"	2.25"	2.62"	23°	DEFR44-11	**16NYS32-74A**
5.12"	2.44"	2.75"			**16N-4-6951X**
5.31"	2.25"	2.62"	35°		**16N-4-5981**
5.31"	2.25"	2.62"	35°	DEFR44-11	**16N-4-5991X**
5.54"	2.31"	3.00"	27°	DEFR50-19	**16NYS32-32A3**
5.54"	2.31"	3.00"	30°		**16N-4-6271**
5.54"	2.31"	3.00"	30°	DEFR50-7	**16N-4-6281X**
5.94"	2.44"	2.75"		DEFR47-13	**16N-4-6961X**
5.94"	2.44"	2.75"	45°		**16N-4-5441**
6.22"	2.31"	3.00"	45°		**16N-4-6241**
6.22"	2.31"	3.00"	45°	DEFR59-1	**16N-4-6291X**
6.25"	2.44"	2.75"	45°		**16N-4-5461**

ROUND BEARINGS - 16N SERIES






U-JOINT KIT:
R279X

Center to End	Spline Length	Hub Diameter	Joint Angle	Deflector	Part Number
2.03" - 10 SPLINE					
4.50"	2.00"	2.75"	32°		**16N-4-4401**
2.13" - 32 SPLINE					
5.38"	2.25"	3.00"	36°		**16N-4-5751**
6.00"	2.25"	3.00"	33°		**16N-4-5731**
2.14" - 41 SPLINE					
2.18"	4.85"	3.00"	27°	DEFR50-7	**16NYS34-23A**
2.16" - 16 SPLINE					
6.25"	3.00"	2.94"	29°		**16N-4-5031**
2.23" - 6 SPLINE					
5.72"	3.25"	3.00"	25°		**16NYS36-7**
2.25" - 10 SPLINE					
5.50"	3.00"	3.50"	32°		**16N-4-3321**
5.63"	3.00"	3.00"			**16N-4-6891X**
2.38" - 36 SPLINE					
5.16"	2.69"	3.00"	27°		**16N-4-5631**
6.00"	2.69"	3.00"	45°		**16N-4-5741**
2.38" - 46 SPLINE					
4.94"	2.32"	3.25"			**16NYS38-8A**
5.50"	2.88"	3.25"	22°	DEFR54-5	**16NYS38-11A**
6.19"	2.33"	3.25"	42°		**16NYS38-12**
6.19"	2.32"	3.25"	42°	DEFR56-7	**16NYS38-12A**

ROUND BEARINGS - 17N SERIES




U-JOINT KIT:
R280X

Center to End	Spline Length	Hub Diameter	Joint Angle	Deflector	Part Number
1.63" - 10 SPLINE					
4.73"	2.13"	2.38"			17NYS26
1.75" - 10 SPLINE					
4.88"	2.25"	2.75"	30°		17N-4-2381
4.88"	2.25"	2.75"	30°		17NYS28-11 [1]
5.25"	2.25"	2.62"	30°		17N-4-3391
5.25"	2.25"	2.62"	30°	DEFR42-1	17N-4-4301X
6.12"	2.25"	2.62"	45°		17N-4-4141
6.12"	2.25"	2.62"	45°	DEFR42-1	17N-4-4861X
6.25"	2.25"	2.75"			17N-4-4831X
6.25"	2.25"	2.75"	45°		17N-4-4091
1.75" - 34 SPLINE					
4.88"	2.25"	2.50"	30°	DEFR47-7	17N-4-5131X
4.88"	2.25"	2.50"	30°		17N-4-6331
5.44"	2.44"	2.62"			17NYS28-66A
5.97"	2.25"	2.50"	45°	DEFR47-7	17N-4-5111X
5.97"	2.25"	2.50"	45°		17N-4-6321
1.78" - 34 SPLINE					
5.44"	2.44"	2.62"	33.5°		17N-4-6481
6.31"	2.44"	2.62"	45°		17N-4-6451
7.19"	2.75"	2.56"	33°		17N-4-5031
7.19"	2.75"	2.56"	33°		17N-4-5041X [2]
1.79" - 34 SPLINE					
6.31"	2.44"	2.63"		N.S.S.	17N-4-8521X [6]
1.88" - 10 SPLINE					
4.50"	2.38"	2.75"	22°		17N-4-2271
5.38"	2.38"	2.75"	30°		17N-4-3361
1.94" - 10 SPLINE					
4.56"	2.25"	3.00"	22°		17N-4-3291
1.94" - 30 SPLINE					
4.56"	2.25"	3.00"	20°		17N-4-4371
1.97" - 10 SPLINE					
4.50"	2.25"	2.62"	24.5°		17N-4-4721
4.50"	2.25"	2.62"	24.5°	DEFR56-1	17N-4-4731X
4.50"	2.25"	2.62"	45°		17N-4-2211
4.81"	2.62"	2.75"	26°		17N-4-2161
4.81"	2.62"	2.75"	26°	DEFR47-2	17N-4-4181X
5.00"	3.00"	2.44", 2.81", 3.38"	26°		17N-4-1981 [3]
5.00"	2.00"	2.50"	30°		17N-4-3721

1 Deflector diameter is 2.953 in..
2 Includes washer.
3 Center Bearing yoke.

ROUND BEARINGS - 17N SERIES




U-JOINT KIT:
R280X

Center to End	Spline Length	Hub Diameter	Joint Angle	Deflector	Part Number
1.97" - 10 SPLINE					
5.00"	2.00"	2.62"	30°		17N-4-2391
5.25"	2.25"	2.62"	32°		17N-4-5141
5.25"	2.25"	2.62"	32°	DEFR42-1	17N-4-5151X
5.25"	2.62"	2.75"	30°		17N-4-3221
5.25"	2.62"	2.75"	30°	DEFR47-2	17N-4-4361X
6.12"	2.25"	2.62"	45°		17N-4-4151
6.12"	2.25"	2.62"	45°	DEFR42-1	17N-4-4851X
6.50"	2.62"	2.75"	45°		17N-4-4131
6.50"	2.62"	2.75"	45°	DEFR47-2	17N-4-4481X
1.99" - 30 SPLINE					
6.28"	2.70"	3.00"		DEFR48-6	17N-4-7231X [6]
2.00" - 10 SPLINE					
5.00"	2.00"	2.75"	33°		17N-4-2371
5.19"	2.56"	2.75"	30°		17N-4-3271
5.19"	2.56"	2.75"	30°	DEFR47-6	17N-4-4391X
5.19"	2.56"	2.94"	30°		17N-4-3241
5.19"	2.56"	2.94"	30°	DEFR47-3	17N-4-4291X
5.19"	2.56"	2.94"	30°	DEFR47-12	17N-4-4741X
5.63"	3.00"	2.94"	30°		17N-4-2191
2.00" - 30 SPLINE					
6.11"	2.69"	3.00"	45°		17N-4-5781
2.00" - 38 SPLINE					
5.00"	3.00"	2.81"	25°		17N-4-7141
2.00" - 39 SPLINE					
4.81"	2.44"	2.75"	26°		17N-4-5541
4.81"	2.44"	2.75"	26°	DEFR47-13	17N-4-6941X
5.00"	2.00"	2.75"	30°		17NYS32-60
5.16"	2.31"	3.00"			17NYS32-100
5.16"	2.31"	3.00"		DEFR59-1	17NYS32-100A
5.16"	2.31"	3.00"	30°	DEFR59-2	17N-4-6411X
5.16"	2.31"	3.00"	32°	DEFR59-2	17NYS32-100A1
5.16"	2.31"	3.00"	32°	DEFR59-5	17NYS32-100A2
5.25"	2.25"	2.62"			17N-4-8531X
5.25"	2.25"	2.62"	33°		17N-4-5991
5.25"	2.44"	2.75"	30°		17N-4-5521
5.25"	2.44"	2.75"	30°	DEFR47-13	17N-4-6951X
5.25"	2.44"	2.75"	30°	DEFR47-5	17NYS32-41A1

6 High Angle Yoke.

ROUND BEARINGS - 17N SERIES





U-JOINT KIT:
R280X

Center to End	Spline Length	Hub Diameter	Joint Angle	Deflector	Part Number
2.00" - 39 SPLINE					
5.25"	2.44"	2.75"	32°	DEFR47-4	**17NYS32-41A2**
5.25"	2.28"	3.00"	32°	DEFR50-24	**17NYS32-92A**
6.12"	2.25"	2.62"	45°		**17N-4-6011**
6.12"	2.25"	2.62"	45°	DEFR44-11	**17N-4-6021X**
6.25"	2.31"	3.00"	45°	DEFR50-7	**17N-4-6391X**
6.25"	2.31"	3.00"	45°		**17NYS32-99**
6.25"	2.31"	3.00"	45°	DEFR59-1	**17NYS32-99A**
6.25"	2.31"	3.00"	45°	DEFR59-5	**17NYS32-99A3**
6.50"	2.44"	2.75"	30°		**17N-4-5501**
6.50"	2.44"	2.75"	30°	DEFR47-13	**17N-4-6871X**
6.50"	2.44"	2.75"	30°	DEFR47-4	**17NYS32-40A1**
2.02" - 39 SPLINE					
5.25 in	2.50"	2.63"		DEFR44-13	**17N-4-9041X**
6.13"	2.50"	2.63"		DEFR44-13	**17N-4-9001X**
2.03" - 10 SPLINE					
5.00"	2.00"	2.75"	25°		**17N-4-3791**
2.11" - 32 SPLINE					
6.25"	2.25"	3.00"		DEFR48-6	**17N-4-7171X** [6]
2.13" - 32 SPLINE					
4.56"	2.25"	3.00"			**17NYS34-15**
5.00"	2.25"	3.00"	26°		**17N-4-5821**
6.25"	2.25"	3.00"	45°		**17N-4-5791**
6.25"	2.25"	3.00"	45°	DEFR54-1	**17NYS34-9A**
2.13" - 41 SPLINE					
5.16"	2.31"	2.94"	31°		**17NYS34-20**
5.35"	2.50"	2.94"			**17NYS34-29A**
5.35"	2.50"	2.94"	31°		**17NYS34-29**
6.12"	2.50"	2.94"	42.5°		**17NYS34-19**
6.12"	2.50"	2.94"	42.5°	DEFR48-15	**17NYS34-19A1**
6.63"	3.00"	2.94"			**17N-4-7541**
6.63"	3.00"	2.94"			**17NYS34-18A1**
2.14" - 41 SPLINE					
6.13"	2.50"	2.94"		DEFR48-2	**17N-4-7561X** [6]
2.16" - 16 SPLINE					
5.19"	2.50"	2.94"	26°		**17N-4-4961**
5.19"	2.50"	2.94"	26°	DEFR48-5	**17N-4-5061X**
5.50"	3.00"	2.94"			**17N-4-4171X**

6 High Angle Yoke.

ROUND BEARINGS - 17N SERIES






U-JOINT KIT:
R280X

Center to End	Spline Length	Hub Diameter	Joint Angle	Deflector	Part Number
2.16" - 16 SPLINE					
5.50"	3.00"	2.94"	23.5°		**17N-4-2181**
6.31"	3.00"	2.94"	45°		**17NYS34-5**
6.63"	3.00"	2.94"	40°		**17N-4-4591**
6.63"	3.00"	2.94"	40°	DEFR48-2	**17N-4-5481X**
2.22" - 6 SPLINE					
5.31"	3.25"	3.00"	26°		**17N-4-3031**
5.31"	3.25"	3.00"	26°	DEFR49-1	**17N-4-3041X**
2.25" - 10 SPLINE					
5.25"	2.88"	3.00"	26°		**17N-4-2511**
5.25"	2.94"	3.13"	26°		**17N-4-2151**
5.25"	2.25"	3.13"	30°		**17N-4-2441**
5.25"	3.00"	3.25"	22°		**17N-4-2501**
5.25"	2.25"	3.25"	30°		**17N-4-1971**
5.25"	3.00"	3.50"	22°		**17N-4-2141**
6.06"	3.00"	3.00"	32°		**17N-4-1991**
6.06"	3.00"	3.00"	32°	DEFR50-2	**17N-4-4411X**
7.19"	3.00"	3.00"			**17N-4-6891X**
2.25" - 6 SPLINE					
5.25"	2.25"	3.25"	30°		**17N-4-3501**
2.28" - 44 SPLINE					
5.19"	2.50"	2.94"			**17N-4-8551X**
5.19"	2.50"	2.94"	26°		**17N-4-6031**
5.19"	2.50"	2.94"	26°	DEFR48-5	**17N-4-6041X**
2.34" - 16 SPLINE					
4.94"	2.75"	3.31"	26°		**17N-4-4601** [3]
4.94"	2.75"	3.31"	26°	DEFR55-1	**17N-4-5071X**
5.19"	2.75"	2.81"	21°		**17N-4-5341**
2.36" - 18 SPLINE					
5.75"	3.38"	3.50"	26°		**17N-4-4561**
2.36" - 36 SPLINE					
6.50"	2.69"	3.00"		DEFR48-6	**17N-4-7241X** [6]
2.38" - 36 SPLINE					
5.44"	2.69"	3.00"	26°		**17N-4-5711**
6.50"	2.69"	3.00"	45°		**17N-4-5801**

3 Center Bearing yoke.

6 High Angle Yoke.

ROUND BEARINGS - 17N SERIES




U-JOINT KIT:
R280X

Center to End	Spline Length	Hub Diameter	Joint Angle	Deflector	Part Number
2.38" - 46 SPLINE					
4.88"	2.33"	3.25"	22°		**17NYS38-61**
4.88"	2.32"	3.25"	22°	DEFR56-7	**17NYS38-61A**
4.94"	2.41"	2.95", 3.75"	27°		**17N-4-6601** [5]
5.00"	1.95"	3.25"	32°		**17NYS38-78**
5.16"	2.41"	3.50"	22°		**17N-4-5841**
5.38"	2.33"	3.25"	31°		**17N-4-7161**
5.38"	2.32"	3.25"	31°	DEFR56-7	**17N-4-7181X**
5.38"	2.32"	3.25"	34°	DEFR56-12	**17NYS38-32A2**
5.69"	2.62"	3.25"	30°		**17N-4-5451**
5.69"	2.62"	3.25"	30°	DEFR54-1	**17N-4-5461X**
5.75"	3.38"	3.50"	26°		**17N-4-4771**
5.94"	2.88"	3.25"		DEFR54-5	**17N-4-6961X**
5.94"	2.88"	3.25"			**17NYS38-31**
5.94"	2.88"	3.25"	45°	DEFR54-1	**17N-4-5961X**
6.00"	3.20"	3.38"			**17NYS38-44A1**
6.19"	2.88"	3.25"			**17NYS38-17A2**
6.19"	2.88"	3.25"	45°		**17NYS38-17**
6.50"	2.33"	3.25"	45°		**17NYS38-38**
6.50"	2.32"	3.25"	45°	DEFR56-7	**17NYS38-38A**
6.93"	2.88"	3.25"	45°	DEFR54-5	**17N-4-7851X**
6.93"	2.88"	3.25"	45°		**17NYS38-63**
2.42" - 18 SPLINE					
5.81"	3.00"	3.38"	25°		**17N-4-4581**
2.50" - 10 SPLINE					
5.16"	2.39"	3.50"	22°		**17N-4-4421**
5.63"	3.00"	3.75"	30°		**17N-4-3611**
5.63"	3.00"	3.75"	30°	DEFR62-1	**17N-4-6921X**
2.53" - 16 SPLINE					
5.81"	3.25"	3.25"			**17NYS40-37A**
6.44"	2.75"	3.25"			**17NYS40-106A**
6.44"	2.75"	3.25"	40°		**17NYS40-106**
6.44"	2.75"	3.25"	40°	DEFR60-1	**17NYS40-106A1** [6]
2.63" - 20 SPLINE					
5.19"	2.75"	3.00"			**17N-4-7071X**
5.19"	2.75"	3.75"	26°		**17N-4-5351**

4 Keyway for speedometer gear on hub.
5 Step hub diameter is 2.95 in./3.75 in..
6 Also includes seal and wiper.


ROUND BEARINGS - 17N SERIES



U-JOINT KIT:
R280X

Center to End	Spline Length	Hub Diameter	Joint Angle	Deflector	Part Number
2.75" - 10 SPLINE					
5.31"	2.94"	3.38"	20°		**17N-4-4651** [4]
5.75"	3.00"	3.50"	22°		**17N-4-4551**
5.75"	3.00"	3.75"	20.5°	DEFR65-1	**17N-4-6841X**
5.75"	3.00"	3.75"	22°		**17N-4-6821**
5.75"	3.00"	3.75"	22°	DEFR62-1	**17N-4-6931X**

ROUND BEARINGS - 176N SERIES




U-JOINT KIT:
R407X

Center to End	Spline Length	Hub Diameter	Joint Angle	Deflector	Part Number
2.00" - 10 SPLINE					
5.38"	2.56"	2.94"	30°	DEFR47-9	**176N-4-181X**
5.38"	2.56"	2.94"	30°		**176N-4-71**
2.00" - 39 SPLINE					
5.19"	2.31"	3.00"			**176NYS32-3A2**
5.19"	2.31"	3.00"	29°		**176N-4-531**
5.19"	2.31"	3.00"	29°	DEFR56-2	**176N-4-541X**
5.19"	2.31"	3.00"	32°		**176NYS32-3**
2.03" - 10 SPLINE					
5.00"	2.00"	2.75"	30°		**176N-4-421**
2.13" - 16 SPLINE					
5.25"	2.50"	2.94"	30°		**176N-4-121**

4 Keyway for speedometer gear on hub.

ROUND BEARINGS - 176N SERIES




U-JOINT KIT: R407X


Center to End	Spline Length	Hub Diameter	Joint Angle	Deflector	Part Number
2.25" - 10 SPLINE					
5.25"	2.25"	3.12", 3.13"	30°		176N-4-411
5.84"	3.00"	3.00"			176N-4-731X
2.28" - 44 SPLINE					
5.25"	2.50"	3"	30°		176N-4-1421
5.25"	2.50"	3.00"			176NYS36-12A
2.34" - 16 SPLINE					
5.50"	2.75"	2.86"	30°		176N-4-161 [3]
2.36" - 18 SPLINE					
6.12"	3.38"	3.50"	30°		176N-4-271
2.38" - 36 SPLINE					
5.44"	2.64"	3.00"	30°		176N-4-441
5.56"	2.69"	3.00"			176N-4-851X
2.38" - 46 SPLINE					
5.06"	2.33"	3.25"	29°		176NYS38-14
5.06"	2.32"	3.25"	29°	DEFR56-7	176NYS38-14A
5.38"	2.41"	3.50"	30°		176N-4-391
5.41"	2.41"	2.95"	30°		176NYS38-10
5.44"	2.62"	3.25"		DEFR54-1	176N-4-211X
5.44"	2.62"	3.25"			176NYS38-3
5.63"	2.88"	3.25"		DEFR54-5	176N-4-861X
6.20"	3.20"	3.38"			176N-4-1161X
2.39" - 46 SPLINE					
6.00"	3.38"	3.50"			176N-4-381
2.41" - 44 SPLINE					
5.25"	2.50"	3.00"	30°	DEFR48-10	176N-4-331X
2.50" - 10 SPLINE					
5.81"	2.41"	3.50"	30°		176N-4-151
6.03"	3.00"	2.95", 3.75"	32°		176N-4-651 [5]
6.03"	3.00"	3.75"	32°	DEFR62-1	176N-4-781X
2.75" - 10 SPLINE					
5.97"	3.00"	3.75"	30°		176N-4-11
5.97"	3.00"	3.75"	30°	DEFR62-1	176N-4-791X

3 Center Bearing yoke.

5 Step hub diameter is 2.95 in./3.75 in..

ROUND BEARINGS - 18N SERIES






U-JOINT KIT: R281X

Center to End	Spline Length	Hub Diameter	Joint Angle	Deflector	Part Number
1.94" - 30 SPLINE					
5.38"	2.25"	3.00"	30°		18N-4-2051
1.97" - 10 SPLINE					
5.63"	2.25"	2.62"	30°		18N-4-2001
5.63"	2.25"	2.62"	30°	DEFR56-1	18N-4-2351X
2.00" - 10 SPLINE					
5.38"	2.56"	2.94"	30°		18N-4-1921
5.38"	2.56"	2.94"	30°	DEFR47-3	18N-4-2341X
2.00" - 39 SPLINE					
5.19"	2.31"	3.00"	30°		18N-4-3371
5.19"	2.31"	3.00"	30°	DEFR56-2	18N-4-3381X
5.53"	2.44"	2.75"	30°		18N-4-2781
5.53"	2.44"	2.75"	30°	DEFR47-13	18N-4-3571X
2.13" - 41 SPLINE					
5.25"	2.50"	2.94"			18N-4-3691X
5.94"	2.50"	2.94"			18NYS34-5A
2.16" - 16 SPLINE					
5.25"	2.50"	2.94"	30°		18N-4-2441
5.25"	2.50"	2.94"	30°	DEFR55-1	18N-4-2451X
5.81"	3.00"	2.94"	30°		18N-4-2291
2.22" - 6 SPLINE					
6.00"	3.25"	3.00"	30°		18N-4-1971
6.00"	3.25"	3.00"	30°	DEFR49-1	18N-4-2271X
2.25" - 10 SPLINE					
5.84"	3.00"	3.00"	30°		18N-4-1911
5.85"	3.00"	3.00"	30°	DEFR50-2	18N-4-2551X
2.27" - 44 SPLINE					
5.25"	2.50"	2.94"		DEFR48-10	18N-4-4351X
2.28" - 44 SPLINE					
5.25"	2.50"	2.94"	30°		18N-4-3271
5.25"	2.50"	2.94"	30°	DEFR48-10	18N-4-3281X
5.25"	2.50"	3.00"			18NYS36-20A
5.75"	2.80"	2.94"	26°		18NYS36-17
2.34" - 16 SPLINE					
5.50"	2.75"	3.31"	30°		18N-4-1891 [3]
5.50"	2.75"	3.31"	30°	DEFR48-5	18N-4-2531X
5.63"	2.75"	2.81"			18N-4-1981

3 Center Bearing yoke.

ROUND BEARINGS - 18N SERIES




U-JOINT KIT: R281X

Center to End	Spline Length	Hub Diameter	Joint Angle	Deflector	Part Number
2.36" - 18 SPLINE					
6.12"	3.38"	3.50"	30°		**18N-4-2581**
2.38" - 36 SPLINE					
5.44"	2.69"	3.00"	30°		**18N-4-3161**
5.44"	2.69"	3.00"	30°	DEFR54-1	**18NYS38-6A**
2.38" - 46 SPLINE					
5.16"	2.32"	3.25"		DEFR56-7	**18NYS38-27A**
5.16"	2.32"	3.25"	30°		**18NYS38-27**
5.16"	2.32"	3.25"	30°	DEFR56-10	**18NYS38-27A1**
5.16"	2.32"	3.25"	30°	DEFR56-12	**18NYS38-27A2**
5.22"	2.41"	2.95"	30°		**18NYS38-15**
5.41"	2.41"	3.50"	30°		**18N-4-3251**
5.44"	2.62"	3.25"	30°		**18N-4-2701**
5.44"	2.62"	3.25"	30°	DEFR54-1	**18N-4-2711X**
5.50"	2.75"	3.31"			**18N-4-3591**
5.69"	2.88"	3.25"			**18N-4-3581X**
5.69"	2.88"	3.25"	30°		**18N-4-3201**
5.69"	2.88"	3.25"	30°	DEFR54-1	**18N-4-3221X**
6.00"	3.20"	3.38"	30°	DEFR55-2	**18N-4-3921X**
6.00"	3.19"	3.38"	30°		**18NYS38-21**
2.42" - 18 SPLINE					
5.81"	3.00"	3.38"	30°		**18N-4-1991**
5.81"	3.00"	3.38"	30°	DEFR55-2	**18N-4-2361X**
2.50" - 10 SPLINE					
5.41"	2.41"	3.50"	30°		**18NYS40-5**
5.88"	3.00"	2.94"	30°		**18N-4-1961**
5.88"	3.00"	2.94"	30°		**18N-4-3451**
5.88"	3.00"	3.75"	30°	DEFR62-1	**18N-4-3551X**
2.63" - 20 SPLINE					
5.50"	2.75"	3.00"	30°		**18N-4-2011**
5.56"	2.75"	3.00"	30°		**18N-4-3021**
2.75" - 10 SPLINE					
6.00"	2.94"	3.38"	30°		**18N-4-2171** [4]
6.06"	3.00"	3.75"	26°		**18NYS44-3**
6.06"	3.00"	3.75"	30°		**18N-4-3491** [7]
6.06"	3.00"	3.75"	30°	DEFR65-1	**18N-4-3501X**
6.06"	3.00"	3.75"	30°	DEFR62-1	**18N-4-3561X**

4 Keyway for speedometer gear on hub.

7 Hub seal length .905 in..


ROUND BEARINGS STRAIGHT ROUND HOLE



U-JOINT KITS: CP153X CP200X

Major Diameter	Keyway Width	Center to End	Length thru Hole	Hub Diameter	Set Screw Size - Location	Joint Angle	Part Number
131N SERIES							
1.50"	.38"	2.56"		2.13"	.38"-6		**131N-4-1233**
1.00"	0.25"	2.56"	1.63"	2.00"	.38"-6	17°	**131N-4-473**
1.13"	0.25"	2.56"	1.63"	2.00"	.38"-6	17°	**131N-4-503**
1.25"	0.31"	2.56"	1.63"	2.00"	.38"-6	17°	**131N-4-533**
1.25"	.25"	2.56"		2.13"	.38"-6		**131N-4-573**
.88"	.25"	2.56"		2.13"	.38"-6		**131N-4-583**
1.25"	.31"	2.94"		2.12"	.38"-6		**131N-4-783**
1.38"	.38"	2.56"		2.00"	.38"-6		**131N-4-803**

WING BEARINGS - 58WB SERIES




U-JOINT KITS:
CP58WB-DWT
CP58WB-HB
CP58WB-HWD
PERMALUBE

Face to End	Spline Length	Hub Diameter	Kit Mtg. Holes	Deflector	Part Number
1.44" - 21 SPLINE					
2.94"	2.28"	2.13"			**58WBYS22-3**
1.59" - 18 SPLINE					
3.69"	2.06"	2.75"	TH		**58WBYS25-8**
1.75" - 10 SPLINE					
3.81"	2.19"	2.90"	TH		**58WBYS28-6** [3]
3.88"	2.25"	2.50"	TH		**58WBYS28-82**
3.88"	2.25"	2.62"	DR		**58WBYS28-51** [8]
3.88"	2.25"	2.62"	TH		**58WBYS28-1**
1.75" - 27 SPLINE					
3.69"	2.00"	2.62"	TH		**58WBYS28-145**
3.69"	2.13"	2.69"			**58WBYS28-172**

3 Center Bearing yoke.

8 Nut seat is 2.50 in..


WING BEARINGS - 58WB SERIES



U-JOINT KITS:
CP58WB-DWT
CP58WB-HB
CP58WB-HWD
PERMALUBE

Face to End	Spline Length	Hub Diameter	Kit Mtg. Holes	Deflector	Part Number
1.75" - 34 SPLINE					
3.88"	2.25"	2.50"	TH	DEFR40-4	**58WBYS28-186A**
1.88" - 10 SPLINE					
4.00"	2.38"	2.75"	DR		**58WBYS30**
1.97" - 6 SPLINE					
3.94"	3.00"	2.75"	TH		**58WBYS31-13**
1.97" - 10 SPLINE					
3.88"	2.25"	2.62"	DR		**58WBYS31-21**
2.16" - 16 SPLINE					
4.56"	2.88"	2.94"	DR		**58WBYS34-7**


WING BEARINGS - 62N SERIES



U-JOINT KITS:
CP62N-DWT
CP62N-HB
CP62N-HWD
PERMALUBE

Face to End	Spline Length	Hub Diameter	Kit Mtg. Holes	Deflector	Part Number
1.38" - 10 SPLINE					
2.94"	1.75"	2.13"	DR		**62NYS22-10**
1.50" - 10 SPLINE					
3.47"	2.19"	2.25"	TH		**62NYS24-17**
3.47"	2.19"	2.25"	TH	DEFR38-3	**62NYS24-17A1**
1.63" - 10 SPLINE					
3.13"	2.13"	2.38"	DR		**62NYS26-11**
3.13"	2.13"	2.38"	DR	DEFR38-1	**62NYS26-11A**
3.19"	2.13"	2.38"	TH		**62NYS26-13**

WING BEARINGS - 62N SERIES



U-JOINT KITS:
CP62N-DWT
CP62N-HB
CP62N-HWD
PERMALUBE

Face to End	Spline Length	Hub Diameter	Kit Mtg. Holes	Deflector	Part Number
1.75" - 10 SPLINE					
3.31"	2.25"	2.62"	DR		**62NYS28-26**
3.31"	2.25"	2.75"	TH		**62NYS28-123**
3.31"	2.25"	2.75"	TH	DEFR47-4	**62NYS28-123A**
3.34"	2.19"	2.38"	DR		**62NYS28-21**
4.25"	2.25"	2.62"	DR		**62NYS28-32**
1.75" - 34 SPLINE					
3.31"	2.25"	2.50"	TH		**62NYS28-160**
3.94"	2.25"	2.50"	TH		**62NYS28-202**
3.94"	2.25"	2.50"	TH	DEFR40-4	**62NYS28-202A**
4.25"	2.25"	2.50"	TH		**62NYS28-155**
1.97" - 10 SPLINE					
3.31"	2.25"	2.62"	DR		**62NYS31-5**
2.00" - 39 SPLINE					
4.00"	2.31"	3.00"	TH	DEFR50-7	**62NYS32-48A**
2.24" - 16 SPLINE					
3.38"	2.13"	2.62"	DR		**62NYS36-2**


If you detect any **errors** in this catalog, please let us know.

We want the information to be as accurate as possible; we appreciate your help in making it so.

Please e-mail any comments/suggestions/corrections to us at: catalogfeedback@arvinmeritor.com

or mail to: ArvinMeritor
attn: Catalog Dept.
7975 Dixie Highway
Florence, KY 41042

WING BEARINGS - 72N SERIES




U-JOINT KITS:
CP72N-DWT
CP72N-HB
CP72N-HWD
PERMALUBE

Face to End	Spline Length	Hub Diameter	Kit Mtg. Holes	Deflector	Part Number
1.50" - 10 SPLINE					
3.44"	2.19"	2.25"	DR		72NYS24
3.50"	2.00"	2.25"	TH		72NYS24-22
1.63" - 10 SPLINE					
3.38"	2.13"	2.38"	DR		72NYS26-3
3.38"	2.13"	2.38"	TH		72NYS26-7
1.75" - 10 SPLINE					
3.25"	2.25"	2.62"	DR		72NYS28-1
3.44"	2.19"	2.38"	DR		72NYS28-5
3.50"	2.25"	2.50"	DR		72NYS28-51
3.50"	2.25"	2.62"	DR		72NYS28-2
3.50"	2.25"	2.62"	TH		72NYS28-65 [9]
3.50"	2.25"	2.75"	DR		72NYS28-6
3.68"	2.18"	2.62"			72NYS28-200
4.00"	2.13"	2.62"	DR		72NYS28-23
4.50"	2.25"	2.75"	DR		72NYS28-10
1.75" - 27 SPLINE					
3.31"	2.00"	2.62"	TH		72NYS28-84
1.75" - 34 SPLINE					
3.75"	2.25"	2.50"	TH		72NYS28-166
3.75"	2.25"	2.50"	TH	DEFR40-4	72NYS28-166A
4.69"	2.25"	2.50"	DR		72NYS28-177
1.78" - 34 SPLINE					
4.56"	2.44"	2.62"	DR		72NYS28-183
4.69"	2.75"	2.56"	TH		72NYS28-141
4.69"	2.76"	2.57"			72NYS28-141A
1.88" - 10 SPLINE					
3.63"	2.38"	2.75"	DR		72NYS30-3
3.63"	2.38"	2.75"	TH		72NYS30-2
3.63"	2.38"	2.75"	TH	DEFR44-1	72NYS30-2A
1.97" - 10 SPLINE					
3.50"	2.22"	2.94"	DR		72NYS31-93
3.50"	2.25"	2.62"	DR		72NYS31-2
3.50"	2.25"	2.62"	DR	DEFR43-1	72NYS31-2A
3.88"	2.62"	2.75"	DR		72NYS31-4
3.88"	2.62"	2.75"	DR	DEFR47-2	72NYS31-4A
4.25"	2.00"	2.50"	TH		72NYS31-3
			DR		72NYS31

9 Nut seat is 2.88 in..


WING BEARINGS - 72N SERIES



U-JOINT KITS:
CP72N-DWT
CP72N-HB
CP72N-HWD
PERMALUBE

Face to End	Spline Length	Hub Diameter	Kit Mtg. Holes	Deflector	Part Number
1.97" - 10 SPLINE					
4.33"	2.62"	2.75"	DR		72NYS31-8
4.38"	2.25"	2.62"	DR		72NYS31-27
4.50"	2.25"	3.00"	DR		72NYS31-1
2.00" - 10 SPLINE					
3.94"	2.56"	2.94"	TH		72NYS32-9
4.00"	2.13"	2.75"	TH		72NYS32-110
4.25"	2.56"	2.94"	DR		72NYS32-12
4.25"	3.00"	2.75"	DR		72NYS32-104
4.25"	3.00"	2.94"	DR		72NYS32-48
4.25"	3.00"	2.94"	TH		72NYS32-39
4.38"	3.00"	3.25"	DR		72NYS32-16
2.00" - 38 SPLINE					
4.13"	2.13"	2.75"	TH		72NYS32-250
2.00" - 39 SPLINE					
3.81"	2.31"	3.00"	TH		72NYS32-244
3.81"	2.31"	3.00"	TH	DEFR50-7	72NYS32-244A
3.88"	2.00"	2.75"	DR		72NYS32-256
3.88"	2.44"	2.75"	DR		72NYS32-219
3.88"	2.44"	2.75"	TH		72NYS32-220
4.31"	2.44"	2.75"	DR		72NYS32-222
4.31"	2.44"	2.75"	TH		72NYS32-221
2.03" - 10 SPLINE					
3.88"	2.00"	2.75"	DR		72NYS33
2.12" - 41 SPLINE					
4.25"	2.50"	2.94"			72NYS34-42
4.25"	2.50"	2.94"	DR	DEFR48-15	72NYS34-42A1
2.13" - 16 SPLINE					
4.69"	3.00"	2.88"	TH		72NYS34-28
2.16" - 16 SPLINE					
4.25"	3.00"	2.94"	DR		72NYS34-24
2.22" - 6 SPLINE					
4.69"	3.25"	3.00"	DR		72NYS36-22
2.25" - 10 SPLINE					
4.25"	3.00"	3.00"	DR		72NYS36-40
4.25"	3.00"	3.00"	TH		72NYS36-54
4.25"	3.00"	3.00"	TH	DEFR50-2	72NYS36-54A2


WING BEARINGS - 72N SERIES



U-JOINT KITS:
CP72N-DWT
CP72N-HB
CP72N-HWD
PERMALUBE

Face to End	Spline Length	Hub Diameter	Kit Mtg. Holes	Deflector	Part Number
2.25" - 10 SPLINE					
4.25"	3.00"	3.50"	DR		**72NYS36-13**
4.50"	3.00"	3.50"	DR		**72NYS36-19**
4.50"	3.00"	3.50"	TH		**72NYS36-38**
2.28" - 17 SPLINE					
3.50"	2.51"	3.00"	TH		**72NYS36-1**
2.50" - 10 SPLINE					
4.44"	3.00"	2.94"	TH		**72NYS40-99**

WING BEARINGS - 82N SERIES





U-JOINT KITS:
CP82N-DWT
CP82N-HB
CP82N-HWD
PERMALUBE

Face to End	Spline Length	Hub Diameter	Kit Mtg. Holes	Deflector	Part Number
1.94" - 30 SPLINE					
3.69"	2.25"	3.00"	DR		**82NYS31-32**
1.97" - 10 SPLINE					
3.88"	2.25"	2.62"	DR		**82NYS31-16** [10]
2.00" - 15 SPLINE					
3.88"	2.50"	2.88"	DR		**82NYS32**
2.00" - 39 SPLINE					
3.88"	2.31"	3.00"	TH	DEFR50-4	**82NYS32-74A**
3.88"	2.31"	3.00"	TH	DEFR50-6	**82NYS32-74A1**
2.25" - 10 SPLINE					
4.75"	3.00"	3.00"	TH		**82NYS36-26**

10 Counterbore is 2.25 in. at hub end.

WING BEARINGS - 82N SERIES





U-JOINT KITS:
CP82N-DWT
CP82N-HB
CP82N-HWD
PERMALUBE

Face to End	Spline Length	Hub Diameter	Kit Mtg. Holes	Deflector	Part Number
2.38" - 46 SPLINE					
4.58"	2.62"	3.25"	TH		**82NYS38-15**
2.50" - 10 SPLINE					
4.75"	3.00"	2.94"	DR		**82NYS40-28**

XpresswayPlus.ArvinMeritor.com




Don't forget about using *XpresswayPlus* for:

- Ordering parts online
- Order status
- Price and availability
- Invoice Lookup
- Parts Catalog
- Online e-mail or phone numbers for Customer Service, Information Services, Marketing, Catalog, and eSupport
- Reference Library
- The Company Store
- Literature
- Dealer/Distributor locator

XpresswayPlus is easy to use, can reduce phone calls, and save you valuable time.

WING BEARINGS - 92N SERIES




U-JOINT KITS:
CP92N-DWT
CP92N-HB
CP92N-HWD
PERMALUBE

Face to End	Spline Length	Hub Diameter	Kit Mtg. Holes	Deflector	Part Number
1.77" - 34 SPLINE					
4.25"	2.25"	2.50"			**92NYS28-6**
2.00" - 39 SPLINE					
3.94"	2.00"	2.75"	TH		**92NYS32-27**
4.25"	2.31"	3.00"	TH		**92NYS32-25**
4.25"	2.31"	3.00"	TH	DEFR50-4	**92NYS32-25A**
4.44"	2.31"	3.00"	DR		**92NYS32-26**
4.44"	2.31"	3.00"	DR	DEFR50-7	**92NYS32-26A**
2.03" - 10 SPLINE					
3.94"	2.00"	2.75"	TH		**92NYS33-2**
2.22" - 6 SPLINE					
5.17"	3.25"	3.00"	DR		**92NYS36-41**
2.36" - 18 SPLINE					
5.22"	3.38"	3.50"	TH		**92NYS38-12**
2.38" - 46 SPLINE					
3.94"	2.41"	2.95", 3.75"	TH		**92NYS38-67**
3.98"	2.62"	3.25"	TH		**92NYS38-39**
3.98"	2.62"	3.25"	TH		**92NYS38-39A**
4.12"	2.75"	2.88"			**92NYSC38-106** [12]
4.19"	2.88"	3.25"	TH		**92NYS38-52**
4.19"	2.88"	3.25"	TH	DEFR54-1	**92NYS38-52A**
4.25"	2.41"	3.50"	TH		**92NYS38-69**
4.25"	2.41"	3.50"	TH	DEFR54-12	**92NYS38-69A**
4.50"	2.63"	3.12"			**92NYS38-46A**
5.01"	3.19"	3.38"	TH		**92NYS38-75**
5.01"	3.19"	3.38"	TH	DEFR55-3	**92NYS38-75A1**
2.50" - 10 SPLINE					
4.25"	2.41"	3.50"	TH		**92NYS40-17**
4.25"	2.41"	3.50"	TH	DEFR54-13	**92NYS40-17A**
2.63" - 25 SPLINE					
4.13"	3.00"	3.63"	TH		**92NYS42-4**
2.75" - 10 SPLINE					
4.38"	2.94"	3.38"	TH		**92NYS44-18**
4.84"	3.00"	3.75"	TH		**92NYS44-22** [11]
4.84"	3.00"	3.75"	TH	DEFR62-1	**92NYS44-22A**
2.79" - 54 SPLINE					
4.63"	2.75"	4.15"			**92NYS45-2**

11 Hub length is .905 in..

12 Coupling Assembly Yoke. Hub not ground.

WING BEARINGS - 92N SERIES




U-JOINT KITS:
CP92N-DWT
CP92N-HB
CP92N-HWD
PERMALUBE

Face to End	Spline Length	Hub Diameter	Kit Mtg. Holes	Deflector	Part Number
2.86" - 21 SPLINE					
4.19"	3.00"	4.00"	TH		**92NYS44-19**
3.19" - 50 SPLINE					
4.00"	2.56"	3.71"	TH		**92NYS51**

MERITOR


an *ArvinMeritor* brand

WING BEARINGS STRAIGHT ROUND HOLE




Major Diameter	Keyway Width & Location	Face to End	Spline Length	Hub Dia.	Kit Mtg. Holes	Set Screw Size - Location	Part Number
58WB SERIES							
1.50"	NONE	4.94"	3.75"	5.13" R	TH	NONE	**58WBYR24-6**
1.63"	0.38"-12	3.81"	2.19"	2.62" R	DR	.44"-12	**58WBYR26**
2.00"	0.50"-12	3.81"	2.44"	3.25" R	DR	.31"-12	**58WBYR32-34**
72N SERIES							
1.50"	NONE	4.94"	3.75"	4.00" R	TH	NONE	**72NYR24-2**
92N SERIES							
1.75"	NONE	6.56"	4.89"	5.75" R	TH	NONE	**92NYR28-3**

RPL - 20R SERIES



Face to End	Spline Length	Hub Diameter	Deflector	Part Number
1.79" - 34 SPLINE				
5.44"	2.43"	2.62"	DEFR44-10	**20WYS28-1A**
6.28"	2.43"	2.62"	DEFR44-10	**20WYS28-2A**
2.00" - 39 SPLINE				
4.85"	2.25"	3.00"	DEFR50-24	**20WYS32-5A**
4.85"	2.31"	3.00"		**20WYS32-17**
4.85"	2.31"	3.00"	DEFR64	**20WYS32-17A**
4.90"	2.50"	2.62"	DEFR44-11	**20WYS32-9A**
5.38"	2.50"	2.62"	DEFR44-13	**20WYS32-7A**
5.69"	2.25"	3.00"	DEFR50-24	**20WYS32-6A**
5.75"	2.25"	2.62"	DEFR44-11	**20WYS32-10A**
5.94"	2.50"	2.62"	DEFR44-13	**20WYS32-8A**
5.95"	2.31"	3.00"		**20WYS32-2**


RPL - 20R SERIES



Face to End	Spline Length	Hub Diameter	Deflector	Part Number
2.00" - 39 SPLINE				
5.95"	2.31"	3.00"	DEFR64	**20WYS32-2A**
2.13" - 41 SPLINE				
5.12"	2.50"	2.94"	DEFR48-15	**20WYS34-1A**
5.53"	3.00"	2.94"	DEFR48-17	**20WYS34-3A**
5.94"	2.50"	2.94"	DEFR48-15	**20WYS34-2A**
6.44"	3.00"	2.94"	DEFR48-17	**20WYS34-4A**
2.28" - 44 SPLINE				
4.75"	2.50"	2.94"	DEFR48-10	**20WYS36-3A**
4.81"	2.34"	2.94"	DEFR48-15	**20WYS36-2A**
4.81"	2.50"	3.00"	DEFR50-24	**20WYS36-1A**
2.38" - 46 SPLINE				
4.90"	2.32"	3.25"	DEFR64-3	**20WYS38-4A**
4.90"	2.75"	2.88"		**20WYSC38-18** [12]
5.00"	2.88"	3.25"	DEFR54-5	**20WYS38-10A1**
5.00"	2.88"	3.25"	DEFR54-1	**20WYS38-10A**
5.31"	3.20"	3.38"	DEFR55-3	**20WYS38-11A**
5.95"	2.33"	3.25"	DEFR64-3	**20WYS38-3A**
6.25"	2.88"	3.25"		**20WYS38-8**
6.25"	2.88"	3.25"	DEFR64-4	**20WYS38-8A**
2.50" - 10 SPLINE				
5.15"	3.00"	3.75"	DEFR62-1	**20WYS40-2A**
2.54" - 49 SPLINE				
5.63"	2.75"	3.75"		**20WYS40-3**
2.75" - 10 SPLINE				
5.09"	3.00"	3.75"	DEFR62-1	**20WYS44-2A**
2.79" - 54 SPLINE				
5.25"	2.75"	3.75"		**20WYS45**
3.54" - 44 SPLINE				
5.90"	3.19"	3.90"		**20WYS57-1**

12 Coupling Assembly Yoke. Hub not ground.

RPL - 25R SERIES



U-JOINT KIT:
CP25RPL

Face to End	Spline Length	Hub Diameter	Deflector	Part Number
2.28" - 44 SPLINE				
4.75"	2.50"	2.94"	DEFR48-10	**25WYS36-3A**
4.81"	2.34"	2.94"	DEFR48-15	**25WYS36-2A**
4.81"	2.50"	3.00"	DEFR50-24	**25WYS36-1A**
2.38" - 46 SPLINE				
4.73"	2.32"	3.25"		**25WYS38-13**
4.73"	2.32"	3.25"	DEFR64-3	**25WYS38-13A**
4.88"	2.40"	3.75"		**25WYS38-9A1**
4.90"	2.75"	2.88"		**25WYSC38-11** [12]
5.00"	2.88"	3.25"	DEFR38-8A	**25WYS38-8A**
5.31"	3.20"	3.38"	DEFR55-3	**25WYS38-6A**
2.38" - 48 SPLINE				
5.00"	2.88"	3.25"	DEFR54-5	**25WYS38-8A1**
2.50" - 10 SPLINE				
5.15"	3.00"	3.75"	DEFR62-1	**25WYS40-2A**
2.54" - 49 SPLINE				
5.18"	3.00"	3.75"	DEFR62-1	**25WYS40-4A**
6.25"	2.75"	3.75"		**25WYS40-3**
2.75" - 10 SPLINE				
5.09"	3.00"	3.75"		**25WYS44-2**
5.09"	3.00"	3.75"	DEFR62-1	**25WYS44-2A**
2.79" - 54 SPLINE				
5.88"	2.75"	3.75"		**25WYS45**
3.54" - 44 SPLINE				
6.10"	3.19"	3.90"		**25WYS57-1**

12 Coupling Assembly Yoke. Hub not ground.

SECTION 4

INDEX

Easy Service Yokes **Page**

131N SERIES....4-2
133N SERIES....4-2
141N SERIES....4-3
148N SERIES....4-4
155N SERIES....4-5
159N SERIES....4-6
16N SERIES....4-7
176N SERIES....4-10
17N SERIES....4-8
18N SERIES....4-11
Easy Service Kits....4-1

4

MERITOR NUMBERING SYSTEM

Meritor components may be identified by one of the numbering systems shown below. Aftermarket numbers are issued to make Meritor components easy to select when choosing a replacement component.

MERITOR ENGINEERING NUMBER

16 N Y S 32 - 15

DRIVELINE SERIES

MERITOR DESIGNATION
N - Internal

T - Easy Service
(Threaded hole in ear)
(141N, 148N, 155N, 16N thru 18N Series)

D - Easy Service
(Drilled hole in ear)
(141N, 148N and 155N Series)

TYPE OF PART
Y - Yoke

TYPE OF YOKE
S - Splined

SIZE OF HOLE, SHAFT, OR PART
(DIVIDE BY 16)

ENGINEERING PART NUMBER

MERITOR AFTERMARKET NUMBER

16 N - 4 - 4831 - 1

DRIVELINE SERIES


INTERNAL MERITOR DESIGNATION

TYPE OF PART
4 - End Yoke


DESIGNATES EASY SERVICE YOKE

ENGINEERING PART NUMBER


KITS FOR EASY SERVICE YOKES




U-JOINT KITS:
R674X (Includes Strap)
R675X (Includes Strap)
R676X (Includes Strap)
R677X (Includes Strap)




U-JOINT KITS:
CP141N
CP148N
CP155N



STRAP & BOLT KITS:
KT16SB
KT17SB
KT122
KT124
KT125 (Includes 4 Lock Washers)
KT126 (Includes 4 Lock Washers)




STRAP & BOLT KITS:
KT121
KT123



U-BOLT KITS:
KT117
KT118


131N SERIES



U-JOINT KIT:
CP153X
CP1200X

Center to End	Spline Length	Hub Diameter	Kit Mtg. Holes	Use Kit	Joint Angle	Deflector	Part Number
1.15" - 26 SPLINE							
3.00"	1.50"	1.55"					**131N-4-4341** [2]
3.00"	1.50"	1.55"	DR	KT116			**131N-4-8091X**

133N SERIES




U-JOINT KIT:
CP213X
CP1203X

Center to End	Spline Length	Hub Diameter	Kit Mtg. Holes	Use Kit	Joint Angle	Deflector	Part Number
1.40" - 32 SPLINE							
3.88"	2.00"	1.88"					**133N-4-5441** [2]

2 CV Centering Yoke

141N SERIES




U-JOINT KITS:
CP141N
CP160X

Center to End	Spline Length	Hub Diameter	Kit Mtg. Holes	Use Kit	Joint Angle	Deflector	Part Number
1.38" - 10 SPLINE							
3.50"	1.75"	2.13"	DR	KT117			**141N-4-3941**
3.50"	1.75"	2.13"	DR	KT117		DEFR35-3	**141NYS22A**
1.50" - 10 SPLINE							
3.69"	2.00"	1.81"	DR	KT117	30°		**141N-4-6561**
3.69"	2.00"	1.81"	DR	KT117	30°	DEFR34-1	**141N-4-6631X**
3.88"	2.19"	2.25"	DR	KT117	22°		**141N-4-2241**
1.50" - 35 SPLINE							
5.75"	1.94"	2.50"	TH				**141NYS24-4**
1.75" - 10 SPLINE							
4.19"	2.19"	2.38"	DR	KT117	30°		**141N-4-1841**
4.25"	2.19"	2.62"	DR	KT117	30°		**141N-4-2511**
1.75" - 34 SPLINE							
4.25"	2.18"	2.62"	DR	KT117		DEFR44-1	**141NYS28-19A**

For additional: Parts Information
Cross Reference
Production Bills of Material

visit our online catalog at: ***XpresswayPlus.ArvinMeritor.com***

148N SERIES




Center to End	Spline Length	Hub Diameter	Kit Mtg. Holes	Use Kit	Joint Angle	Deflector	Part Number
1.38" - 10 SPLINE							
3.96"	1.75"	2.13"	TH				**148TYS22A**
1.50" - 10 SPLINE							
4.03"	2.00"	2.06"	DR	KT118		DEFR40-5	**148N-4-3081** [12]
4.03"	2.00"	1.94"	DR	KT118	30°		**148N-4-3091**
4.03"	2.00"	1.94"	DR	KT118	30°	DEFR37-1	**148N-4-4421X**
4.19"	2.19"	2.25"	DR	KT118	30°		**148N-4-3781**
1.75" - 10 SPLINE							
4.22"	2.19"	2.38"	DR	KT118	22°		**148N-4-3571**
4.28"	2.25"	2.62"	DR	KT118	22°		**148N-4-3061** [1]
1.75" - 34 SPLINE							
4.47"	2.25"	2.50"	DR	KT123		DEFR40-4	**148DYS28A**
4.47"	2.25"	2.50"	TH	KT124			**148TYS28A**
1.78" - 34 SPLINE							
4.42"	2.22"	2.62"	DR	KT118	25°		**148N-4-10261-1**
4.42"	2.22"	2.62"	DR	KT118	25°	DEFR44-1	**148N-4-10471-1X**
1.97" - 10 SPLINE							
4.04"	2.25"	2.62"	DR	KT118	22°		**148N-4-3861**
2.00" - 39 SPLINE							
4.75"	2.31"	3.00"	TH	KT124	22°		**148TYS32-4**
4.75"	2.31"	3.00"	TH	KT124	22°	DEFR50-7	**148TYS32-4A**

1 Hub effective length 1.50 in..

12 Coupling Assembly Yoke: Hub not ground.


155N SERIES



Center to End	Spline Length	Hub Diameter	Kit Mtg. Holes	Use Kit	Joint Angle	Deflector	Part Number
1.50" - 10 SPLINE							
3.78"	2.00"	1.94"	DR	KT118	22°		**155N-4-2051**
3.81"	2.00"	2.19"	DR	KT118	22°		**155N-4-4211**
3.81"		2.56"	TH	KT124			**155N-4-4211-1** [5]
3.97"	2.19"	2.13"	DR				**155NYS24-6**
1.75" - 10 SPLINE							
4.31"	2.25"	2.62"	DR	KT118	20°		**155N-4-1891**
4.66"	2.25"	2.62"	DR	KT118			**155N-4-1901**
1.75" - 27 SPLINE							
4.50"	2.00"	2.62"	TH	KT124			**155TYS28-26**
1.75" - 34 SPLINE							
4.07"	2.25"	2.44"	TH	KT124	25°		**155TYSC28-43**
4.27"	2.19"	2.62"	TH	KT124	24°		**155N-4-5551-1**
4.27"	2.19"	2.62"	TH	KT124	24°	DEFR44-1	**155N-4-5611-1X**
4.66"	2.25"	2.50"	DR	KT118	20°		**155N-4-4101**
4.66"	2.25"	2.50"	DR	KT118	20°	DEFR40-4	**155NYS28-5A**
4.66"	2.25"	2.50"	TH	KT124	35°	DEFR40-4	**155TYS28-1A**
4.69"	2.25"	2.50"	DR	KT123	26°	DEFR40-4	**155DYS28-1A**
1.79" - 34 SPLINE							
4.37	1.97	2.5		KT124	26		**155TYS28-49**
4.37	1.97	2.5		KT124	26		**155TYS28-49A**
1.88" - 10 SPLINE							
4.41"	2.38"	2.75"	TH	KT124			**155N-4-1941-1**
1.97" - 10 SPLINE							
4.28"	2.25"	2.62"	DR	KT118	20°		**155N-4-2431**
2.00" - 39 SPLINE							
4.27"	2.25"	2.62"	TH	KT124	22°		**155N-4-5031-1**
4.27"	2.25"	2.62"	TH	KT124	22°	DEFR44-11	**155N-4-6831-1X**
4.75"	2.31"	3.00"	DR	KT123	22°		**155DYS32-6**
4.75"	2.31"	3.00"	DR	KT123	22°	DEFR50-7	**155DYS32-6A**
4.75"	2.31"	3.00"	TH	KT124	25°		**155TYS32-6**
4.75"	2.31"	3.00"	TH	KT124	25°	DEFR50-7	**155TYS32-6A**
4.75"	2.31"	3.00"	TH	KT124	25°		**155TYS32-6A3**

5 Coupling Assembly Yoke

159N SERIES



Center to End	Spline Length	Hub Diameter	Kit Mtg. Holes	Use Kit	Joint Angle	Deflector	Part Number
1.77" - 34 SPLINE							
4.11"	2.50"	2.50"	TH			DEFR40-4	**159N-4-761-1X**

MERITOR

an *ArvinMeritor* brand


If you detect any **errors** in this catalog, please let us know.

We want the information to be as accurate as possible; we appreciate your help in making it so.

Please e-mail any comments/suggestions/corrections to us at: catalogfeedback@arvinmeritor.com

or mail to: ArvinMeritor
attn: Catalog Dept.
7975 Dixie Highway
Florence, KY 41042


16N SERIES



Center to End	Spline Length	Hub Diameter	Kit Mtg. Holes	Use Kit	Joint Angle	Deflector	Part Number
1.75" - 10 SPLINE							
4.13"	2.25"	2.18", 2.56"	TH	KT16SB			**16N-4-1721-1**
1.75" - 34 SPLINE							
4.88"	2.25"	2.50"	TH	KT16SB	28°		**16N-4-5571-1**
4.88"	2.25"	2.50"	TH	KT16SB	28°	DEFR40-4	**16TYS28-13A**
1.79" - 34 SPLINE							
4.13"	2.25"	2.19"	TH	KT16SB			**16N-4-7171-1** [5]
2.00" - 38 SPLINE							
4.50"	2.13"	2.75"	TH	KT16SB			**16N-4-6321-1**
2.00" - 39 SPLINE							
4.88"	2.31"	3.00"	TH				**16TYS32-86A**
4.88"	2.31"	3.00"	TH	KT16SB	21°		**16N-4-6421-1**
4.88"	2.31"	3.00"	TH	KT16SB	21°	DEFR50-4	**16N-4-6431-1X**
5.12"	2.44"	2.75"	TH	KT16SB			**16N-4-6951-1X**
5.12"	2.44"	2.75"	TH	KT16SB	30°		**16TYS32-5**
5.54"	2.31"	3.00"	TH	KT16SB	27°	DEFR50-19	**16TYS32-32A3**
5.54"	2.31"	3.00"	TH	KT16SB	32°		**16N-4-6271-1**
5.54"	2.31"	3.00"	TH	KT16SB	32°	DEFR50-7	**16TYS32-32A**
6.22"	2.31"	3.00"	TH	KT16SB			**16TYS32-76**
6.22"	2.31"	3.00"	TH	KT16SB		DEFR59-1	**16TYS32-76A**
2.38" - 46 SPLINE							
4.94"	2.33"	3.25"	TH	KT16SB	21°		**16N-4-7331-1**
4.94"	2.32"	3.25"	TH	KT16SB	21°	DEFR56-7	**16N-4-7341-1X**

5 Coupling Assembly Yoke

17N SERIES




Center to End	Spline Length	Hub Diameter	Kit Mtg. Holes	Use Kit	Joint Angle	Deflector	Part Number
1.75" - 34 SPLINE							
4.88"	2.25"	2.50"	TH	KT17SB	29°		**17TYS28-57**
4.88"	2.25"	2.50"	TH	KT17SB	29°	DEFR40-4	**17TYS28-57A**
4.88"	2.25"	2.50"	TH	KT17SB	32°		**17TYS28-63**
1.94" - 37 SPLINE							
4.92"	5.10"	3.15"	TH	KT17SB	32°	DEFR66-1	**17TYS31-66A**
1.96" - 10 SPLINE							
5.00"	3.00"	2.82"	TH	KT17SB			**17TYSC31-54**
2.00" - 38 SPLINE							
5.00"	3.00"	2.81"	TH	KT17SB	25°		**17N-4-7141-1**
5.25"	2.13"	2.75"	TH	KT17SB			**17TYS32-73**
2.00" - 39 SPLINE							
5.16"	2.31"	3.00"	TH	KT17SB	28°		**17N-4-7621-1**
5.16"	2.31"	3.00"	TH	KT17SB	28°	DEFR50-4	**17N-4-7631-1X**
5.16"	2.31"	3.00"	TH	KT17SB	28°	DEFR50-7	**17N-4-7641-1X**
5.25"	2.44"	2.75"	TH	KT17SB	33°		**17N-4-6951-1X**
5.25"	2.25"	3.00"	TH	KT17SB		DEFR50-24	**17TYS32-92A**
5.31"	1.96"	2.75"	TH	KT17SB	31°		**17TYS32-60**
5.31"	1.96"	2.75"	TH	KT17SB	31°	DEFR42-2	**17TYS32-60A**
5.44"	2.50"	2.62"	TH	KT17SB		DEFR44-13	**17TYS32-94A**
6.25"	2.31"	3.00"	TH	KT17SB			**17TYS32-99**
6.25"	2.31"	3.00"	TH	KT17SB		DEFR59-1	**17TYS32-99A**
6.25"	2.31"	3.00"	TH	KT17SB	43.5°	DEFR59-2	**17TYS32-95A1**
7.30"	2.31"	3.00"	TH	KT17SB			**17TYSB32-98A** [8]
2.02" - 39 SPLINE							
6.13"	2.28"	3.00"	TH	KT17SB		DEFR50-24	**17N-4-8991-1X**
6.13"	2.50"	2.63"	TH	KT17SB		DEFR44-13	**17N-4-9001-1X**
2.13" - 41 SPLINE							
5.19"	2.50"	2.94"	TH	KT17SB		DEFR48-15	**17TYS34-14A1**
5.35"	2.50"	2.94"	TH	KT17SB			**17TYS34-29**
2.14" - 41 SPLINE							
5.19"	2.50"	2.94"	TH	KT17SB		DEFR48-2	**17N-4-7321-1X**
6.13"	2.50"	2.94"	TH	KT17SB		DEFR48-2	**17N-4-7561-1X** [6]
6.63	3	2.94		KT17SB	45		**17TYS34-18A1**
2.25" - 10 SPLINE							
5.25"	3.00"	3.50"	TH	KT17SB			**17N-4-6901-1X**
5.25"	3.00"	3.50"	TH	KT17SB	25°		**17N-4-6861-1**

6 High Angle Yoke.


8 With Drum

17N SERIES



Center to End	Spline Length	Hub Diameter	Kit Mtg. Holes	Use Kit	Joint Angle	Deflector	Part Number
2.27" - 44 SPLINE							
5.19"	2.50"	2.94"	TH	KT17SB			**17N-4-8461-1**
5.19"	2.50"	2.94"	TH	KT17SB		DEFR48-10	**17N-4-8551-1X**
2.28" - 44 SPLINE							
5.19"	2.50"	2.94"	TH	KT17SB	27°		**17N-4-6031-1**
5.19"	2.50"	2.94"	TH	KT17SB	27°	DEFR48-8	**17N-4-6041-1X**
2.34" - 16 SPLINE							
4.94"	2.75"	3.31"	TH	KT17SB	20°		**17N-4-4601-1**
2.34" - 45 SPLINE							
5.00"	2.00"	2.52"	TH	KT17SB	32°	DEFR66-1	**17TYS37-1A**
2.36" - 18 SPLINE							
5.75"	3.38"	3.50"	TH	KT17SB	18°		**17N-4-4561-1**
2.37" - 46 SPLINE							
5.69"	2.63"	3.25"	TH	KT17SB		DEFR54-1	**17N-4-5461-1X**
2.38" - 46 SPLINE							
5.00"	1.95"	3.25"	TH	KT17SB	32°	3264-Z-1274	**17TYS38-78A**
5.16"	2.40"	3.50"	TH	KT17SB	32°		**17TYS38-29A**
5.38"	2.32"	3.25"	TH			DEFR56-7	**17TYS38-76A**
5.38"	2.32"	3.25"	TH	KT17SB	32°		**17TYS38-76**
5.38"	2.32"	3.25"	TH	KT17SB	32°	DEFR56-12	**17TYS38-76A2**
5.75"	3.38"	3.50"	TH	KT17SB	16°		**17N-4-4771-1**
5.94"	2.88"	3.25"	TH	KT17SB			**17N-4-5931-1**
5.94"	2.88"	3.25"	TH	KT17SB		DEFR54-5	**17N-4-6961-1X**
6.50"	2.31"	3.25"	TH	KT17SB		DEFR56-7	**17N-4-7771-1X**
6.50"	2.31"	3.25"	TH	KT17SB			**17TYS38-71**
6.83"	2.32"	3.25"	TH	KT17SB	45°	DEFR64-3	**17TYS38-75A**
2.50" - 10 SPLINE							
5.63"	3.00"	3.75"	TH	KT17SB	30°		**17N-4-6611-1**
5.63"	3.00"	3.75"	TH	KT17SB	30°	DEFR62-1	**17N-4-6921-1X**
2.50" - 49 SPLINE							
5.19"	2.75"	3.06"	TH	KT17SB			**17N-4-7691-1**
2.63" - 20 SPLINE							
5.19"	2.75"	3.00"	TH	KT17SB	21°		**17N-4-5351-1**
2.75" - 10 SPLINE							
5.75"	3.00"	3.50"	TH	KT17SB	22°		**17TYS44-14**
5.75"	3.00"	3.75"	TH	KT17SB	20°		**17N-4-6821-1**
5.75"	3.00"	3.75"	TH	KT17SB	20°	DEFR62-1	**17N-4-6931-1X**


176N SERIES



Center to End	Spline Length	Hub Diameter	Kit Mtg. Holes	Use Kit	Joint Angle	Deflector	Part Number
2.00" - 39 SPLINE							
5.19"	2.31"	3.00"	TH	KT17SB	30°		**176N-4-531-1**
5.19"	2.31"	3.00"	TH	KT17SB	30°	DEFR56-2	**176N-4-541-1X**
5.19"	2.31"	3.00"	TH	KT17SB	30°	DEFR56-6	**176TYS32-3A1**
2.27" - 44 SPLINE							
5.25"	2.50"	2.94"	TH	KT17SB		DEFR48-10	**176N-4-1481-1X**
2.28" - 44 SPLINE							
5.09"	2.34"	2.94"	TH	KT17SB			**176TYS36-10A1**
5.25"	2.50"	2.94"	TH	KT17SB	26°		**176N-4-321-1**
5.25"	2.50"	3"	TH	KT17SB	26°	DEFR48-5	**176N-4-331-1X**
5.25"	2.50"	3.00"	TH	KT17SB			**176TYS36-12A**
2.34" - 16 SPLINE							
5.50"	2.75"	2.88"	TH	KT17SB	30°		**176N-4-161-1** [3]
2.36" - 18 SPLINE							
6.12"	3.38"	3.50"	TH	KT17SB			**176N-4-271-1**
2.38" - 16 SPLINE							
5.5	2.75	2.88		KT17SB	31		**176TYSC38-4A**
2.38" - 18 SPLINE							
6.12"	3.38"	3.50"	TH	KT17SB	32°		**176TYS38-5**
2.38" - 46 SPLINE							
5.06"	2.32"	3.25"	TH				**176TYS38-27A**
5.06"	2.32"	3.25"	TH	KT17SB	31°		**176TYS38-27**
5.06"	2.32"	3.25"	TH	KT17SB	31°	DEFR56-12	**176TYS38-27A2**
5.44"	2.62"	3.25"	TH	KT17SB			**176N-4-211-1X**
5.50"	2.75"	3.31"	TH	KT17SB	30°		**176N-4-821-1**
5.63"	2.88"	3.25"	TH	KT17SB	30°		**176N-4-291-1**
5.63"	2.88"	3.25"	TH	KT17SB	30°	DEFR54-5	**176N-4-861-1X**
6.20"	3.00"	3.38"	TH	KT17SB	30°	DEFR55-2	**176N-4-1161-1X**
2.39" - 46 SPLINE							
6.00"	3.19"	3.38"	TH	KT17SB		DEFR55-3	**176N-4-1651-1X**
2.50" - 10 SPLINE							
5.97"	3.00"	3.75"	TH	KT17SB	32°		**176TYS44-4**
6.00"	3.00"	2.94", 3.75"	TH	KT17SB	32°		**176N-4-651-1**
2.50" - 49 SPLINE							
6.00"	3.00"	3.75"	TH	KT17SB	32°	DEFR62-1	**176N-4-781-1X**
6.03"	3.00"	3.75"	TH	KT17SB			**176N-4-771-1X**


3 Center Bearing yoke.

176N SERIES



Center to End	Spline Length	Hub Diameter	Kit Mtg. Holes	Use Kit	Joint Angle	Deflector	Part Number
2.75" - 10 SPLINE							
5.97"	3.00"	3.75"	TH	KT17SB	30°	DEFR62-1	**176N-4-791-1X**
2.79" - 54 SPLINE							
5.63"	2.75"		TH	KT17SB			**176N-4-1681-1** [7]
5.63"	2.75"	3.88"	TH	KT17SB	24°		**176TYS45**


18N SERIES



Center to End	Spline Length	Hub Diameter	Kit Mtg. Holes	Use Kit	Joint Angle	Deflector	Part Number
1.94" - 37 SPLINE							
5.13"	1.65"	3.15"	TH	KT17SB	32°	DEFR66-1	**18TYS31-5A**
2.00" - 39 SPLINE							
5.19"	2.31"	3.00"	TH	KT17SB	30°		**18N-4-3371-1**
5.19"	2.31"	3.00"	TH	KT17SB	30°	DEFR56-2	**18N-4-3381-1X**
5.19"	2.31"	3.00"	TH	KT17SB	30°	DEFR56-6	**18TYS32-12A1**
5.19"	2.31"	3.00"	TH	KT17SB	30°		**18TYS32-12A2**
2.13" - 41 SPLINE							
5.94	2.5	2.94		KT17SB	32		**18TYS34-5**
2.27" - 44 SPLINE							
5.25"	2.50"	2.94"	TH	KT17SB		DEFR48-5	**18N-4-3281-1X**
5.25"	2.50"	3.00"	TH	KT17SB		DEFR50-24	**18N-4-4571-1X**
2.28" - 44 SPLINE							
5.25"	2.50"	2.94"	TH	KT17SB	30°		**18N-4-3271-1**
5.75"	2.80"	2.96"	TH	KT17SB	32°		**18TYS36-17**

7 Hub not ground.

18N SERIES



Center to End	Spline Length	Hub Diameter	Kit Mtg. Holes	Use Kit	Joint Angle	Deflector	Part Number
2.34" - 16 SPLINE							
5.50"	2.75"	3.31"	TH	KT17SB	30°		**18N-4-1891-1**
2.37" - 46 SPLINE							
5.41"	2.41"	3.50"	TH	KT17SB		DEFR54-12	**18N-4-4271-1X**
2.38" - 18 SPLINE							
6.13"	3.38"	3.50"	TH	KT17SB	32°		**18TYS38-9**
2.38" - 46 SPLINE							
5.06"	2.32"	3.25"	TH	KT17SB	32°	DEFR56-12	**18TYS38-27A2**
5.16"	2.32"	3.25"	TH	KT17SB			**18TYS38-27**
5.16"	2.32"	3.25"	TH	KT17SB		DEFR56-7	**18TYS38-27A**
5.21"	2.40"	2.95"	TH	KT17SB	32°		**18TYS38-15**
5.41	2.4	3.5		KT17SB	32		**18TYS38-13A**
5.50"	2.75"	3.31"	TH	KT17SB	30°		**18N-4-3591-1**
5.69"	2.88"	3.25"	TH	KT17SB			**18N-4-3221-1X**
5.69"	2.88"	3.25"	TH	KT17SB			**18N-4-3581-1X**
6.02"	3.00"	3.38"	TH	KT17SB	30°		**18N-4-3911-1**
6.02"	3.00"	3.38"	TH	KT17SB	30°	DEFR55-2	**18N-4-3921-1X**
2.50" - 10 SPLINE							
5.88"	3.00"	3.75"	TH	KT17SB	30°		**18N-4-3451-1**
5.88"	3.00"	3.75"	TH	KT17SB	30°	DEFR62-1	**18N-4-3551-1X**
2.50" - 49 SPLINE							
5.88"	3.00"	3.75"	TH	KT17SB			**18N-4-3621-1X**
2.75" - 10 SPLINE							
6.00"	2.94"	3.38"	TH	KT17SB			**18N-4-2171-1**
6.06"	3.00"	3.75"	TH	KT17SB	30°		**18N-4-3491-1**
6.06"	3.00"	3.75"	TH	KT17SB	30°	DEFR62-1	**18N-4-3561-1X**
2.79" - 54 SPLINE							
5.63"	2.75"	4.00"	TH	KT17SB	32°		**18TYS45**

SECTION 5

INDEX

Weld Yokes **Page**


Bearing Plate 5-3
Inside Snap Rings 5-2
Outside Snap Rings 5-1
Wing Bearings 5-4

5


MERITOR NUMBERING SYSTEM

Meritor components may be identified by one of the numbering systems shown below. Aftermarket numbers are issued to make Meritor components easy to select when choosing a replacement component.


MERITOR ENGINEERING NUMBER



MERITOR AFTERMARKET NUMBER




WELD YOKES - OUTSIDE SNAP RINGS



If tubing insert diameter requires machining to fit a tube, machine it to a diameter of .007" to .010" larger than the diameter of the tube.

Yoke Dimension Across Ears	Bearing Cap Diameter	Used with Tubing O.D. and Wall	Insert Diameter	Center to Weld Point	Joint Angle	Part Number
121N SERIES	**U-JOINT KIT: CP-443X**					
2.688"	1.06"	2.50" x .065" (16 GA)	2.38"	1.31"		**121N-28-1947**
131N SERIES	**U-JOINT KIT: CP153X or CP200X**					
3.47"	1.06"	2.00" x .065" (16 GA)	1.88"	1.69"	22°	**131N-28-417**
3.47"	1.06"	2.00" x .083" (14 GA)	1.84"	1.69"	22°	**131N-28-357**
3.47"	1.06"	2.00" x .120" (11 GA)	1.77"	1.69"	22°	**131N-28-1757**
3.47"	1.06"	2.50" x .065" (16 GA)	2.38"	1.84"	30°	**131N-28-277**
3.47"	1.06"	2.50" x .083" (14 GA)	2.34"	1.84"	30°	**131N-28-367**
3.47"	1.06"	2.75" x .065" (16 GA)	2.63"	1.69"	21.5°	**131N-28-307**
3.47"	1.06"	2.75" x .083" (14 GA)	2.59"	1.69"		**131N-28-1617**
3.47"	1.06"	3.00" x .065" (16 GA)	2.88"	1.69"	21.5°	**131N-28-327**
3.47"	1.06"	3.00" x .083" (14 GA)	2.84"	1.69"	21.5°	**131N-28-437**
3.47"	1.06"	3.50" x .065" (16 GA)	3.38"	1.69"	21.5°	**131N-28-397**
3.47"	1.06"	3.50" x .083" (14 GA)	3.34"	1.69"	21.5°	**131N-28-427**
133N SERIES	**U-JOINT KIT: CP213X**					
3.88"	1.06"	2.50" x .083" (14 GA)	2.34"	1.72"	25°	**133N-28-1707**
3.88"	1.06"	3.00" x .065" (16 GA)	2.88"	1.72"	25°	**133N-28-1177**
3.88"	1.06"	3.00" x .083" (14 GA)	2.84"	1.72"	25°	**133N-28-1697**
3.88"	1.06"	3.50" x .065" (16 GA)	3.13"	1.81"		**133N-28-1977**
3.88"	1.06"	3.50" x .083" (14 GA)	3.34"	1.81"	20°	**133N-28-1717**
135N SERIES	**U-JOINT KIT: CP178X**					
3.88"	1.19"	2.50" x .083" (14 GA)	2.34"	1.94"	20°	**135N-28-47**
3.88"	1.19"	2.75" x .065" (16 GA)	2.63"	2.00"	20°	**135N-28-57-2**
3.88"	1.19"	2.75" x .095" (13 GA)	2.56"	2.00"	20°	**135N-28-57-1**
3.88"	1.19"	3.00" x .083" (14 GA)	2.84"	2.00"	20°	**135N-28-57**
3.88"	1.19"	3.50" x .083" (14 GA)	3.34"	1.81"	20°	**135N-28-427**
141N SERIES	**U-JOINT KIT: CP141N or CP160X**					
4.44"	1.19"	3.00" x .083" (14 GA)	2.84"	2.13"	30°	**141N-28-97**
4.44"	1.19"	3.50" x .065" (16 GA)	3.38"	2.13"	30°	**141N-28-367**
4.44"	1.19"	3.50" x .083" (14 GA)	3.34"	2.13"	30°	**141N-28-557**
148N SERIES	**U-JOINT KIT: CP148N or CP188X**					
4.44"	1.38"	3.50" x .083" (14 GA)	3.34"	2.03"	22°	**148N-28-537**
4.44"	1.38"	3.50" x .083" (14 GA)	3.34"	2.31"	35°	**148N-28-547**
4.44"	1.38"	3.50" x .095" (13 GA)	3.31"	2.03"	22°	**148N-28-567**
4.44"	1.38"	4.00" x .083" (14 GA)	3.84"	2.03"	22.5°	**148N-28-507**
155N SERIES	**U-JOINT KIT: CP155N or CP155X**					
5.25"	1.38"	3.50" x	3.33"	2.69"	36°	**155NY53-5**
5.25"	1.38"	3.50" x .095" (13 GA)	3.32"	2.19"		**155N-28-307**
5.25"	1.38"	4.00" x .083" (14 GA)	3.86"	2.50"	19°	**155RY62**


WELD YOKES - OUTSIDE SNAP RINGS



If tubing insert diameter requires machining to fit a tube, machine it to a diameter of .007" to .010" larger than the diameter of the tube.

Yoke Dimension Across Ears	Bearing Cap Diameter	Used with Tubing O.D. and Wall	Insert Diameter	Center to Weld Point	Joint Angle	Part Number
20R SERIES	**U-JOINT KIT: CP20RPL-1**					
7.00"	2.06"	4.00" x .134" 4.09" x .165" 4.06" x .180"	3.74"	3.70"	30°	**20RY60-6** [1]
7.00"	2.06"	4.00" x .134" 4.09" x .165" 4.06" x .180"	3.74"	4.50"	42°	**20RY60-5** [1]
7.00"	2.06"	4.00" x .134" 4.09" x .180"	3.74"	5.25"	39°	**20RY60-7**
25R SERIES	**U-JOINT KIT: CP25RPL-1**					
8.33"	2.06"	4.59" x .180" (7 GA)	4.24"	3.70"	24°	**25RY68-3** [1]

WELD YOKES - INSIDE SNAP RINGS




If tubing insert diameter requires machining to fit a tube, machine it to a diameter of .007" to .010" larger than the diameter of the tube.

Yoke Dimension Across Ears	Bearing Cap Diameter	Used with Tubing O.D. and Wall	Insert Diameter	Center to Weld Point	Joint Angle	Part Number
3R SERIES	**U-JOINT KIT: CP3147X**					
2.56"	1.13"	2.75" x .065" (16 GA)	2.63"	1.75"	20°	**R3R-28-307**
2.56"	1.13"	3.00" x .065" (16 GA)	2.88"	1.69"	21.5°	**R3R-28-327**
2.56"	1.13"	3.00" x .083" (14 GA)	2.84"	1.69"	21.5°	**R3R-28-437**
2.56"	1.13"	3.00" x .095" (13 GA)	2.88"	1.69"	21.5°	**R3R-28-157**
2.56"	1.13"	3.25" x .065" (16 GA)	3.13"	1.88"	20°	**R3R-28-325**
2.56"	1.13"	3.50" x .065" (16 GA)	3.38"	1.88"	20°	**R3R-28-397**
2.56"	1.13"	3.50" x .083" (14 GA)	3.34"	1.69"	21.5°	**R3R-28-427**

1 Has .25 in. diameter vent hole for use with less than 9 in. of tube.


WELD YOKES - INSIDE SNAP RINGS



If tubing insert diameter requires machining to fit a tube, machine it to a diameter of .007" to .010" larger than the diameter of the tube.

Yoke Dimension Across Ears	Bearing Cap Diameter	Used with Tubing O.D. and Wall	Insert Diameter	Center to Weld Point	Joint Angle	Part Number
1000 and 10N SERIES	**U-JOINT KIT: CP170X**					
1.50"	0.94"	2.00" x .083" (14 GA)	1.84"	1.75"		**R10V5**


WELD YOKES - BEARING PLATE



If tubing insert diameter requires machining to fit a tube, machine it to a diameter of .007" to .010" larger than the diameter of the tube.

Yoke Dimension Across Ears	Bearing Cap Diameter	Used with Tubing O.D. and Wall	Insert Diameter	Center to Weld Point	Joint Angle	Part Number
16N SERIES	**U-JOINT KIT: R279X or CP279X**					
5.31"	1.88"	3.50" x .156"	3.20"	3.00"	30°	**16N-28-207**
5.31"	1.88"	3.50" x .134" (10 GA)	3.24"	3.00"	30°	**16N-28-627**
5.31"	1.88"	3.50" x .134"	3.25"	3.81"		**16N-28-887**
5.31"	1.88"	3.50" x .095" (13 GA)	3.32"	3.00"	30°	**16N-28-167**
5.31"	1.88"	4.00" x .134"	3.73"	3.00"		**16N-28-327**
5.31"	1.88"	4.00" x .109" (12 GA)	3.79"	3.00"	19°	**16NY61**
176N SERIES	**U-JOINT KIT: R407X or CP407X**					
7.00"	1.94"	4.00" x .134" (10 GA)	3.74"	3.03"	30°	**176N-28-17**
17N SERIES	**U-JOINT KIT: R280X or CP280X**					
6.09"	1.94"	3.50" x .156"	3.20"	3.03"		**17N-28-137**
6.09"	1.94"	4.00" x .134" (10 GA)	3.74"	3.03"	30°	**17N-28-347**
6.09"	1.94"	4.00" x , 4.09" x .134" (10 GA), .180" (7 GA)	3.74"	4.50"	42°	**17NY60-15**
18N SERIES	**U-JOINT KIT: R281X, CP18N96, or CP281X**					
7.55"	1.94"	4.50" x .259" (3 GA)	4.00"	3.38"		**18N-28-127**
7.55"	1.94"	4.50" x .134" (10 GA)	4.24"	3.38"	30°	**18N-28-117**

WELD YOKES - WING BEARINGS



If tubing insert diameter requires machining to fit a tube, machine it to a diameter of .007" to .010" larger than the diameter of the tube.

Pilot Diameter	Slot Width	Used with Tubing O.D. and Wall	Insert Diameter	Center to Weld Point	Kit Mounting Holes	Part Number
58WB SERIES	**U-JOINT KIT: CP58WB-DWT, CP58WB-HB, CP58WB-HWD, or PERMALUBE**					
5.31"	.63"	3.50" x .095" (13 GA)	3.32"	1.81"	DR	**58WBY53-1**
62N SERIES	**U-JOINT KIT: CP62N-DWT, CP62N-HB, CP62N-HWD, or PERMALUBE**					
5.53"	.56"	3.50" x .120" (11 GA)	3.27"	1.75"	TH	**62NY52-7**
5.53"	.56"	3.50" x .095" (13 GA)	3.32"	1.88"	DR	**62NY53-1**
72N SERIES	**U-JOINT KIT: CP72N-DWT, CP72N-HB, CP72N-HWD, or PERMALUBE**					
5.84"	.63"	3.50" x .134" (10 GA)	3.24"	2.13"	DR	**72NY52-20**
82N SERIES	**U-JOINT KIT: CP82N-DWT, CP82N-HB, CP82N-HWD, or PERMALUBE**					
8.13"	.63"	4.00" x .187"	3.63"	2.44"	DR	**82NY58**
8.13"	.63"	4.00" x .187"	3.63"	2.44"	TH	**82NY58-2**
8.13"	.63"	4.00" x .134" (10 GA)	3.74"	2.88"	DR	**82NY60-19**
85WB SERIES	**U-JOINT KIT: CP85WB-DWT, CP85WB-HB, CP85WB-HWD, or PERMALUBE**					
6.5"	.63"	4.00" x .134" (10 GA)	3.74"	2.63"	DR	**85WBY60-11**
92N SERIES	**U-JOINT KIT: CP92N-DWT, CP92N-HB, CP92N-HWD, or PERMALUBE**					
8.25"	.63"	4.50" x .259" (3 GA)	4.00"	2.75"	TH	**92NY64**
8.25"	.63"	4.50" x .187"	4.14"	2.25"	DR	**92NY66**
8.25"	.63"	4.50" x .134" (10 GA)	4.23"	2.75"	DR	**92NY68-2**

SECTION 6

INDEX


Yoke and Tube Assemblies **Page**

Bearing Plates.....6-1


MERITOR NUMBERING SYSTEM

Meritor components may be identified by one of the numbering systems shown below. Aftermarket numbers are issued to make Meritor components easy to select when choosing a replacement component.

MERITOR ENGINEERING NUMBER




MERITOR AFTERMARKET NUMBER



954 - 72N
955 - 82N
959 - 58WB
960 - 92N
965 - 62N
983 - 16N
984 - 17N
990 - 155N
991 - 141N
992 - 148N

YOKE AND TUBE ASSEMBLIES - BEARING PLATES



Yoke Dimension Across Ears	Bearing Cap Dia.	Tubing O.D. and Wall	Tubing Base Part No.	Jig Pin to End	Center to End	Weld Yoke	Part Number
16N SERIES	**U-JOINT KIT: CP16NS or CP279X**						
5.31"	1.88"	3.50" x .134" (10 GA)	RT-35-10	37.06"	38.00"	16N-28-627	**983-14-2**
5.31"	1.88"	3.50" x .134" (10 GA)	RT-35-10	65.06"	66.00"	16N-28-627	**983-15-2**
17N SERIES	**U-JOINT KIT: CP17NS or CP280X**						
6.09"	1.94"	4.00" x .134" (10 GA)	RT-4-10	50.06"	51.03"	17N-28-347	**984-23-2**

If you detect any **errors** in this catalog, please let us know.

We want the information to be as accurate as possible; we appreciate your help in making it so.

Please e-mail any comments/suggestions/corrections to us at: catalogfeedback@arvinmeritor.com

or mail to: ArvinMeritor
attn: Catalog Dept.
7975 Dixie Highway
Florence, KY 41042

DRIVELINE TIPS II

1. Universal joints have a torque rotation direction. Installing joints in reverse rotation to zerk fitting will result in premature failure. Proper rotation should be with zerk and rotation to the right.

2. End Yoke Torque Value - Nut holding end yoke to application should have torque value of 600 Ft Lbs. A torque multiplier may be necessary to achieve specified setting.

3. Bearing Straps - Torque settings should be between 30 to 40 Ft Lbs.

4. Yokes are directional and have arrows indicating side away from transmission and power source.

5. Go - No Go Gauges - Tools available to pre-determine if yoke ears may be sprung. If bar, gauge will not fit through ears, yoke is probably damaged.

6. Yoke Throat - Center area of yoke where material is machined down to narrowest point. Seam of welded tubing should be towards one ear or the other, but never in center of throat area.

7. Critical Speed - Maximum speed at which shaft may safely operate, based on length vs. RPM vs. diameter. Exceeding critical speed value may result in spontaneous disassembly.

8. Shaft Length - 60“ to 80” is safe margin. Consider using a 2 piece system for shafts in excess of 80”.

9. Balance Weights - Recommended number of weights per shaft is 7 for a single shaft and 9 for a two shaft configuration.

10. Inclinometer - Tool available to help determine driveline angles and slope. Provides a digital readout of degrees.

SECTION 7

INDEX


Bearing Stubs — Page

Non-Slip 7-1
Slip 7-2


MERITOR NUMBERING SYSTEM

Meritor components may be identified by one of the numbering systems shown below. Aftermarket numbers are issued to make Meritor components easy to select when choosing a replacement component.


MERITOR ENGINEERING NUMBER




MERITOR AFTERMARKET NUMBER



BEARING STUBS - NON-SLIP




STYLE 1




STYLE 2

Spline Size	Brg. Shldr. Dia.	Shldr. Lgth.	Shldr. Dia.	Defl. Dia.	Spline Lgth.	Thread Size	Style	Effec. Lgth.	Use with Tubing O.D. and Wall	Insert Dia.	Part Number
1.50"-10	1.57"	.81"	1.94"	2.31"	1.88"	.75"-16	1	4.03"	3.50" x .095" (13 GA)	3.32"	**BSS24-53**
1.50"-10	1.57"	.81"	1.94"	2.31"	1.88"	.75"-16	1	4.03"	3.50" x .095" (13 GA)	3.32"	**BSS24-53A**
1.50"-10	1.57"	.88"	1.72"		1.81"	.75"-16	2	3.88"	3.50" x .083" (14 GA)	3.34"	**141N-53-1081**
1.50"-10	1.77"	.81"	2.19"	2.56"	1.88"	.75"-16	1	4.06"	3.50" x .095" (13 GA)	3.32"	**BSS24-60A**
1.75"-10	1.77"	.81"	2.19"		2.28"	1.25"-18	1	4.34"	4.00" x .134" (10 GA)		**16N-53-191**
1.75"-10	1.77"	.81"	2.19"	2.56"	2.06"	1.25"-18	1	4.34"	3.50" x .134" (10 GA)	3.24"	**16N-53-141**
1.95"-10	1.97"	.81"	2.43"	2.81"	2.88"	1.25"-18	1	5.16"	3.50" x .156"	3.20"	**17N-53-151**
1.95"-10	1.97"	.81"	2.44"	2.81"	2.88"	1.25"-18	1	5.15"	4.00" x .134" (10 GA)	3.74"	**BSS31-18**
1.95"-10	1.97"	.81"	2.44"	2.81"	2.88"	1.25"-18	1	5.16"	4.00" x .134" (10 GA)	3.74"	**17N-53-201**
1.95"-38	1.97"	.81"	2.44"		2.84"	1.25"-18	1	5.15"	4.00" x .134" (10 GA)		**17N-53-411**
1.96"-10	1.97"	.81"	2.44"		2.88"	1.25"-18	1	5.16"	4.50" x .134" (10 GA)		**17N-53-241**
2.00"-38	1.97"	.81"	2.44"	2.81"	2.88"	1.25"-18	1	5.16"	4.00" x .134" (10 GA)	3.74"	**BSS32-34**
2.34"-16	2.36"	.81"	2.87"	3.32"	2.63"	1.25"-18	1	5.31"	4.50" x .134" (10 GA)	4.24"	**18N-53-91**
2.34"-16	2.36"	.81"	2.87"	3.32"	2.63"	1.25"-18	1	5.31"	4.09" x .180" (7 GA)	3.74"	**17N-53-311**
2.34"-16	2.36"	.81"	2.87"	3.32"	2.63"	1.25"-18	1	5.31"	4.50" x .259" (3 GA)	4.00"	**18N-53-51**
2.35"-46	2.36"	.81"	2.88"	3.32"	2.53"	1.25"-18	1	5.31"	4.59" x .180" (7 GA)	4.24"	**18N-53-171**
2.35"-46	2.36"	.81"	2.88"	3.32"	2.53"	1.25"-18	1	5.31"	4.00" x .134" (10 GA) 4.06" x .165" 4.09" x .180" (7 GA)	3.74"	**176N-53-21**

BEARING STUBS - SLIP



STYLE 1



STYLE 2

Spline Size	Brg. Shldr. Dia.	Shoulder Length	Shoulder Dia.	Deflector Dia.	Spline Length	Style	Effective Length	Use with Tubing O.D. and Wall	Insert Dia.	Part Number
1.38"-15	1.38"	.81"	1.69"		2.50"	2	8.84"	3.00" x .083" (14 GA)	2.84"	**131N-53-711**
1.38"-15	1.38"	.81"	1.69"		2.50"	2	8.84"	2.75" x .065" (16 GA)	2.63"	**131N-53-711-1**
1.38"-15 (Based on 16 Spline)	1.38"	.81"	1.69"		2.50"	2	8.88"	3.00" x .065" (16 GA)		**121N-53-691**
1.38"-15 (Based on 16 Spline)	1.38"	.81"	1.69"		5.41"	1	8.00"	2.50" x .083" (14 GA)		**121N-53-471**
1.38"-15 (Based on 16 Spline)	1.38"	.81"	1.69"		5.41"	1	8.00"	3.00" x .083" (14 GA)		**121N-53-501**
1.38"-15 (Based on 16 Spline)	1.38"	1.13"	1.72"		4.97"	1	8.09"	2.50" x .083" (14 GA)		**135N-53-1351**
1.38"-16	1.38"	.81"	1.69"		4.44"	1	7.03"	3.00" x .083" (14 GA)	2.84"	**141N-53-1371**
1.38"-16	1.38"	1.13"	1.72"		4.97"	1	8.09"	3.00" x .083" (14 GA)	2.84"	**141N-53-1361**
1.38"-31	1.38"	1.13"	1.72"	1.75"	3.38"	2	8.81"	3.00" x .083" (14 GA)	2.84"	**135N-53-1181**
1.38"-31	1.38"	1.13"	1.72"	1.75"	3.38"	2	8.81"	2.75" x .095" (13 GA)	2.59"	**135N-53-1181-1**
1.38"-31	1.38"	1.13"	1.72"	1.75"	3.38"	2	8.81"	2.75" x .065" (16 GA)	2.63"	**135N-53-1181-2**
1.50"-16	1.58"	.88"	1.81"	2.16"	2.00"	2	7.06"	3.00" x .083" (14 GA)	2.84"	**141N-53-1031**
1.56"-16	1.58"	.81"	1.94"	2.31"	5.94"	2	8.53"	3.50" x .083" (14 GA)	3.35"	**148N-53-451**
1.75"-16	1.77"	.81"	2.19"	2.56"	2.94"	2	8.62"	3.50" x .095" (13 GA)	3.33"	**155N-53-61**

SECTION 8

INDEX

Spline Plugs **Page**


Spline Plugs 8-1

8


MERITOR NUMBERING SYSTEM

Meritor components may be identified by one of the numbering systems shown below. Aftermarket numbers are issued to make Meritor components easy to select when choosing a replacement component.


MERITOR ENGINEERING NUMBER



MERITOR AFTERMARKET NUMBER




SPLINE PLUGS



If tubing insert diameter requires machining to fit a tube, machine it to a diameter of .007" to .010" larger than the diameter of the tube.

Spline Size	Spline Length	Effective Length	Use with Tubing O.D. and Wall	Tubing Insert Dia.	End of Spline to Radius	Nylon Coated Spline	Part Number
1.25"-16	2.00"	6.00"	2.00" x .083" (14 GA)	1.84"	5.41"	Yes	**121N-40-1741**
1.25"-16	2.00"	6.13"	1.25" x .120" (11 GA)	1.03"	5.38"	Yes	**131N-40-1771**
1.25"-16	2.00"	6.13"	2.50" x .065" (16 GA)	2.37"	5.41"	Yes	**121N-40-2211**
1.25"-16	2.50"	7.75"	2.50" x .065" (16 GA)	2.37"	7.03"	Yes	**121N-40-2301**
1.38"-16	2.25"	5.19"	2.00" x .083" (14 GA)	1.84"	4.63"	Yes	**131N-40-1031**
1.38"-16	2.25"	6.19"	2.00" x .120" (11 GA)	1.76"	5.63"	Yes	**131N-40-1701**
1.38"-16	2.25"	6.28"	2.50" x .065" (16 GA)	2.37"	5.56"	Yes	**131N-40-1251**
1.38"-16	2.25"	6.34"	2.50" x .065" (16 GA)	2.37"	5.63"	Yes	**131N-40-1811**
1.38"-16	2.25"	6.34"	2.50" x .083" (14 GA)	2.34"	5.63"	Yes	**131N-40-1711**
1.38"-16	2.25"	6.44"	3.00" x .065" (16 GA)	2.87"	5.63"	Yes	**131N-40-1221**
1.38"-16	2.25"	6.44"	3.00" x .083" (14 GA)	2.84"	5.63"	Yes	**131N-40-1521**
1.38"-16	2.25"	6.56"	3.50" x .065" (16 GA)	3.37"	5.56"	Yes	**131N-40-1231**
1.38"-16	2.25"	6.84"	2.50" x .065" (16 GA)	2.37"	6.13"	Yes	**131N-40-1291**
1.38"-16	2.25"	7.53"	2.50" x .083" (14 GA)	2.34"	6.81"	Yes	**131N-40-1851**
1.38"-16	2.25"	7.63"	3.00" x .065" (16 GA)	2.87"	6.81"	Yes	**131N-40-2051**
1.38"-16	6.78"	8.64"	3.00" x .083" (14 GA)	2.84"	7.83"	Yes	**131N-40-1871**
1.38"-16	6.97"	8.97"	3.50" x .083" (14 GA)	3.34"	7.97"	Yes	**131N-40-2091**
1.50"-16	2.50"	5.63"	2.50" x .083" (14 GA)	2.34"	4.97"	Yes	**135N-40-1471**
1.50"-16	2.50"	5.94"	3.00" x .083" (14 GA)	2.84"	5.13"	Yes	**135N-40-1101**
1.50"-16	2.50"	7.25"	3.00" x .083" (14 GA)	2.84"	6.44"	Yes	**135N-40-1611**
1.50"-16	2.50"	7.34"	3.50" x .083" (14 GA)	3.34"	6.41"	Yes	**135N-40-1561**
1.50"-16	3.00"	6.56"	3.50" x .083" (14 GA)	3.34"	5.63"	Yes	**135N-40-1531**
1.50"-16	3.00"	7.53"	3.50" x .083" (14 GA)	3.34"	6.59"	Yes	**135N-40-1491**
1.56"-16	3.00"	6.75"	3.50" x .083" (14 GA)	3.34"	5.81"	Yes	**148N-40-1571**
1.56"-16	3.00"	8.75"	3.50" x .083" (14 GA)	3.34"	7.81"	Yes	**148N-40-1391**
1.75"-16	3.00"	6.78"	3.50" x .095" (13 GA)	3.32"	5.81"	Yes	**155N-40-761**
1.75"-16	3.00"	7.50"	3.50" x .095" (13 GA)	3.32"	6.50"	Yes	**PS28-16-13**
1.75"-16	3.00"	9.22"	3.50" x .095" (13 GA)	3.32"		Yes	**PS28-16-8**
1.75"-16	3.00"	9.22"	3.50" x .095" (13 GA)	3.32"	8.25"	Yes	**155N-40-721**
1.75"-16	3.00"	9.66"	3.50" x .095" (13 GA)	3.32"	8.63"	Yes	**62NPS28-4**
1.75"-16	3.80"	10.70"	4.00" x .083" (14 GA)	3.85"		Yes	**BPS28-16-1**
2.00"-16	3.33"	10.26"	4.00" x .109" (12 GA)	3.79"		Yes	**PS32-16-77**
2.00"-16	3.34"	9.69"	3.50" x .134" (10 GA)	3.24"	8.75"	Yes	**16N-40-1011**
2.00"-16	3.50"	10.19"	3.50" x .134" (10 GA)		9.28"	Yes	**16N-40-1041**
2.00"-16	3.50"	7.56"	3.50" x .134" (10 GA)		6.66"	Yes	**16N-40-1191**
2.00"-16	3.50"	9.84"	4.00" x .134" (10 GA)		8.78"	Yes	**16N-40-1051**
2.00"-16	3.66"	10.50"	3.50" x .134" (10 GA)	3.24"	9.50"	No	**PS32-16-30**
2.00"-16	4.70"	9.56"	4.00" x .109" (12 GA)	3.79"		Yes	**PS32-16-76**
2.50"-10	4.00"	10.34"	3.50" x .156"	3.20"	9.50"	No	**17N-40-61**
2.50"-10	4.50"	10.00"	4.00" x .109" (12 GA)	3.79"	8.86"	No	**82NPS40**
2.50"-16	3.00"	9.25"	4.00" x .180" (7 GA)	3.63"	8.25"	Yes	**PS40-16-34**

SPLINE PLUGS



If tubing insert diameter requires machining to fit a tube, machine it to a diameter of .007" to .010" larger than the diameter of the tube.

Spline Size	Spline Length	Effective Length	Use with Tubing O.D. and Wall	Tubing Insert Dia.	End of Spline to Radius	Nylon Coated Spline	Part Number
2.50"-16	3.69"	11.13"	4.00" x .134" (10 GA)	3.74"	10.00"	Yes	**PS40-16-23**
2.50"-16	3.70"	10.67"	4.00" x .134" (10 GA)	3.74"		Yes	**PS40-16-62**
2.50"-16	3.92"	10.56"	4.00" x .134" (10 GA)	3.74"	9.56"	Yes	**17N-40-521**
2.50"-16	3.92"	10.56"	4.00" x .134" (10 GA)	3.74"		Yes	**PS40-16-15**
2.50"-16	3.92"	9.25"	4.00" x .134" (10 GA)	3.74"	8.25"	Yes	**17N-40-541**
2.50"-16	4.00"	10.66"	4.50" x .134" (10 GA)		9.47"	Yes	**17N-40-621**
2.50"-16	4.00"	9.50"	4.50" x .134" (10 GA)		8.31"	Yes	**17N-40-631**
2.50"-16	4.70"	9.92"	4.00" x .134" (10 GA)	3.74"		Yes	**PS40-16-61**
3.00"-10	9.00"	11.19"	4.50" x .259" (3 GA)	4.00"	10.25"	No	**PS48-10-1**
3.00"-16	4.28"	11.25"	4.50" x .134" (10 GA)	4.24"	10.03"	Yes	**18N-40-191**
3.00"-16	4.28"	11.25"	4.50" x .259" (3 GA)	4.00"	10.03"	Yes	**PS48-16-1**
3.00"-16	4.28"	11.53"	4.50" x .259" (3 GA)	4.00"	10.22"	Yes	**PS48-16-16**
3.00"-16	4.28"	9.47"	4.50" x .134" (10 GA)	4.24"	8.41"	Yes	**18N-40-201**
3.00"-16	4.28"	9.47"	4.50" x .259" (3 GA)	4.00"	8.41"	Yes	**PS48-16-19**
3.00"-16	4.29"	11.25"	4.59" x .180" (7 GA)	4.24"		Yes	**PS48-16-5**
3.00"-16	4.70"	10.13"	4.59" x .180 (7 GA)	4.24"		Yes	**25RPL-SLIP**
3.00"-16	4.70"	10.13"	4.59" x .180" (7 GA)	4.24"		Yes	**PS48-16-38**

SECTION 9

INDEX

Shaft Yokes **Page**


AXLE SHAFT YOKES
Round Bearings.....9-1

SHAFT YOKES
Round Bearings.....9-2
Wing Bearings.....9-3


MERITOR NUMBERING SYSTEM

Meritor components may be identified by one of the numbering systems shown below. Aftermarket numbers are issued to make Meritor components easy to select when choosing a replacement component.


MERITOR ENGINEERING NUMBER



MERITOR AFTERMARKET NUMBER



AXLE SHAFT YOKES - ROUND BEARINGS




Spline Size	Center to End	Spline Length	Shaft Diameter	Yoke Dimension Across Ears	Bearing Cap Diameter	Bearing Seat Diameter	Part Number
750N SERIES	**U-JOINT KIT: CP750N, CP750N-1, or CP750N-4**						
1.66"39	13.28"	2.38"	1.64"	5.19"	1.63"	1.66"	**750NYSM27-12**
1.66"39	30.91"	2.38"	1.64"	5.19"	1.63"	1.66"	**750NYSM27-13**
1.75"34	12.73"	1.75"	1.63"	5.19"	1.63"	1.80"	**750NYSM28-112**
1.77"19	30.75"	2.59"	1.61"	5.19"	1.63"	1.88"	**750NYSM28-155**
850N SERIES	**U-JOINT KIT: CP850N-4**						
1.88"20	32.72"	2.38"	1.75"	6.06"	1.94"	2.25"	**850NYSM30-25**
2.00"21	14.05"	3.00"	1.94"	6.06"	1.94"	2.25"	**850NYSM32-18**
2.06"24	13.38"	2.47"	2.00"	6.06"	1.94"	2.25"	**850NYSM34-48**
950N SERIES	**U-JOINT KIT: CP950N**						
2.38"24	13.38"	3.31"	2.20"	7.89"	2.50"	2.45"	**950NYSM38-1**
2.38"24	31.63"	2.88"	2.20"	7.89"	2.50"	2.63"	**950NYSM38-15**

MERITOR

an *ArvinMeritor* brand


SHAFT YOKES - ROUND BEARINGS



NOTE: ALL SPLINES ARE NYLON COATED.

Spline Size	Center to End	Spline Length	End to Radius	Yoke Dim. Across Ears	Brg. Cap Dia.	Bottom of Crosshole to End	Joint Angle	Part Number
17N SERIES	**U-JOINT KIT: R280X or CP280X**							
2.50"-16	8.16"	3.00"	5.22"	6.09"	1.94"	7.19"	31°	**17N-82-1211**
2.50"-16	10.03"	3.50"	6.69"	6.09"	1.94"	9.06"	31°	**17N-82-1171-1**
2.50"-16	10.66"	3.50"	7.31"	6.09"	1.94"	9.69"	31°	**17N-82-1171-12**
2.50"-16	11.16"	3.50"	7.81"	6.09"	1.94"	10.19"	31°	**17N-82-1171-2**
2.50"-16	12.12"	2.73"	11.15"	6.09"	1.94"	11.15"	45°	**17NYSM40-177**
2.50"-16	13.00"	3.50"	9.59"	6.09"	1.94"	12.03"	31°	**17N-82-1171-5**
2.50"-16	13.59"	3.23"	9.34"	6.09"	1.94"	12.62"	45°	**17NYSM40-173**
2.50"-16	14.41"	3.73"	10.16"	6.09"	1.94"	13.44"	45°	**17NYSM40-172**
2.50"-16	14.75"	4.00"	9.94"	6.09"	1.94"	13.78"	45°	**17N-82-1061-8**
2.50"-16	15.03"	4.00"	10.22"	6.09"	1.94"	14.06"	45°	**17N-82-1061-3**
2.50"-16	16.28"	3.73"	11.47"	6.09"	1.94"	15.31"	45°	**17NYSM40-170**
2.50"-16	16.88"	4.00"	12.06"	6.09"	1.94"	15.91"	45°	**17N-82-1061-4**
2.50"-16	17.50"	4.00"	12.69"	6.09"	1.94"	16.53"	45°	**17N-82-1061-9**
20R SERIES	**U-JOINT KIT: CP20RPL-1**							
2.50"-16	13.45"	3.70"	9.39"	7.00"	2.06"	12.42"	42°	**20RYSM40-24**
2.50"-16	13.95"	3.70"	9.48"	7.00"	2.06"	12.92"	42°	**20RYSM40-26**
2.50"-16	14.20"	3.70"	9.73"	7.00"	2.06"	13.17"	42°	**20RYSM40-27**
2.50"-16	14.45"	3.70"	9.98"	7.00"	2.06"	13.42"	42°	**20RYSM40-28**
2.50"-16	15.20"	3.70"	10.73"	7.00"	2.06"	14.17"	42°	**20RYSM40-31**
2.50"-16	16.20"	3.70"	11.73"	7.00"	2.06"	15.17"	42°	**20RYSM40-35**

SHAFT YOKES - WING BEARINGS



Spline Size	Face to End	Pilot Diameter	Spline Length	Slot Width	Kit Mtg. Holes	Part Number
72N SERIES	**U-JOINT KIT: CP72N-DWT, CP72N-HB, CP72N-HWD or PERMALUBE**					
2.00"-10	9.13"	5.84"	2.75"	.63"	.47"-DR	**72NYSM32-58**

If you detect any **errors** in this catalog, please let us know.

We want the information to be as accurate as possible; we appreciate your help in making it so.

Please e-mail any comments/suggestions/corrections to us at: catalogfeedback@arvinmeritor.com

or mail to: ArvinMeritor
attn: Catalog Dept.
7975 Dixie Highway
Florence, KY 41042

DRIVELINE TIPS III

ANGLES AND VIBRATIONS

1. Driveline vibrations can occur as five various types, transverse, torsional, inertial excitation, critical speed, and secondary coupling vibrations.

2. Transverse vibrations are simplest to repair and usually involve balance issues on driveshaft.

3. Torsional vibrations are more serious vibration issues that are usually related to driveline working angles, and bending and twisting motion experienced by driveshaft.

4. Large working angles will usually introduce torsional vibrations. Keeping driveline slope 3° to 6° is preferred. The smaller the angles, the less chance of torsionals.

5. Cancellation angles is the process where you keep the front and rear working angles to a + / - 1° of each other. Keeping angles small and + / -1° of each other will help cancel out torsionals.

6. Ride height will affect angles and relate to vibration issues. When checking into a vibration issue the truck should be loaded.

7. There are two types of angles to be aware of, simple 1 plane angles and compound angles.

8. Simple 1 plane angles are where the driveshaft connects to the rear axle and is in a straight line plane.

9. Compound angle is where the driveshaft is offset in relation to the transmission and rear axle, not in a straight line plane.

10. Driveline slop is the direction, up, or down, of the driveshaft and the slope should not exceed 3° to 6° to avoid torsional vibrations.

SECTION 10

INDEX

Small Parts and Tubing **Page**

U-Joint Hardware Kit Charts 10-14
Balance Weights 10-10
Bearing Clamps 10-8
Capscrews 10-2
Deflectors 10-6
Dust Cap Groups 10-4
Dust Seals 10-5
Hardware for Bearing Stubs 10-1
Lockplates 10-9
Lube Fittings 10-10
Nuts 10-3
Plugs for Slip Yokes 10-13
Snap Rings 10-10
Strap and Bolt Kits 10-7
Thrustplates 10-9
Tubing 10-11
U-Bolt Kits 10-8
Washers 10-1
Wearsleeves 10-9
Yoke Nuts 10-3
Yoke Washers 10-4

DRIVELINE TIPS IV

FAILURE ANALYSIS

1. Shock Load is failure where engineered values are exceeded and sudden sharp spike in load value will shear related parts. Clean break in appearance.

2. Brinneling is where the needle bearings will embed themselves into the trunion surface, due to lack of movement (rotation) and lube. Appearance will be multiple ridges around the trunion surface.

3. Galling is the condition where due to lack of lube and the presence of heat, two metal surfaces will weld, fuse themselves together. The bearing cap will become permanently attached to end of trunion.

4. Spalling is where due to foreign presence of material (moisture) lube will be diluted and no longer provide protection against heat resulting in eventual failure.

5. Fatigue is where due to time, heat, stress loads and various chemical exposure to materials, the surface will began to deteriorate and break down. A surface pitting or flaking will occur resulting in structural weakening and eventual failure.

6. Beach Marks are visual markings on failed surface related to shock load. You can see cracks, fissure marks on surface that increased over time prior to ultimate failure.


7. Critical Speed/Tube Failure is where tubing collapsed, crimped, separated due to shock load / critical speed.

8. Imbalance issue is when weights are missing or placed too close to tube weld seam. Can cause static vibrations as a jump rope, resulting in ultimate failure.

9. Lube recommended is NLGI EP 2. Lack of proper lubrication will result in premature failure.


10. Driveline slope should have a minimum of 1/2° to spread lube in the U-joint bearing caps, and avoid failure due to lack of lube.

HARDWARE FOR BEARING STUBS



Spline Size	Part Number	Thread Size	Washer	Nut	Capscrew
1.50"-10	**141N-53-1081**	.75"-16	WAR13-5		S-11212
1.50"-10	**BSS24-53**	.75"-16	WAR13-5	NL-112-1	
1.50"-10	**BSS24-53A**	.75"-16	WAR13-5	NL-112-1	
1.50"-10	**BSS24-60A**	.75"-16	WAR13-5	NL-112-1	
1.75"-10	**16N-53-141**	1.25"-18	WAR21-1	1227-Z-936	
1.75"-10	**16N-53-191**	1.25"-18			
1.95"-10	**17N-53-151**	1.25"-18	WAR21-1	1227-Z-936	
1.95"-10	**17N-53-201**	1.25"-18	WAR21-1	1227-Z-936	
1.95"-10	**BSS31-18**	1.25"-18	WAR21-1	1227-Z-936	
1.95"-38	**17N-53-411**	1.25"-18			
1.96"-10	**17N-53-241**	1.25"-18			
2.00"-38	**BSS32-34**	1.25"-18	WAR21-1	1227-Z-936	
2.34"-16	**17N-53-311**	1.25"-18	WAR21-1	1227-Z-936	
2.34"-16	**18N-53-51**	1.25"-18	WAR21-1	1227-Z-936	
2.34"-16	**18N-53-91**	1.25"-18	WAR21-1	1227-Z-936	
2.35"-46	**176N-53-21**	1.25"-18			
2.35"-46	**18N-53-171**	1.25"-18			


WASHERS



FLAT LOCKWASHER

Type	Outside Diameter	Inside Diameter	Thickness	Part Number
Lock Washer	.58"	.32"	.08"	**WA-15Z**
Lock Washer	.69"	.38"	.12"	**WA-46**
Lock Washer	.69"	.52"	.15"	**WA-48**
Lock Washer	.77"	.44"	.11"	**WALM7-2**
Lock Washer	.88"	.52"	.13"	**WA-18**
Flat Metal	1.75"	.78"	.19"	**WAR13-5**
Flat Metal	2.13"	1.27"	.12"	**WAR20-1**
Flat Metal	2.23"	.53"	.38"	**WAR8-14**

CAPSCREWS




TYPE 1 TYPE 2 TYPE 3 TYPE 4

Type	Thread Size	Length	Grade	Part Number
1	.31"-18	1.75"	Grade 8	**SP-1049**
1	.38"-16	1.75"	Grade 8	**SP-1045**
1	.38"-24	.75"	Grade 8	**SP-1013**
1	.44"-20	1.12"	Grade 8	**SP-1010**
1	.44"-20	2.00"	Grade 8	**SP-1012**
1	.50"-20	1.75"	Grade 8	**CSC8-20-52**
2	M12 x 1.75	30mm	Grade 10.9	**MS-212030-2**
2	M12 x 1.75	60mm	Grade 10.9	**MS-212060-2**
2	.31"-24	.75"	Grade 8	**CSH5-24-37**
2	.31"-24	.88"	Grade 8	**CSH5-24-34**
2	.31"-24	1.00"	Grade 8	**CSH5-24-27**
2	.50"-20	1.00"	Grade 8	**SP-1014**
3	.25"-28	.63"	Grade 8	**CSH4-28-13**
3	.31"-24	.75"	Grade 8	**CSH5-24-28**
4	.31"-24	.63"	Grade 8	**S-155-2**
4	.38"-24	.63"	Grade 8	**S-165B-2** [1]
4	.38"-24	1.00"	Grade 8	**S-168-2**
4	.38"-24	2.00"	Grade 8	**S-1616-2**
4	.44"-20	1.13"	Grade 8	**S-179-2**
4	.44"-20	2.00"	Grade 8	**S-1716-2**
4	.50"-20	1.50"	Grade 8	**S-1812-2**
4	.50"-20	2.25"	Grade 8	**S-1818-2**
4	.50"-20	2.50"	Grade 8	**S-1820-2**
4	.50"-20	2.75"	Grade 8	**S-1822-2**
4	.75"-16	1.50"	Grade 5	**S-11212**

1 Has adhesive band.


NUTS



TYPE 1 TYPE 2

Type	Width Across Flats	Thread Size	Thickness	Part Number
1	.75"	.50"-20	.31"	**NUEL8-20-8**
2	.50"	.31"-18	.30"	**NL-25-1**
2	.56"	.38"-16	.33"	**NL-26-1**
2	.56"	.38"-24	.34"	**NUHX6-24-14**
2	.69"	.44"-20	.42"	**NUHX7-20-1**
2	.75"	.50"-20	.31"	**NUJA8-20-6**
2	1.13"	.75"-16	.64"	**NL-112-1**

YOKE NUTS




TYPE 1 TYPE 2

Type	Width Across Flats	Thread Size	Metric Thread	Thickness	Related Washer	Part Number
1	1.13"	0.88"-20		.50"	1229-S-1397	**1227-G-943**
1	1.32"	1.00"-20		.57"	1229-E-1331	**1227-C-939**
1	1.63"	1.25"-12		.62"	1229-A-2653	**1227-K-1051**
1	1.63"	1.25"-18		.62"	1229-A-2653	**1227-Z-936**
1	1.88"	1.50"-12		.75"	1229-T-1736	**1227-J-946**
1	1.88"	1.50"-18		.75"	1229-E1071	**1227-A-937**
1	2.25"	1.75"-12		.69"	1229-S-1605	**1227-D-940**
2	1.88"	1.25"-12		.75"	1229-A-2653	**1227-Q-901**
2	2.25"	1.50"-12		.88"	1229-T-1736	**1227-R-902**
2	2.58"	1.75"-12		.99"	1229-N-1730	**1227-N-898**
2	45.69mm		32mm x 1.5-6H Thd.	18mm	1229-A-2653	**40-X-1236** [2]
2	54.63mm		39mm x 1.5-6H Thd.	21mm	1229-T-1736	**40-X-1237**
1	56.20mm		45mm x 1.5-6H Thd.	24mm	1229-W-4521	**40-X-1233**


2 Order KIT 2636 to purchase nut and washer.

YOKE WASHERS



Outside Diameter	Inside Diameter	Thickness	Part Number
1.62"	.91"	.13"	1229-S-1397
1.62"	.91"	.19"	1229-N-1548
1.81"	1.03"	.25"	1229-E-1331
2.19"	1.28"	.22"	1229-A-2653
2.38"	1.53"	.13"	1229-T-1736
2.38"	1.53"	.25"	1229-F-2918
3.00"	1.78"	.10"	1229-G-1281
3.00"	1.78"	.19"	1229-N-1730
3.25"	1.75"	.31"	1229-W-4521 [6]
3.25"	1.81"	.40"	1229-S-1605
3.25"	2.03"	.28"	1229-E-1071


DUST CAP GROUPS



Series	Style	Seal Size - No. of Teeth	Dust Cap	Felt Washer	Nylon Washer	Metal Washer	Cork Seal	Part Number
131N	SPL	1.25"-16	Yes	No	Yes	No	No	ND2K
133N, 135N, 141N	SPL	1.50"-16	Yes	No	No	Yes	Yes	ND3K
155N	SPL	1.75"-32	Yes	Yes	No	No	No	DC155N
17N	RD	2.50"-	Yes	No	No	Yes	Yes	DC17N-3
17N	RD	2.50"-	Yes	No	No	Yes	Yes	DC17N
62N	RD	1.75"-	Yes	Yes	No	Yes	No	DC62N-1
72N	RD	2.00"-	Yes	Yes	No	Yes	No	DC72N-1
72N	SPL	2.00"-10	Yes	Yes	Yes	No	No	DC72N
82N	SPL	2.50"-10	Yes	Yes	No	Yes	No	DC82N-1
82N	SPL	2.50"-16	Yes	Yes	No	Yes	No	DC82N-4

6 Included in KIT 2638.


DUST SEALS



Style	Series	Thread Size	Outside Diameter	Diameter of Hole	Spline Size	Part Number
1	L6N		1.75"	0.79"		SERUR14-16
1	121N		2.00"	1.00"		R280196
1	133N, 13N, 3R, 7260		2.13"	1.16"		R280194
1	155N		2.29"	1.33"		SERUR21-3
1	16N		2.61"	1.56"		SERUR25-4
1	176N, 17N		3.11"	1.98"		SERUR33-5
1	18N		3.61"	2.43"		SERUR40-9
2	131N		2.00"	1.09"		ND2C
2	131N, 135N, 141N, 3R		2.13"	1.18"		ND3A
2	148N		2.31"	1.25"		ND3H
2	58WB, 62N	2.12"-20	2.43"	1.32"		SERUR22-4
2	155N, 16N, 62N	3.00"-24	2.62"	1.52"		SERUR25-2
2	148N, 155N, 58WB, 72N	2.50"-20	2.62"	1.52"		SERUR25-1
2	176N, 17N, 72N, 82N	3.00"-24	3.25"	1.98"		SERUR33-4
2	85WB, 92N	3.75"-20	4.00"	2.44"		SERUR40-3
2	17N, 18N	3.62"-16	4.00"	2.44"		SERUR40-8
4	L6N		1.75"		1.25"-32	SERUS20
4	135N, 141N		2.13"		1.38"-16	R280195
4	155N		2.30"		1.73"-16	SERUS28-4
5	20RPL		3.29"	1.97"		SERUR32-7 [9]
5	17N, 176N		3.36"	1.98"		SERUR32-9 [8]
5	25RPL		3.77"	2.41"		SERUR40-21 [10]
5	18N		3.86"	2.43"		SERUE39-2 [8]

8 MXL Design. Available Fall 2009
9 Use KIT 20RPL SEAL for replacement on 20RPL. Kit contains DEFR53-4 and SERUR32-7. Replace both at same time.
10 Use KIT RPL SEAL for replacement on 25RPL. Kit contains DEFR61-1 and SERUR40-1. Replace both at same time.

DEFLECTORS




TYPE 1 TYPE 2 TYPE 3 TYPE 4 TYPE 5 TYPE 6 TYPE 7 TYPE 8

Outside Diameter	Inside Diameter	Depth	Type	Part Number
2.25"	1.75"	0.75"	1	DEFR22-4
2.43"	1.38"	0.62"	1	DEFR22-5
2.43"	1.56"	0.64"	1	DEFR25-4
2.50"	1.75"	0.50"	3	RBR28-1
2.62"	1.56"	0.59"	1	DEFR25-1
2.87"	1.56"	0.93"	1	DEFR25-2
2.87"	1.77"	0.59"	1	DEFR28-3
3.30"	2.56"	0.91"	3	DEFR53-4 [9]
3.56"	2.37"	1.25"	3	DEFR38-5
3.63"	2.65"	1.20"	8	DEFR53-5
3.78"	3.50"	0.65"	4	DEFR48-10
3.80"	3.06"	0.91"	3	DEFR61-1 [10]
3.94"	2.18"	0.57"	3	DEFR35-3
4.00"	1.75"	0.83"	2	DEFR28-4
4.00"	2.06"	0.56"	2	DEFR33-1
4.00"	2.16"	0.56"	2	DEFR34-1
4.00"	2.68"	0.58"	3	DEFR43-1
4.17"	3.43"	1.24"	2	DEFR55-3
4.32"	2.64"	0.63"	2	DEFR42-1
4.33"	2.94"	0.31"	2	DEFR47-5
4.38"	2.31"	0.56"	2	DEFR37-1
4.38"	2.53"	0.87"	2	DEFR40-5
4.38"	3.06"	0.81"	1	DEFR49-1
4.44"	2.99"	1.125"	2	DEFR48-2
4.50"	2.37"	1.25"	3	DEFR38-3
4.56"	2.56"	0.56"	2	DEFR41-1
4.57"	2.99"	1.18"	2	DEFR48-8
4.59"	3.85"	0.40"	4	DEFR62-1
4.63"	2.38"	0.88"	2	DEFR38-1
4.75"	2.94"	0.31"	7	DEFR47-6
4.80"	2.97"	0.56"	3	DEFR47-12
4.81"	2.51"	1.00"	2	DEFR40-4
4.81"	2.81"	0.56"	2	DEFR35-1
4.88"	3.13"	0.94"	2	DEFR50-4
4.88"	3.51"	0.72"	6	DEFR56-2
4.88"	3.66"	1.03"	2	DEFR59-2
5.00"	2.99"	0.69"	2	DEFR48-5
5.13"	2.95"	0.69"	2	DEFR47-4
5.13"	3.43"	1.13"	6	DEFR55-2
5.14"	4.09"	0.67"	5	DEFR66-1
5.50"	2.76"	0.84"	2	DEFR44-1

9 Use KIT 20RPL SEAL for replacement on 20RPL. Kit contains DEFR53-4 and SERUR32-7. Replace both at same time.
10 Use KIT RPL SEAL for replacement on 25RPL. Kit contains DEFR61-1 and SERUR40-1. Replace both at same time.


DEFLECTORS



TYPE 1 TYPE 2 TYPE 3 TYPE 4 TYPE 5 TYPE 6 TYPE 7 TYPE 8

Outside Diameter	Inside Diameter	Depth	Type	Part Number
5.50"	4.06"	0.81"	6	DEFR65-1
5.56"	3.31"	0.58"	2	DEFR55-1
5.72"	2.95"	0.88"	2	DEFR47-2
5.75"	3.38"	0.94"	2	DEFR54-1
6.00"	2.95"	0.94"	2	DEFR47-7
6.00"	3.13"	0.81"	2	DEFR50-7
6.00"	3.66"	0.90"	2	DEFR59-1
6.25"	3.74"	1.12"	3	DEFR60-1
6.75"	2.95"	1.00"	2	DEFR47-13
7.00"	3.13"	0.81"	2	DEFR50-2
7.00"	3.49"	0.88"	2	DEFR56-7
7.37"	3.38"	1.50"	2	DEFR54-5


STRAP AND BOLT KITS



Retainer Strap (2 per kit)	Capscrew (4 per kit)	Lock Nut (4 per kit)	Lock Washer (4 per kit)	Series	Part Number
REBC141-1	SP-1049	NL-25-1		131N, 141N	KT121
REBC141-1	CSC5-24-37			131N, 141N	KT122
REBC148-2	SP-1045	NL-26-1		148N, 155N	KT123
REBC148-2	SP-1013			148N, 155N	KT124
REBC141	CSH5-24-27		WA-15Z	131N, 141N	KT125
REBC148	CSH5-24-27		WA-15Z	148N, 155N	KT126 [5]
REBC17S	SP-1014			176N, 17N, 18N	KT17SB
REBC16S	SP-1013			16N	KT16SB


5 .31 in.-24 thread.

U-BOLT KITS




U-Bolts (in kit)	Nuts (in kit)	Lockwashers (in kit)	CL to CL Length	Thread Size	Series	Part Number
2	4	4	1.41"	.31"-24	131N, 133N	**KT116**
2	4	4	1.63"	.38"-24	141N	**KT117**
2	4	4	1.88"	.44"-20	148N, 155N	**KT118**

BEARING CLAMPS




CL to CL of Bolt Holes	Hole Diameter	Series	Use Capscrew	Part Number
1.80"	0.33"	131N, 141N-T	CSC5-24-27	**REBC141-1**
1.88"	0.35"	131N, 141N	CSH5-24-27	**REBC141**
1.94"	0.33"	148N, 155N	CSH5-24-27	**REBC148**
2.12"	0.40"	148N, 155N, 155N-D	SP-1013, SP-1045	**REBC148-2**
2.50"	0.42"	16N	CSC6-24-56	**REBC16S**
2.80"	0.55"	176N, 17N, 18N	SP-1014	**REBC17S**

LOCKPLATES




CL to CL of Bolt Holes	Hole Diameter	Series	Use Capscrew	Part Number
2.31"	.34"	16N	S-155-2	**LPHC37-1**
2.44"	.39"	176N, 17N, 18N	S-165-2	**LPHC39-3**

THRUSTPLATES




CL to CL of Bolt Holes	Hole Diameter	Series	Use Capscrew	Part Number
1.75"	0.27"	148N, 155N	CSH4-28-13	**RECP148**
1.81"	0.33"	155N	CSH5-24-28	**RECP155**

WEARSLEEVES



Outside Diameter	Thickness	Series	Part Number
2.50"	1.00"	16N, 18N, 72N	**1199-A-3329**
3.00"	0.63"	82N, 92N	**WIR46-2**

SNAP RINGS




Internal/Inside
TYPE 2

Internal/Inside
TYPE 3


Snap Ring Type	Outside Diameter	Thickness	Series	Part Number
Internal / Inside	1.52"	.059"	148N, 155N	**RRIR24-2**
Internal / Inside	2.28"	.078"	20RPL, 25RPL	**RRIR36-4**

LUBE FITTINGS




Overall Length	Angle	Thread Size	Thread Type	Part Number
.89"	45 °	.13"-27	P.T.F.	**1199-H-1620**
.84"	65 °	.13"-27	P.T.F.	**1199-X-1870**
.84"	90°	.13"-27	P.T.F.	**1898-R-720**
.47"	Straight	.25"-28	U.N.F.	**1199-T-2854**
.47"	Straight	.13"-27	P.T.F.	**1898-Q-771**
.55"	Straight	.25"-28	TAPER	**1199-B-2576**
.72"	Straight	.13"-27	P.T.F.	**1199-N-1860**

BALANCE WEIGHTS




Weight	Style	Part Number
.25 oz.	Rectangular	**BLWP33-2**
.27 oz.	Round	**BLWR18-1**
.33 oz.	Round	**BLWR18-2**
.33 oz.	Rectangular	**BLWP33-1**
.42 oz.	Round	**BLWR18-3**
.50 oz.	Rectangular	**BLWP32-3**
.50 oz.	Round	**BLWR18-4**
.56 oz.	Rectangular	**BLWP32-2**
.68 oz.	Round	**BLWR18-6**
.70 oz.	Rectangular	**BLWP32**
1 oz.	Rectangular	**BLWP11-2**
2 oz.	Rectangular	**BLWP22-1**

TUBING




Outside Diameter	Wall Thickness	Length	Part Number
1.25"	.120" (11 GA)	72"	**RT-125-11-72**
1.25"	.120" (11 GA)	108"	**RT-125-11-108**
1.50"	.095" (13 GA)	72"	**RT-15-13-72**
1.50"	.095" (13 GA)	108"	**RT-15-13-108**
1.50"	.120" (11 GA)	72"	**RT-15-11-72**
1.50"	.120" (11 GA)	108"	**RT-15-11-108**
1.75"	.065" (16 GA)	72"	**RT-176-16-72**
1.75"	.065" (16 GA)	108"	**RT-175-16-108**
1.75"	.083" (14 GA)	108"	**RT-175-14-108**
1.75"	.120" (11 GA)	72"	**RT-175-11-72**
2.00"	.083" (14 GA)	72"	**RT-2-14-72**
2.00"	.083" (14 GA)	108"	**RT-2-14-108**
2.00"	.120" (11 GA)	72"	**RT-2-11-72**
2.25"	.120" (11 GA)	72"	**RT-225-11-72**
2.25"	.120" (11 GA)	108"	**RT-225-11-108**
2.38"	.083" (14 GA)	72"	**RT-2375-14-72**
2.38"	.083" (14 GA)	108"	**RT-2375-14-108**
2.50"	.065" (16 GA)	72"	**RT-25-16-72**
2.50"	.065" (16 GA)	108"	**RT-25-16-108**
2.50"	.083" (14 GA)	72"	**RT-25-14-72**
2.50"	.083" (14 GA)	108"	**RT-25-14-108**
2.75"	.083" (14 GA)	72"	**RT-275-14-72**
2.75"	.083" (14 GA)	108"	**RT-275-14-108**
2.75"	.095" (13 GA)	72"	**RT-275-13-72**
2.75"	.095" (13 GA)	108"	**RT-275-13-108**
2.75"	.134" (10 GA)	108"	**RT-275-10-108**
3.00"	.065" (16 GA)	72"	**RT-3-16-72**
3.00"	.065" (16 GA)	108"	**RT-3-16-108**
3.00"	.083" (14 GA)	72"	**RT-3-14-72**
3.00"	.083" (14 GA)	108"	**RT-3-14-108**
3.00"	.095" (13 GA)	72"	**RT-3-13-72**
3.00"	.095" (13 GA)	108"	**RT-3-13-108**
3.00"	.120" (11 GA)	72"	**RT-3-11-72**
3.00"	.120" (11 GA)	108"	**RT-3-11-108**
3.00"	.187"	72"	**RT-3-187-72**
3.00"	.187"	108"	**RT-3-187-108**
3.25"	.095" (13 GA)	72"	**RT-325-13-72**
3.25"	.095" (13 GA)	108"	**RT-325-13-108**
3.25"	.120" (11 GA)	72"	**RT-325-11-72**
3.25"	.120" (11 GA)	108"	**RT-325-11-108**
3.25"	.187"	72"	**RT-325-187-72**
3.50"	.065" (16 GA)	72"	**RT-35-16-72**
3.50"	.065" (16 GA)	108"	**RT-35-16-108**
3.50"	.083" (14 GA)	72"	**RT-35-14-72**

TUBING




Outside Diameter	Wall Thickness	Length	Part Number
3.50"	.083" (14 GA)	108"	**RT-35-14-108**
3.50"	.095" (13 GA)	72"	**RT-35-13-72**
3.50"	.095" (13 GA)	108"	**RT-35-13-108**
3.50"	.120" (11 GA)	72"	**RT-35-11-72**
3.50"	.120" (11 GA)	108"	**RT-35-11-108**
3.50"	.134" (10 GA)	72"	**RT-35-10-72**
3.50"	.134" (10 GA)	108"	**RT-35-10-108**
3.50"	.156"	72"	**RT-35-156-72**
3.50"	.156"	108"	**RT-35-156-108**
4.00"	.083" (14 GA)	72"	**RT-4-14-72**
4.00"	.083" (14 GA)	108"	**RT-4-14-108**
4.00"	.109" (12 GA)	72"	**RT-4-12-72**
4.00"	.109" (12 GA)	108"	**RT-4-12-108**
4.00"	.134" (10 GA)	72"	**RT-4-10-72**
4.00"	.134" (10 GA)	108"	**RT-4-10-108**
4.00"	.187"	72"	**RT-4-187-72**
4.00"	.187"	108"	**RT-4-187-108**
4.095"	.180" (7 GA)	72"	**RT-4095-7-72**
4.095"	.180" (7 GA)	108"	**RT-4095-7-108**
4.50"	.095" (13 GA)	72"	**RT-45-13-72**
4.50"	.095" (13 GA)	108"	**RT-45-13-108**
4.50"	.134" (10 GA)	72"	**RT-45-10-72**
4.50"	.134" (10 GA)	108"	**RT-45-10-108**
4.50"	.187"	72"	**RT-45-187-72**
4.50"	.187"	108"	**RT-45-187-108**
4.50"	.259" (3 GA)	72"	**RT-45-3-72**
4.50"	.259" (3 GA)	108"	**RT-45-3-108**
4.50"	.375"	72"	**RT-45-375-72**
4.50"	.375"	108"	**RT-45-375-108**
4.59"	.180" (7 GA)	72"	**RT-459-7-72**
4.59"	.180" (7 GA)	108"	**RT-459-7-108**

PLUGS FOR SLIP YOKES



EXPANSION PLUG



WELCH PLUG

Type	Outside Diameter	Height	Series	Part Number
Expansion	1.750"		58WB, 62N	**PLEX28-1** [5]
Expansion	1.975"		148N, 155N	**PLEX31-14**
Expansion	2.031"		16N	**PLEX33-1** [5]
Expansion	2.625"		16N, 17N, 750N	**PLEX42-2**
Welch	1.850"	0.50"	141N, 148N	**PLWE30-1** [6]
Welch	2.100"	0.69"	155N	**PLWE33-2** [6]
Welch	2.210"	0.84"	58WB, 62N, 72N, 82N	**PLWE36-6** [5]
Welch	2.215"	0.62"	16N, 62N, 72N	**PLWE36-1**
Welch	2.215"	0.62"	17N, 58WB, 62N, 72N	**PLWE36-7** [5]
Welch	2.465"	0.83"	16N	**PLWE40-5**
Welch	2.683"	0.75"	176N, 72N, 82N, 85WB	**PLWE43-1**
Welch	2.683"	1.00"	72N, 82N	**PLWE43-2**
Welch	2.938"	0.62"	176N, 17N	**PLWE43-12**
Welch	3.330"	0.69"	92N	**PLWE53-15** [7]
Welch	3.330"	0.69"	85WB, 92N	**PLWE53-4**

For additional: Parts Information
Cross Reference
Production Bills of Material

visit our online catalog at: ***XpresswayPlus.ArvinMeritor.com***

5 Plug does not have a hole in the center.
6 Welch plug has a .19 in. lip.
7 Welch plug has a threaded hole (.13 in. NPT) in the center for a relief valve.

U-JOINT HARDWARE KIT CHART

U-JOINT	SERIES	BEARING DIAMETER	MERITOR U-BOLT KIT (one u-bolt per kit)	MERITOR STRAP & BOLT KIT
R-674X	16N	1.88"		KT16SB
R-675X	17N	1.94"		KT17SB
CP675X	17N	1.94"		KT17SB
R-677X	176N	1.94"		KT17SB
CP677X	176N	1.94"		KT17SB
R-676X	18N	1.94"		KT17SB
CP676X	18N	1.94"		KT17SB
CP134X	131N/133N	1.06"	KT116	
CP153X	131N	1.06"	KT116	
CP155N	155N	1.38"	KT118	KT123, KT124 or KT126
CP155X	155N	1.38"	KT118	KT123, KT124 or KT126
CP141N	141N	1.19"	KT117	KT121, KT122 or KT125
CP160X	141N	1.19"	KT117	KT121, KT122 or KT125
CP178X	135N	1.19"	KT117	KT121, KT122 or KT125
CP148N	148N	1.38"	KT118	KT123, KT124 or KT126
CP188X	148N	1.38"	KT118	KT123, KT124 or KT126
CP200X	1280	1.06"	KT116	
CP213X	133N	1.06"	KT116	
CP1200X	1310/131N	1.06"	KT116	
CP1205X	1350/135N	1.19"	KT117	
CP141N	1410/141N	1.19"	KT117	

DUAL-PLANE U-JOINT HARDWARE KIT CHART

U-JOINT	SERIES	BEARING DIAMETER	RETAINER KIT
US170X	SPL*170	2.165"	KIT US250-170X
US250X	SPL*250	2.361"	KIT US250-170X

* SPL® is a registered trademark of Dana Corporation

HARDWARE FOR WING STYLE U-JOINTS


U-JOINT KIT	SERIES	CAPSCREW	LOCKWASHER
CP18N96	18N/92N	S-165-2 S-1820-2	
CP58WB-DWT (1)	58WB	SP-1010	
CP58WB-HB (1)	58WB	SP-1010 SP-1012	
CP58WB-HWD (1)	58WB	SP-1012	
CP62N-DWT (1)	62N	S-168-2	WA-46
CP62N-HB (1)	62N	S-168-2 S-1616-2	WA-46
CP62N-HWD (1)	62N	S-1616-2	WA-46
CP72N-DWT (1)	72N	S-179-2	WALM7-2
CP72N-HB (1)	72N	S-179-2 S-1818-2	WALM7-2 WA-48
CP72N-HWD (1)	72N	S-1818-2	WA-48
CP82N-DWT (1)	82N	S-179-2	WALM7-2
CP82N-HB (1)	82N	S-179-2 S-1818-2	WALM7-2 WA-48
CP82N-HWD (1)	82N	S-1818-2	WA-48
CP85WB-DWT (1)	85WB	S-1812-2	WA-48
CP85WB-HB (1)	85WB	S-1812-2 S-1820-2	WA-48
CP85WB-HWD (1)	85WB	S-1820-2	WA-48
CP92N-DWT (1)	92N	S-1812-2	WA-48
CP92N-HB (1)	92N	S-1812-2 S-1820-2	WA-48
CP92N-HWD (1)	92N	S-1820-2	WA-48

(1) Permalube kits use the same attaching hardware as these standard kits shown.

MERITOR® RN SERIES GENUINE U-JOINTS

Performance Advantages:

- Regain peak performance with genuine Meritor® driveline components
- Designed for both on- and off-highway applications
- Ensure resilience and long life through comprehensive design and solid construction



RN SERIES GENUINE U-JOINTS

DRIVELINE SERIES	FULL-ROUND DESIGN	EASY SERVICE DESIGN
16N	R279X	R674X
17N	R280X	R675X
176N	R407X	R677X
18N	R281X	R676X

Features and Benefits:

- Glass-reinforced nylon thrust washer
  - Eliminates end galling
  - Absorbs metallic debris
  - Lube channels ensure even distribution of lubricant
  - Eliminates metal-to-metal contact and significantly increases "life"
- Center-point cover plate and domed cup minimize weld distortion, control deflection and provide a strong assembly for increased weld penetration
- Triple-lip sealing system keeps grease in and dirt out
- Precision-ground large-diameter trunnions over the needle bearing area lower contact stress for increased life
- Superior bearing package includes an innovative needle retention design to ensure correct assembly
- Protective metal dirt shield deflects water and dirt
- Contoured end rollers optimize stress distribution

For more information, call the customer service team at 888-725-9355 or visit http://XpresswayPlus.arvinmeritor.com.

SECTION 11

INDEX

U-Joint Kits **Page**

U-JOINT KITS
2 Wing Type and 2 Round Bearings 11-11
Bearing Plate 11-13
Inside and Outside Snap Ring Combinations 11-7
Dual-Plane Retainer 11-14
Inside Snap Rings 11-5
Meritor Easy Service 11-14
Outside Snap Rings 11-6
RPL Series 11-15
Wing Type and Cover Plate Hybrid 11-12
Wing Type Combinations 11-8

APPLICATION GUIDE – MERITOR SERIES 11-1

HOW TO SELECT U-JOINT KITS 11-2

MEASURING U-JOINT KITS 11-3

LUBRICATION OF U-JOINT 11-4


U-JOINT SIZES/RATINGS/SPEEDS/TUBE SIZES 11-16

TORQUE SPECIFICATIONS – ATTACHING HARDWARE 11-17


MERITOR NUMBERING SYSTEM

Meritor components may be identified by one of the numbering systems shown below. Aftermarket numbers are issued to make Meritor components easy to select when choosing a replacement component.

MERITOR ENGINEERING NUMBER



MERITOR AFTERMARKET NUMBER



APPLICATION GUIDE - MERITOR SERIES

AUTOMOTIVE APPLICATIONS			
SERIES	MACHINE or VEHICLE	APPLICATION	YIELD TORQUE (Ft.Lb.)
L6	Medium and Heavy Truck	Steering	667
141N	Truck	Main & Inter-Axle Drive	3,750
62N	Truck	Main & Inter-Axle Drive	5,000
148N	Truck	Main & Inter-Axle Drive	5,000
155N	Truck	Main & Inter-Axle Drive	6,250
58WB	Truck	Main & Inter-Axle Drive	7,025
72N	Truck	Main & Inter-Axle Drive	7,080
16N	Truck	Main & Inter-Axle Drive	7,100
82N	Truck	Main & Inter-Axle Drive	11,083
17N	Truck	Main & Inter-Axle Drive	9,600
176N	Truck	Main & Inter-Axle Drive	16,000
750N	Military Truck	Wheel/Axle	5,760
850N	Truck	Wheel/Axle	16,700
18N	Truck	Main & Inter-Axle Drive	21,000
85WB	Truck	Main & Inter-Axle Drive	7,025
92N	Truck	Main & Inter-Axle Drive	23,000
950N	Truck	Wheel/Axle	39,000

CONSTRUCTION APPLICATIONS			
SERIES	MACHINE or VEHICLE	APPLICATION	YIELD TORQUE (Ft.Lb.)
L6	Grader	Steering	667
62N	Skidder, Loader	Main & Inter-Axle Drive	5,000
	Truck, Crane	Main & Inter-Axle Drive	
	Lift Truck	Main & Inter-Axle Drive	
72N	Grader	Main	7,080
	Truck Crane	Main	
	Crawler Loader	Main	
	Lift Truck	Main	
	Compactor	Main	
	Rough Terrain Crane	Main & Inter-Axle Drive	
17N	Loader	Main & Inter-Axle Drive	9,600
85WB	Scraper	Main	12,500
	Loader	Main	
	Truck Crane	Main	
850N	Loader	Wheel/Axle	16,700
92N	Crawler Truck	Main	23,000
950N	Loader	Wheel/Axle	39,000

INDUSTRIAL APPLICATIONS			
SERIES	MACHINE or VEHICLE	APPLICATION	YIELD TORQUE (Ft.Lb.)
72N	Mill	Roll Drive	7,080
17N	Mill	Roll Drive	9,600
85WB	Mill	Roll Drive	12,500
92N	Mill	Roll Drive	23,000

WHEEL AXLE APPLICATIONS ON - OFF HIGHWAY			
SERIES	MACHINE or VEHICLE	APPLICATION	YIELD TORQUE (Ft.Lb.)
58WB	Truck	Miscellaneous	7,025
92N	Mill	Miscellaneous	23,000
	Truck		
	Crawler Truck		
750N	Military Truck	Miscellaneous	5,760
850N	Truck	Miscellaneous	16,700
	Loader		
950N	Truck	Miscellaneous	39,000
	Loader		


HOW TO SELECT U-JOINT KITS

Meritor offers U-joints in a full range of sizes for automotive as well as On and Off-highway truck and equipment applications

All sizes and types of Meritor U-joint kits are basically the same. They consist of the following:

- A cross
- Four (4) bearing races
- Seals
- Needle bearings
- Hardware to retain the bearings in the yoke
- Lube fitting (for most kits)

METHODS OF RETAINING U-JOINT KITS



Meritor U-joint Kits are catalogued by methods of retention within their basic style groups shown on the following pages. Each U-joint kit section uses specific illustrations showing primary dimensions for determining the part number.

The following table shows the basic kits styles used on passenger cars and light duty trucks regardless of vehicle model:

VEHICLE MANUFACTURER	MERITOR	CLEVELAND	DETROIT	SAGINAW/MECH.
AMC/JEEP	OSR	-	ISR	-
CHRYSLER	OSR	-	ISR	-
FORD	OSR	ISR	-	-
GMC	OSR	-	-	INJECTED NLYON/ISR
IHC	OSR	ISR	-	-

For medium and heavy-duty trucks, buses and off-highway equipment, use this catalog to identify the style of U-joint kit that needs replacing and match the dimensions from these pages with the dimensions of the worn kit.

MEASURING U-JOINT KITS

MEASURING U-JOINT KITS REMOVED FROM VEHICLE

1. Remove the bearing caps.
2. Remove excess grease from the bottom of the bearing caps and trunnions.
3. Remove the seals from the bearing caps or trunnion to ensure accurate measurements when parts are compressed.
4. Measure as shown, using tolerance of + .005"/-.005" for dimensions "F" and "E", and a tolerance of +.003"/-.003" for all others.




FIGURE 1

OUTSIDE SNAP RING STYLE

A) Measure dimension "F" (Figure 1) and write it down.

B) Measure dimension "D" (Figure 1) and write it down.

C) Is there a lube fitting? Is it in the cross or the cap?

D) If more information is needed, measure dimensions "A" and "B" (Figure 2). These dimensions may vary between manufacturers.

E) Refer to the pages showing Outside Snap Ring Kits.




FIGURE 2

INSIDE SNAP RING STYLE

A) Measure dimension "E" (Figure 3) and write it down. Be sure to include the thickness of the snap rings. The following method should be helpful.

1) Measure from the inner edge of the snap ring groove to the inner edge of the other as shown by dimension "X". (Figure 4)

2) Measure the thickness of one snap ring (Dim "Y"). Dimension "E" then equals "X" + 2 ("Y"). (Figure 4)

B) Measure dimension "D" (Figure 3) and write it down.

C) Is there a lube fitting? Is it in the cross or the cap?

D) If more information is needed, measure dimensions "A" and "B" (Figure 2). These dimensions vary between manufacturers.

E) Refer to the pages showing Inside Snap Ring Kits.




FIGURE 3




FIGURE 4

LUBRICATION OF U-JOINTS

The function of the lubricant in a U-joint is to protect the surface of the rollers and races from rust of corrosion and to reduce the friction between the rollers and races.

THE FOLLOWING GREASES ARE RECOMMENDED

An NLGI No. 2 grease consisting of a mineral oil and Lithium soap or equivalent base with EP additives to give long life characteristics.

Greases approved by Meritor include:

PN-C1AZ 19590 or a grease meeting Ford Motor Company Specification M1C-75B

Kendall L-424 Grease

Amoco Super Chassis

Amalie All-Purpose Grease with Moly, Li-2M

Exxon 5160

Shell Super Duty Special FF

Maralube Moly Code 529

Philube MWEP2 Grease

The center crosses of the U-joints hold a generous supply of lubricant. This stored lubricant is supplied to the bearing by the centrifugal action of the rotating cross.


LUBRICANT REQUIREMENTS FOR U-JOINTS WILL VARY WITH THE APPLICATION.

Light duty, low angle service may permit "greased for life" initial lubrication only.

Conditions of high angle, high speed or extremely dirty of moist conditions may require daily greasing.

The lubrication of the slip assembly can be done with the same type lubricant and at the same time as the U-joint. For slip assemblies, an EP chassis grease with a molybdenum disulfide (MoS_2) additive has shown good results in some applications.


U-JOINT KITS - INSIDE SNAP RINGS



Cross Length	Cross Trunnion Dia.	Bearing Diameter	Snap Ring Dimension	Lube Fitting	Series	Part Number
1.948"	0.545"	0.971"	1.493"	Y	L6	**CPL6R-53** [3]
1.948"	0.545"	0.971"	1.493"	Y	L6	**GCPL6R-50** [1]
1.948"	0.545"	0.971"	1.493"	Y	L6	**CPL6R-50** [1]
1.948"	0.545"	0.971"	1.493"	Y	L6	**CPL6R-51** [2]
2.080"	0.505"	0.938"	1.500"	Y	1000, 10N	**CP170X**
2.080"	0.505"	0.938"	1.500"	Y	1000, 10N	**GCP170X**
2.244"	0.622"	1.064"	1.658"	Y	L12	**GCP242X**
2.249"	0.578"	1.000"	1.711"	Y	1110	**CP105X**
2.751"	0.710"	1.231"	2.000"	Y	5160	**CP51625-2**
2.874"	0.578"	1.000"	2.336"	Y	2R	**CP2011X**
2.875"	0.620"	1.078"	2.160"	Y	L15	**CPL15N** [7]
2.875"	0.641"	1.078"	2.121"	Y	7260	**CP72625-4** [4]
2.875"	0.657"	1.078"	2.125"	Y	7260	**GCP1306-1X**
2.875"	0.657"	1.078"	2.125"	Y	7260	**CP1306-1X** [2]
2.875"	0.657"	1.078"	2.125"	Y	3R, 7260	**CP1306X**
2.969"	0.655"	1.078"	2.125"	Y	72607290	**CP527X**
3.372"	0.661"	1.125"	2.625"	Y		
2.969"	0.657"	1.063"	2.188"	Y	131N	**CP260X**
2.969"	0.657"	1.063"	2.390"	Y	131N3R	**GCP3022X**
3.372"	0.657"	1.125"	2.562"	Y		
2.969"	0.657"	1.063"	2.390"	Y	131N3R	**CP3022X** [5]
3.372"	0.657"	1.125"	2.562"	Y		
2.969"	0.745"	1.188"	2.188"	Y	131N	**CP297-1X** [2]
2.969"	0.745"	1.188"	2.188"	N	131N	**CP297X**
3.000"	0.700"	1.078"	2.160"	Y	L15	**CPL15N-1S** [6]
3.311"	0.657"	1.125"	2.580"	Y	3R, 3RL	**CP3147X**
3.311"	0.657"	1.125"	2.580"	Y	3R, 3RL	**GCP3147X**
3.372"	0.657"	1.126"	2.636"	Y	7290	**GCP1309X**
3.372"	0.773"	1.188"	2.563"	Y	R55	**CP1205X**
3.750"	0.773"	1.231"	3.000"	Y	5360	**CP1301X**
3.875"	0.894"	1.375"	3.000"	Y	148N	**CP332X**
3.935"	0.772"	1.188"	3.125"	Y	1410, 141N, 55	**GCP1206X**
3.999"	0.663"	1.253"	3.243"	Y	4R	**CP4015**

1 90 degree lube fitting.
2 Lube fitting in bearing.
3 Straight lube fitting.
4 Includes two bearing straps and attaching hardware.
5 Special for 1957-58 Oldsmobile.
6 Marine high performance. Use with L15N170-4 (after 4/86) or L15N170-6.
7 Marine applications. Standard kit works with all applications.


U-JOINT KITS - OUTSIDE SNAP RINGS



Cross Length	Cross Trunnion Dia.	Bearing Diameter	Yoke Dimension	Snap Ring Dimension	Lube Fitting	Series	Part Number
2.188"	0.516"	0.876"	2.69"	2.433"	Y	L10N	**CPL10N-2** [2]
2.188"	0.615"	1.063"	2.69"	2.438"	Y	121N	**GCP443X** [2]
2.188"	0.615"	1.063"	2.69"	2.438"	Y	121N	**CP443X** [2]
2.249"	0.578"	0.938"	2.66"	2.407"	N	1100	**CP101X**
2.249"	0.578"	0.938"	2.66"	2.407"	Y	1100	**CP111X**
2.969"	0.615"	1.063"	3.47"	3.218"	Y	131N	**CP200X**
2.969" 3.373"	0.657" 0.773"	1.063" 1.188"	3.47" 3.88"	3.218" 3.622"	Y Y	131N135N	**CP460X**
2.969"	0.657"	1.063"	3.47"	3.218"	Y	1330	**CP153X**
2.969" 3.373"	0.657" 0.657"	1.063" 1.063"	3.47" 3.88"	3.218" 3.622"	Y Y	131N133N	**CP134X**
2.969"	0.657"	1.063"	3.47"	3.218"	Y	131N	**GCP153X**
2.969" 3.373"	0.657" 0.657"	1.063" 1.063"	3.47" 3.88"	3.218" 3.622"	Y Y	131N133N	**GCP134X**
3.371"	0.657"	1.063"	3.468"	3.622"	Y	133N, P55	**GCP213X**
3.371"	0.657"	1.063"	3.468"	3.622"	Y	1330	**CP213X**
3.373"	0.773"	1.188"	3.86"	3.622"	Y	135N	**GCP178X**
3.373"	0.773"	1.188"	3.86"	3.622"	Y	135N	**CP178X**
3.875"	0.895"	1.375"	4.44"	4.187"	Y	148N	**CP188X**
3.875"	0.895"	1.375"	4.44"	4.187"	Y	1480, 148N	**GCP188X**
3.935"	0.868"	1.375"	4.44"	4.178"	Y	148N	**CP148N**
3.936"	0.774"	1.188"	4.44"	4.172"	Y	141N	**CP160X**
3.936"	0.774"	1.188"	4.44"	4.172"	Y	141N	**GCP160X**
4.566"	1.035"	1.625"	5.38"	4.957"	Y	SPL*90/100	**US90X**
4.658"	0.895"	1.375"	4.97"	4.967"	Y	155N	**GCP155X**
4.658"	0.895"	1.375"	4.97"	4.967"	Y	155N	**CP155X**
4.716"	0.868"	1.375"	5.25"	4.968"	Y	155N	**CP155N**
4.747"	1.161"	1.626"	5.19"	5.064"	N	750N	**CP750N**
4.747"	1.161"	1.626"	5.19"	5.064"	Y	750N	**CP750N-1** [1]
4.747"	1.161"	1.626"	5.19"	5.064"	Y	750N	**CP750N-4** [10]
4.747"	1.161"	1.626"	5.19"	5.064"	Y	750N	**CP750N-7** [2]
4.747"	1.161"	1.626"	5.19"	5.064"	Y	750N	**CP750N-8** [11]
5.195"	1.040"	1.624"	5.97"	5.578"	Y	1650	**CP165X**
5.623"	1.348"	1.938"	6.06"	5.934"	Y	850N	**CP850N-4**
5.623"	1.348"	1.938"	6.06"	5.934"	Y	850N	**CP850N-9** [11]
7.350"	1.700"	2.501"	7.89"	7.722"	Y	950N	**CP950N**
7.350"	1.700"	2.501"	7.89"	7.722"	Y	950N	**CP950N-3** [2]

1 90 degree lube fitting.
11 Permalube joint.
* SPL® is a registered trademark of Dana Corporation.
10 45 degree lube fitting.
2 Lube fitting in bearing.


U-JOINT KITS - INSIDE AND OUTSIDE SNAP RING COMBINATIONS





Cross Length	Cross Trunnion Dia.	ISR Brg. Dia.	OSR Brg. Dia.	ISR Dim.	OSR Dim.	Series	ISR Qty.	OSR Qty.	Part Number
2.205"	0.548"	1.000"	1.063"	1.719"	2.438"	1110, 2RL	2	2	**CP248X**
2.874"	0.578"	1.000"	1.063"	2.338"	3.123"	131N, 2R	2	2	**CP2140**
2.874" 2.969"	0.657"	1.078"	1.063"	2.125"	3.218"	131N, 7260	2	2	**GCP353X**
2.874" 2.969"	0.657"	1.078"	1.063"	2.125"	3.218"	131N, 7260	2	2	**CP353X**
2.969"	0.657"	1.063"	1.063"	2.359"	3.219"	S55	4	4	**CP1200X**
2.969" 3.370"	0.660"	1.125"	1.063"	2.375" 2.625"	3.218"	131N, 7290	4	2	**CP354X**
2.970"	0.660"	1.064"	1.125"	2.390"	3.220"	131N, SPECIAL	2	2	**CP1201X** [12]
3.370"	0.660"	1.063"	1.063"	2.780"	3.630"	133N, SPECIAL	2	2	**CP1203X**
3.370"	0.660"	1.063"	1.125"	2.797"	3.625"	133N, SPECIAL	2	2	**CP1204X** [12]
3.370"	0.660"	1.063"	1.125"	2.797"	3.625"	133N, SPECIAL	2	2	**GCP1204X**
3.372"	0.658"	1.125"	1.063"	2.551"	3.622"	1330, 3RL	2	2	**GCP212X**
3.373"	0.657"	1.125"	1.063"	2.561"	3.625"	1330, 3RL	2	2	**CP541X** [8]
3.750" 3.936"	0.770"	1.231"	1.189"	3.000"	4.186"	141N, 5380	2	2	**CP357X**
3.940"	0.770"	1.189"	1.189"	3.160"	4.180"	55	4	4	**CP141N**


12 Special for Ford Motor company.
8 Used in aluminum driveshafts. Chemically coated.


U-JOINT KITS - WING TYPE COMBINATIONS














Cross Length	Cross Trunnion Dia.	CL to CL Brg. Bolt Hole	Swing Dia.	Pilot Dia.	Wing Brg. Hole to Wing Brg. Hole	Wing & Round Brg. Type	Series	Part Number
2.874"	0.615"	1.313"	3.34"	3.13"	2.38"	2LWT/2LWD	2CL	**CP2116**
3.311"	0.657"	1.438"	3.81"	3.55"	2.75"	2LWT/2HWD	3CBL	**CP3121**
3.372"	0.657"	1.438"	3.81"	3.55"	2.75"	4LWT	3CL	**CP3000**
3.935"	0.773"	1.438"	4.50"	4.23"	3.44"	4HWD	4BL	**CP4143X**
3.999"	0.663"	1.438"	4.50"	4.23"	3.44"	4LWT	4CL	**CP4002**
3.999"	0.663"	1.438"	4.50"	4.23"	3.44"	2LWT/2LWD	4CL	**CP4101**
4.249"	0.819"	1.687"	4.75"	4.52"	3.50"	2LWLT/2LWD	5CL	**CP5101**
4.249"	0.819"	1.687"	4.75"	4.52"	3.50"	4LWT	5CL	**CP5122**
4.249"	0.819"	1.687"	4.75"	4.52"	3.50"	4HWD	5BL	**CP5177**
4.824"	1.063"	1.938"	5.63"	5.31"	4.27"	4DWT	58WB	**CP58WB-DWT-PL**
4.824"	1.063"	1.938"	5.63"	5.31"	4.27"	4DWT	58WB	**CP58WB-DWT**
4.824"	1.063"	1.938"	5.63"	5.31"	4.27"	2HWD/2DWT	58WB	**CP58WB-HB-PL** [13]
4.824"	1.063"	1.938"	5.63"	5.31"	4.27"	2HWD/2DWT	58WB	**CP58WB-HB**
4.824"	1.063"	1.938"	5.63"	5.31"	4.27"	4HWD	58WB	**CP58WB-HWD-PL** [13]
4.824"	1.063"	1.938"	5.63"	5.31"	4.27"	4HWD	58WB	**CP58WB-HWD**
5.125"	0.819"	1.688"	5.45"	5.53"	4.50"	2DWT	62N72N	**CP62N-50**
5.125"	0.819"	1.938"	5.45"	5.84"	4.50"	2DWT		
5.125"	0.819"	1.688"	5.45"	5.53"	4.50"	2DWT	62N72N	**CP62N-51**
5.125"	0.819"	1.938"	5.45"	5.84"	4.50"	2HWD		
5.125"	0.819"	1.688"	5.45"	5.53"	4.50"	4DWT	62N	**CP62N-DWT-PL**
5.125"	0.819"	1.688"	5.45"	5.53"	4.50"	4DWT	62N	**CP62N-DWT**
5.125"	0.819"	1.688"	5.45"	5.53"	4.50"	2HWD/2DWT	62N	**CP62N-HB-PL** [13]
5.125"	0.819"	1.688"	5.45"	5.53"	4.50"	2HWD/2DWT	62N	**CP62N-HB**
5.125"	0.819"	1.688"	5.45"	5.53"	4.50"	4HWD	62N	**CP62N-HWD-PL** [13]
5.125"	0.819"	1.688"	5.45"	5.53"	4.50"	4HWD	62N	**CP62N-HWD**
5.248"	0.819"	1.688"	5.45"	5.53"	4.50"	4DWT	62N	**GCP62N-DWT**
5.248"	0.819"	1.688"	5.45"	5.53"	4.50"	2HWD/2DWT	62N	**GCP62N-HB**
5.248"	0.819"	1.688"	5.45"	5.53"	4.50"	4HWD	62N	**GCP62N-HWD**


13 Permalube.


U-JOINT KITS - WING TYPE COMBINATIONS














Cross Length	Cross Trunnion Dia.	CL to CL Brg. Bolt Hole	Swing Dia.	Pilot Dia.	Wing Brg. Hole to Wing Brg. Hole	Wing & Round Brg. Type	Series	Part Number
5.347"	1.043"	1.938"	6.22"	5.84"	4.63"	2HWD/2DWT	72N	**CP72N-118** [15]
5.347"	1.043"	1.938"	6.22"	5.84"	4.63"	4HWD	72N	**CP72N-136** [20]
5.347"	1.043"	1.938"	6.22"	5.84"	4.63"	4DWT	72N	**CP72N-DWT-PL** [13]
5.347"	1.043"	1.938"	6.22"	5.84"	4.63"	4DWT	72N	**CP72N-DWT**
5.347"	1.043"	1.938"	6.22"	5.84"	4.63"	2HWD/2DWT	72N	**CP72N-HB-PL** [13]
5.347"	1.043"	1.938"	6.22"	5.84"	4.63"	2HWD/2DWT	72N	**CP72N-HB**
5.347"	1.043"	1.938"	6.22"	5.84"	4.63"	4HWD	72N	**CP72N-HWD-PL** [13]
5.347"	1.043"	1.938"	6.22"	5.84"	4.63"	4HWD	72N	**CP72N-HWD**
5.500"	1.000"	1.938"	6.22"	5.84"	4.63"	4DWT	72N	**GCP72N-DWT**
5.500"	1.000"	1.938"	6.22"	5.84"	4.63"	2HWD/2DWT	72N	**GCP72N-HB**
5.500"	1.000"	1.938"	6.22"	5.84"	4.63"	4HWD	72N	**GCP72N-HWD**
5.781"	1.379"	2.440"		6.38"	4.94"	4HWD	J170	**R170** [14]
5.844"	1.490"	2.812"	7.00"	6.50"	4.88"	4DWT	85WB	**CP85WB-DWT-PL**
5.844"	1.490"	2.812"	7.00"	6.50"	4.88"	4DWT	85WB	**CP85WB-DWT**
5.844"	1.490"	2.812"	7.00"	6.50"	4.88"	2HWD/2DWT	85WB	**CP85WB-HB-PL** [13]
5.844"	1.490"	2.812"	7.00"	6.50"	4.88"	2HWD/2DWT	85WB	**CP85WB-HB**
5.844"	1.490"	2.812"	7.00"	6.50"	4.88"	4HWD	85WB	**CP85WB-HWD-PL** [13]
5.844"	1.490"	2.812"	7.00"	6.50"	4.88"	4HWD	85WB	**CP85WB-HWD**
7.597"	1.490"	2.812"	8.63"	8.25"	6.63"	4DWT	92N	**CP92N-70**
7.597"	1.490"	2.812"	8.63"	8.25"	6.63"	4DWT	92N	**CP92N-DWT-PL** [13]
7.597"	1.490"	2.812"	8.63"	8.25"	6.63"	4DWT	92N	**CP92N-DWT**
7.597"	1.490"	2.812"	8.63"	8.25"	6.63"	2HWD/2DWT	92N	**CP92N-HB-PL** [13]
7.597"	1.490"	2.812"	8.63"	8.25"	6.63"	2HWD/2DWT	92N	**CP92N-HB**
7.597"	1.490"	2.812"	8.63"	8.25"	6.63"	4HWD	92N	**CP92N-HWD-PL** [13]
7.597"	1.490"	2.812"	8.63"	8.25"	6.63"	4HWD	92N	**CP92N-HWD**
7.597"	1.490"	2.812"	8.63"	8.25"	6.63"	4HWD	92N	**GCP92N-HWD**
7.625"	1.043"	1.938"	8.50"	8.13"	6.88"	4HWD	82N	**CP82N-68**
7.625"	1.043"	1.938"	8.50"	8.13"	6.88"	2HWD/2DWT	82N	**CP82N-77** [15]


13 Permalube.
15 Contains hardware for drilled yokes.
14 Twin Disc Series.
20 Cross has four (4) lube fittings.


U-JOINT KITS - WING TYPE COMBINATIONS














Cross Length	Cross Trunnion Dia.	CL to CL Brg. Bolt Hole	Swing Dia.	Pilot Dia.	Wing Brg. Hole to Wing Brg. Hole	Wing & Round Brg. Type	Series	Part Number
7.625"	1.043"	1.938"	8.50"	8.13"	6.88"	4DWT	82N	**CP82N-DWT-PL** [13]
7.625"	1.043"	1.938"	8.50"	8.13"	6.88"	4DWT	82N	**CP82N-DWT**
7.625"	1.043"	1.938"	8.50"	8.13"	6.88"	2HWD/2DWT	82N	**CP82N-HB-PL** [13]
7.625"	1.043"	1.938"	8.50"	8.13"	6.88"	2HWD/2DWT	82N	**CP82N-HB**
7.625"	1.043"	1.938"	8.50"	8.13"	6.88"	4HWD	82N	**CP82N-HWD-PL** [13]
7.625"	1.043"	1.938"	8.50"	8.13"	6.88"	4HWD	82N	**CP82N-HWD**
7.716"	1.665"	3.500"		8.75"	6.80"	4HWD	82N	**GCP82N-HWD**
7.768"	1.000"	1.938"	8.50"	8.13"	6.88"	4HWD	J490	**R490D** [16]
7.865"	1.665"	3.500"		8.75"	6.80"	2HWD/2DWT	82N	**GCP82N-HB**
8.062"	1.900"	3.500"		8.75"	6.80"	4HWD	J490	**R490** [14]
135.83mm	26.50mm	49.28mm	157.99mm	148.49mm	117.35mm	4HWD	J600	**R600** [14]
						2HWD/2DWT	72N	**CP72N-170** [21]


13 Permalube.
16 Double rollers.
14 Twin Disc Series.
21 Metric kit with full hardware. Metric tapped holes (M12x1.75) in delta wing bushings.


U-JOINT KITS - 2 WING TYPE AND 2 ROUND BEARINGS














Cross Length	Cross Trunnion Dia.	CL to CL Brg. Bolt Hole	Pilot Dia.	Brg. Dia.	Snap Ring Dia.	Wing Brg. Hole to Wing Brg. Hole	Wing & Round Bearing Type	Series	Part Number
2.870"	0.578"	1.312"	3.11"	2.338"	1.000"	2.38"	2LWT/2RND	2CRL	**CP2031**
2.870"	0.578"	1.312"	3.11"	2.338"	1.000"	2.38"	2LWD/2RND	2CSRL	**CP2033** [17]
3.311"	0.657"	1.438"	3.55"	2.558"	1.125"	2.75"	2LWT/2RND	3CRL	**CP3012**
3.999"	0.663"	1.938"	4.23"	3.244"	1.125"	3.44"	2LWT/2RND	4CRL	**CP4102**
4.249"	0.819"	1.687"	4.52"	3.309"	1.313"	3.50"	2LWD/2RND	5CSRL	**CP5015**
4.250"	0.819"	1.687"	4.52"	3.309"	1.313"	3.50"	2LWT/2RND	5CRL	**CP5008**

17 Lube fitting in round bearing.

U-JOINT KITS - WING TYPE AND COVER PLATE HYBRID












Cross Length	Cross Trunnion Dia.	Wing CL to CL Brg. Bolt Hole	Brg. Dia.	Pilot Dia.	Yoke Dim.	Cover Plate CL to CL Brg. Bolt Hole	Wing Brg. to Wing Brg. Hole	Swing Dia.	Wing & Cover Plate Type	Part Number
7.092"	1.363"	2.812"	1.937"	8.25"	7.55"	2.440"	6.63"	8.50"	2RND 2HWD	CP18N-96

U-JOINT KITS - BEARING PLATE





Cross Length	Cross Trunnion Diameter	CL to CL Bearing Bolt Hole	Bearing Diameter	Yoke Dimension	Series	Part Number
4.250"	0.996"	2.000"	1.562"	4.56"	1500, 5N	CP115X
4.877"	1.269"	2.312"	1.875"	5.31"	16N	R279X
4.877"	1.269"	2.312"	1.875"	5.31"	16N	CP279X
5.635"	1.363"	2.438"	1.937"	6.09"	17N	R280X
5.784"	1.298"	2.432"	1.937"	6.09"	17N	CP280X
6.283"	1.681"	2.810"	3.210"	6.44"	18N	CP124X
6.542"	1.363"	2.438"	1.937"	7.00"	176N	R407X
6.692"	1.298"	2.432"	1.937"	7.00"	176N	CP407X
7.092"	1.363"	2.438"	1.937"	7.55"	18N	R281X
7.242"	1.298"	2.432"	1.937"	7.55"	18N	CP281X




If you detect any **errors** in this catalog, please let us know.

We want the information to be as accurate as possible; we appreciate your help in making it so.


Please e-mail any comments/suggestions/corrections to us at: catalogfeedback@arvinmeritor.com

or mail to: ArvinMeritor
attn: Catalog Dept.
7975 Dixie Highway
Florence, KY 41042

U-JOINT KITS - MERITOR EASY SERVICE




EASY SERVICE



COVER PLATE

Cross Length	Cross Trunnion Diameter	Cap Hole Center to Center	Bearing Diameter	Yoke Dimension Between Nibbs	Yoke Dimension Across Ears	Series	Part Number
5.001"	1.272"	2.308"	1.875"	5.31"	5.31"	16N	**CP674X** [21]
5.001"	1.272"	2.308"	1.875"	5.31"	5.31"	16N	**R674X** [18]
5.784"	1.298"	2.432"	1.937"	6.19"	6.09"	17N	**R675X** [19]
5.784"	1.298"	2.432"	1.937"	6.19"	6.09"	17N	**CP675X** [21]
6.541"	1.298"	2.432"	1.937"	7.09"	7.00"	176N	**CP677X** [21]
6.541"	1.298"	2.432"	1.937"	7.09"	7.00"	176N	**R677X** [19]
7.242"	1.298"	2.432"	1.937"	7.63"	7.55"	18N	**CP676X** [21]
7.242"	1.298"	2.432"	1.937"	7.63"	7.55"	18N	**R676X** [19]

DUAL-PLANE RETAINER




Bearing Diameter	Yoke Lock Up	Lube Fitting	Series	Part Number
2.165"	6.024" (2) 6.457" (2) 2 Round Bearings w/plate 2 Round	Y	SPL*170	**US170X** [22]
2.361"	5.984" (2) 6.413" (2) 2 Round Bearings w/plate 2 Round	Y	SPL*250	**US250X** [22]


18 Includes two REBC16S retainer straps.
21 Attaching hardware included.
* SPL® is a registered trademark of Dana Corporation.

19 Includes two REBC17S retainer straps.
22 Inboard attaching hardware included for use with these construction u-joints only. Not interchangeable with OEM retention hardware or u-joint. Outboard bearing retainers by OEM only.

U-JOINT KITS - RPL SERIES



Snap Ring Dia. / Part Number	Bearing Diameter	CL to CL Bolt Holes	Brg. Hole to Brg. Hole	Mounting Hole Size	Capscrew Size / Part Number	Hardware Kit	Trunnion Cup to Trunnion Cup	Part Number
2.29" RRIR36-4	2.06"	2.81"	5.30"	.53"	.50"-20 CSC8-20-52	KIT RPL25-20	6.88"	**CP20 RPL S**



Snap Ring Dia. / Part Number	Bearing Diameter	CL to CL Bolt Holes	Brg. Hole to Brg. Hole	Mounting Hole Size	Capscrew Size / Part Number	Hardware Kit	Trunnion Cup to Trunnion Cup	Part Number
2.29" RRIR36-4	2.06"	2.81"	6.63"	.53"	.50"-20 CSC8-20-52	KIT RPL25-20	8.20"	**CP25 RPL S**

U-JOINTS SIZES / RATINGS / SPEEDS / TUBE SIZES

U-JOINT SERIES	ELECTRIC MOTOR TORQUE lb-ft	ELECTRIC MOTOR TORQUE N.m	GAS or DIESEL TORQUE lb-ft	GAS or DIESEL TORQUE N.m	DYNAMIC CAPACITY lb-ft	DYNAMIC CAPACITY N.m	SWING DIAMETER in.	SWING DIAMETER mm	JOINT YIELD TORQUE lb-ft	JOINT YIELD TORQUE N.m	MAX. RPM (3)	STANDARD TUBE SIZE in.	MAX. LENGTH (CL - CL) INSTALLED @ MAX. RATED RPM in.	MAX. LENGTH (CL - CL) INSTALLED @ MAX. RATED RPM mm
L6	84	114	61	83	170	231	2.47"	60	667	905	1000	1.5 x .120	60	1524
L15 (1)	172	234	126	170	349	473	3.25"	82	-	-	5000	N/A	N/A	N/A
L15 (2)	257	348	187	254	520	705	3.38"	86	-	-	5000	N/A	N/A	N/A
131N	195	265	130	175	410	555	3.50"	89	1950	2640	6000	3.0 x .083	47	1194
133N	220	300	150	205	475	640	4.00"	102	2330	3160	5000	3.5 x .083	51	1283
135N	310	420	210	285	607	820	4.13"	105	3080	4175	5000	3.0 x .083	51	1295
141N	291	394	212	288	589	798	4.63"	117	3750	5080	4000	3.0 x .083	51	1295
148N	413	560	301	409	836	1134	5.13"	130	5000	6780	4000	3.5 x .083	55	1397
155N	515	698	376	510	1043	1414	6.00"	152	6250	8470	4000	3.5 x .095	55	1397
16N	921	1248	672	911	1864	2527	7.00"	178	7100	9630	4000	3.5 x .134	61	1549
17N	1364	1849	995	1350	2762	3744	7.75"	197	9600	13010	4000	4.06 x .165	62	1575
176N	1629	2208	1189	1612	3298	4471	8.44"	214	16000	21700	4000	4.09 x .180	62	1676
18N	1790	2426	1306	1771	3623	4913	9.13"	232	21000	28500	4000	4.59 x .180	66	1676
62N	611	828	446	604	1236	1676	5.84"	148	5000	6780	4000	3.5 x .095	55	1397
58WB	754	1023	551	747	1528	2071	5.63"	143	7025	9525	4000	3.5 x .095	55	1397
72N	804	1090	587	795	1627	2206	6.29"	160	7080	9600	4000	3.5 x .134	61	1549
82N	1203	1631	878	1190	2436	3303	8.50"	216	11080	15025	4000	4.06 x .165	62	1575
85WB	1304	1768	952	1290	2640	3580	7.00"	178	12500	16950	4000	4.09 x .180	62	1676
92N	1768	2397	1291	1750	3580	4854	8.63"	219	23000	31190	4000	4.59 x .150	66	1676

(1) Standard (2) High performance (3) Rating applies to u-joint

ATTACHING HARDWARE TORQUE SPECS

MERITOR EASY SERVICE KITS

U-BOLT AND STRAP & BOLT KITS

SERIES	BRG. DIAMETER	U-JOINT KIT	U-BOLT KIT	THREAD SIZE	TORQUE SPECS. LB. FT.		STRAP & BOLT KIT	THREAD SIZE	TORQUE SPECS. LB. FT.
131N	1.063"	**CP153X**	KT116	.31"-24	14-17		-	-	-
133N	1.063"	**CP213X**	KT116	.31"-24	14-17		-	-	-
135N	1.188"	**CP178X**	KT117	.38"-24	20-24	or	KT122 [1]	.31"-24	30-35
141N	1.188"	**CP160X**	KT117	.38"-24	20-24	or	KT122 [1]	.31"-24	30-35
148N	1.375"	**CP188X**	KT118	.44"-20	32-37	or	KT124 [2]	.38"-24	55-60
155N	1.375"	**CP155X**	KT118	.44"-20	32-37	or	KT124 [2]	.38"-24	55-60
16N	1.875"	**R674X**	-	-	-		KT16SB	.38"-24	55-60
17N	1.937"	**R675X**	-	-	-		KT17SB	.50"-20	130-135
176N	1.937"	**R677X**	-	-	-		KT17SB	.50"-20	130-135
18N	1.937"	**R676X**	-	-	-		KT17SB	.50"-20	130-135

COVER PLATE STYLE

SERIES	GENUINE MERITOR U-JOINT KITS	GENERIC U-JOINT KITS	BEARING PLATE (8) BOLTS	BEARING PLATE (4) LOCKPLATES	THREAD SIZE	TORQUE SPECS LB. FT.
16N	**R279X**	**CP279X**	S-155-2	LPHC37-1	.31"-24	17-24
17N		**CP280X**	S-165-2	LPHC39-3	.38"-24	32-42
176N		**CP407X**	S-165-2	LPHC39-3	.38"-24	32-42
18N		**CP281X**	S-165-2	LPHC39-3	.38"-24	32-42

LOCKPATCH BOLT STYLE

SERIES	GENUINE MERITOR U-JOINT KITS	LOCKPATCH (8) BOLTS	THREAD SIZE	TORQUE SPECS LB. FT.
17N	**R280X**	S-165B-2	.38"-24	38-48
176N	**R407X**	S-165B-2	.38"-24	38-48
18N	**R281X**	S-165B-2	.38"-24	38-48

WING STYLE

SERIES	THREAD SIZE	TORQUE SPECS LB. FT.
62N	.38"-24	40-50
58WB	.44"-20	63-83
72N	.50"-20	90-110
72N	.44"-20	63-83
82N	.44"-20	63-83
82N	.50"-20	90-110
92N	.50"-20	90-110

DUAL-PLANE RETAINER

SERIES	MERITOR U-JOINT KITS	RETAINER		TORQUE SPECS LB. FT.
SPL*170	US170X	(4) Bolts	(2) Retainers	20-25 [3]
SPL*250	US250X	(4) Bolts	(2) Retainers	20-25 [3]

[1] Kit KT125 is used with a threaded yoke and includes four lockwashers. For a drilled yoke use Kit KT121.

[2] Kit KT126 is used with a threaded yoke and includes four lockwashers. For a drilled yoke use Kit KT123.

[3] Torque specs for inboard side dual-plane retainers. Torque specs for outboard side bearing retainers 100-120 ft.lbs. (OEM only)

* SPL® is a registered trademark of Dana Corporation

DRIVELINE TIPS V

HINTS ON DRIVELINE SETUP

1. Determine the length of a driveline by measuring from U-joint center to U-joint center.

2. ArvinMeritor Maintenance Manuel MM-96147 (Rev 02-04) contains helpful information on driveline specifications and service.

3. ArvinMeritor Driveline Angle Analysis CD (TP-0255) has a valuable worksheet program and explanations for multiple driveline and axle setups.

4. Various tools used to measure and setup drivelines include the following: Spirit Level Protractor, Electronic Protractor, Inclinometer, and Anglemaster.

5. Vehicle data important to driveline setup is as follows: Maximum Engine HP, Maximum Engine RPM, Trans Top Gear Ration, Trans Angle, Phasing Type, and Rear Suspension Height.

6. Make sure that vehicle ride height is within normal specification.

7. Measurements over weld seams and balance weights will invalidate angle measurements.

8. Typically the Hypoid Forward Rear Axle Plane is the same as the Engine/Transmission Plane (usually 3° to 3.5°) in relation to measuring drivelines and angles.

9. Typically the Hypoid Rear - Rear Axle Plane is 10.5° to 11.5° in relation to measuring drivelines and angles.

10. Safest driveline operating angles are below 5°.

SECTION 12

INDEX


Center Bearings **Page**

Assemblies for Midship Bearing Stubs 12-1
Type 1 - Round with No Mounting Bracket 12-3
Type 2 - Slotted Rubber Cushion 12-4
Type 2 - Solid Cushion 12-3
Type 3 - Round with Mounting Bracket 12-5

MERITOR® GOLD™ SELF-ALIGNING CENTER BEARINGS

Performance Advantages:

- Meritor® industry-leading driveline design and technology
- Patent-pending design assures optimum alignment of the center bearing to the driveshaft under all operating conditions
- Provides OEM production customers design and assembly benefits, and aftermarket customers competitive and technical advantages
- Ideal for the most popular heavy-duty truck and tractor applications




DRIVELINE SERIES	CUSHION TYPE	BEARING DIAMETER	HEIGHT	MOUNTING HOLES (CENTER TO CENTER)	COMPETITIVE PART NUMBER	MERITOR GOLD PART NUMBER
176N, 17N (Heavy Duty), 18N	Solid	2.36"	3.38"	8.62"	210875-1X	CB210875-1XSA
176N, 17N (Heavy Duty), 18N, 85WB, 92N	Slotted	2.36"	3.38"	8.62"	210661-1X	CB210661-1XSA
17N, 58WB, 72N, 82N	Slotted	1.968"	2.81"	7.62"	210121-1X	CB210121-1XSA

Features and Benefits:

- Rubber cushion pivots in the bracket, allowing +/-5 degrees of driveline angularity
- Reduced risk of premature bearing wear due to misalignment
- Provides a common mounting platform on the crossmember or mounting bracket. No shimming or bracket changes are necessary to achieve desired alignment
- Unique design protects the bearing against contamination without the use of external deflectors
- Backward compatibility with previous Meritor or current competitive designs
- Meritor Gold self-aligning center bearings should not be replaced with traditional, non-self-aligning center bearings, due to possible angularity issues

For more information, call our customer service team at 888.725.9355 or visit www.XpresswayPlus.arvinmeritor.com.


CENTER BEARING ASSEMBLIES FOR MIDSHIP BEARING STUBS



JOINT SERIES	WELD YOKE	TUBING	BEARING STUB & (NUT)	CENTER BEARING/ (Cushion type)	END YOKE
16N	16N-28-627	RT-35-10	16N-53-141 (1)	CB210084-2X (Slotted) (5)	16N-4-1721 (FR) 16N-4-1721-1 (HR)
17N	17N-28-137	RT-35-156	17N-53-151 (3)	CB210121-1XSA (Slotted) CB310012-1XSA (Solid)	17N-4-1981 (FR) 17TYSC31-54 (HR)
	17N-28-347	RT-4-10 RT-406-165 RT-4095-7	17N-53-201 (3)	CB210121-1XSA (Slotted) CB310012-1XSA (Solid)	
	17N-28-347	RT-4-10 RT-406-165 RT-4095-7	BSS32-34 (2) (4)	CB210121-1XSA (Slotted) CB310012-1XSA (Solid)	17N-4-7141 (FR) (4) 17N-4-7141-1 (HR)
17N HEAVY DUTY	17N-28-347	RT-406-165 RT-4095-7	17N-53-311 (2)	CB210661-1XSA (Slotted) CB210875-1XSA (Solid)	17N-4-4601 (FR) 17N-4-4601-1 (HR)
176N	176N-28-17	RT-4-10 RT-406-165 RT-4095-7	17N-53-311 (2)	CB210661-1XSA (Slotted) CB210875-1XSA (Solid)	176N-4-161 (FR) 176N-4-161-1 (HR)
18N	18N-28-117	RT-45-10 RT-459-7	18N-53-91 (2)	CB210661-1XSA (Slotted) CB210875-1XSA (Solid)	18N-4-1891 (FR) 18N-4-1891-1 (HR)
	18N-28-127	RT-45-3	18N-53-51 (2)	CB210661-1XSA (Slotted) CB210875-1XSA (Solid)	

FR-Full Round bearing yoke HR-Easy Service "Half Round" yoke (1) Use 1227-Z-936 & WAR21-3
(2) Use 1227- (3) Use 1227-Z-936 & WAR20-1 (4) New 2" involute design
(5) Generic equivalent also available. (GCB210084-2X)


CENTER BEARING ASSEMBLIES FOR MIDSHIP BEARING STUBS



JOINT SERIES	WELD YOKE	TUBING	BEARING STUB & (NUT)	CENTER BEARING/ (Cushion type)	END YOKE
58WB	58WBY52-8 (DR)	RT-35-10	BSS31-23 (3)	CB210121-1XSA (Slotted) CB310012-1XSA (Solid)	58WBYS31-29 (TH)
72N	72NY51-4 (DR)	RT-35-156	17N-53-151 (3)	CB210121-1XSA (Slotted) CB310012-1XSA (Solid)	
	72NYS52-20 (DR)	RT-35-10	BSS31-23 (6)	CB210121-1XSA (Slotted) CB310012-1XSA (Solid)	72NYS31-60 (DR)
	72NY60-3 (TH)	RT-4-10	17N-53-201 (3)	CB210121-1XSA (Slotted) CB310012-1XSA (Solid)	
82N	82NY60-16 (TH) 82NY60-19 (DR)	RT-4-10 RT-4095-7	17N-53-201 (3)	CB210121-1XSA (Slotted) CB310012-1XSA (Solid)	
85WB	85WBY60-11 (DR) 85WBY60-3 (TH)	RT-4-10 RT-4095-7	17N-53-201 (3)	CB210121-1XSA (Slotted) CB310012-1XSA (Solid)	85WBYS31-6 (TH)
	85WBY60-3 (TH) 85WBY60-11 (DR)	RT-4-10 RT-4095-7	17N-53-311 (2)	CB210661-1XSA (Slotted) CB210875-1XSA (Solid)	85WBYS38-17 (TH)
92N	92NY64 (TH)	RT-45-3	18N-53-51 (2)	CB210661-1XSA (Slotted) CB210875-1XSA (Solid)	92NYS38-33 (TH)
	92NY68-1 (TH) 92NY68-2 (DR)	RT-459-180	18N-53-91 (2)	CB210661-1XSA (Slotted) CB210875-1XSA (Solid)	


DR-Drilled Holes
TH-Threaded Holes
(2) Use 1227-Z-936 & WAR21-1
(3) Use 1227-Z-936 & WAR20-1
(6) Use 1227-Z-936 & 1229-A-265

CENTER BEARINGS - TYPE 1-ROUND WITH NO MOUNTING BRACKET



Bearing I.D. Max./Min.	Bearing Width	Height	Part Number
1280, 131N and 133N SERIES			
1.3750"/1.3745"	.75"	3.50"	CB310008-1X
1.3780"/1.3775"	.98"	3.50"	CB310011-1X


CENTER BEARINGS - TYPE 2-SOLID CUSHION



Bearing Inside Diameter Maximum/Minimum	Height	Bearing Width	Mounting Holes (Center to Center)	Front Deflector	Rear Deflector	Part Number
17N, 58WB, 72N, 82N and 85WB SERIES						
1.9685"/1.9680"	2.81"	1.19"	7.63"			CB310012-1XSA
176N, 17N (HEAVY DUTY), 18N, 85WB and 92N SERIES						
2.3622"/2.3616"	3.38"	1.41"	8.63"			CB210875-1XSA [1]
176N, 17N (HEAVY DUTY) and 18N SERIES						
2.3622"/2.3616"	3.38"	1.41"	8.63"			CB310013-1X
2.3622"/2.3616"	3.38"	1.41"	8.63"	DEFR55-1		GCB210875-1X

1 Self aligning center bearing. Deflectors not needed.


CENTER BEARINGS - TYPE 2-SLOTTED RUBBER CUSHION



Bearing I.D. Max./Min.	Height	Bearing Width	Mtg. Holes (Ctr to Ctr)	Style	Front Deflector	Rear Deflector	Bearing Retainer Deflector	Part Number
1280, 1310, 1330, 1350 and 1410 SERIES								
1.3750"/1.3745"	2.25"		6.63"	F				**CB211187X** [2]
1.3750"/1.3745"	2.25"		6.63"	F				**GCB211187X** [2]
1.3780"/1.3775"	2.25"	.98"	6.63"	F	DEFR33-1		DEFR22-5	**CB210088-1X**
1.3780"/1.3775"	2.25"	.98"	6.63"	F	DEFR33-1	DEFR33-1		**CB210090-1X**
1.3780"/1.3775"	2.25"	.98"	6.63"	G	DEFR28-4	RBR28-1		**CB210367-1X**
1.3780"/1.3775"	2.25"	.98"	6.63"	G	DEFR28-4		DEFR22-4	**CB210370-1X**
1.3780"/1.3775"	2.25"	.98"	6.63"	G				**CB310005-1X**
1.3780"/1.3775"	2.25"	.98"	6.63"	F				**CB310006-1X**
1.3780"/1.3775"	2.25"	.98"	6.63"	F	DEFR33-1	DEFR33-1	DEFR22-5	**CB310006-2X**
1.3780"/1.3775"	2.25"	.98"	6.63"	F				**CB310006-3X**
1.3780"/1.3775"	2.25"	.98"	6.63"	F	DEFR33-1		DEFR22-5	**GCB210088-1X**
1.3780"/1.3775"	2.25"	.98"	6.63"	F	DEFR33-1	DEFR33-1		**GCB210090-1X**
1.3780"/1.3775"	2.25"	.98"	6.63"	G	DEFR28-4, RBR28-1	RBR28-1		**GCB210367-1X**
1.3780"/1.3775"	2.25"	.98"	6.63"	G	DEFR28-4	RBR28-1	DEFR22-4	**GCB210370-1X**
131N, 135N, 141N, 148N and 155N SERIES								
1.5748"/1.5743"	2.44"	1.06"	6.63"	G	DEFR40-5		DEFR25-2	**CB210140-1X**
135N, 141N and 148N SERIES								
1.5748"/1.5743"	2.25"	.86"	6.63"	F	DEFR34-1		DEFR25-4	**CB210866-1X**
1.5748"/1.5743"	2.25"	.86"	6.63"	F	DEFR34-1	DEFR34-1		**CB210873-1X**
1.5748"/1.5743"	2.25"	.86"	6.63"	F				**CB211016X**
1.5748"/1.5743"	2.25"	.86"	6.63"	F	DEFR37-1	DEFR37-1	DEFR25-4	**CB310003-1X**
1.5748"/1.5743"	2.25"	.86"	6.63"	F	DEFR34-1		DEFR25-4	**GCB210866-1X**
1.5748"/1.5743"	2.25"	.86"	6.63"	F	DEFR34-1	DEFR34-1		**GCB210873-1X**
1.5748"/1.5743"	2.44"	1.06"	6.63"	G	DEFR40-5	DEFR40-5	DEFR25-2	**CB210144-1X**
1.5748"/1.5743"	2.44"	1.06"	6.63"	G				**CB310002-1X**
1.5748"/1.5743"	2.44"	1.06"	6.63"	G	DEFR40-5		DEFR25-2	**GCB210140-1X**
1.5748"/1.5743"	2.44"	1.06"	6.63"	G	DEFR40-5	DEFR40-5	DEFR25-2	**GCB210144-1X**
1.5748"/1.5743"	2.47"	1.06"	6.63"	F	DEFR37-1		DEFR25-1	**CB210433-1X**
1.5748"/1.5743"	2.47"	1.06"	6.63"	F				**CB310001-1X**
1.5748"/1.5743"	2.47"	1.06"	6.63"	F	DEFR37-1	DEFR37-1		**GCB210391-1X**
1.5748"/1.5743"	2.47"	1.06"	6.63"	F	DEFR37-1		DEFR25-1	**GCB210433-1X**
141N, 148N, 155N, 1650 and 16N SERIES								
1.7717"/1.7712"	2.69"	1.06"	7.63"	F	DEFR41-1	DEFR41-1		**CB210084-2X**
155N and 16N SERIES								
1.7717"/1.7712"	2.69"	1.06"	7.63"	F	DEFR41-1	DEFR28-3		**CB210207-1X**
1.7717"/1.7712"	2.69"	1.06"	7.63"	F				**CB310007-1X**
1.7717"/1.7712"	2.69"	1.06"	7.63"	F	DEFR41-1	DEFR41-1		**GCB210084-2X**
1.7717"/1.7712"	2.69"	1.06"	7.63"	G				**GCB210130-1X**
1.7717"/1.7712"	2.69"	1.06"	7.63"	F	DEFR41-1		DEFR28-3	**GCB210207-1X**


2 Deflectors are not sold separately.

CENTER BEARINGS - TYPE 2-SLOTTED RUBBER CUSHION



Bearing I.D. Max./Min.	Height	Bearing Width	Mtg. Holes (Ctr to Ctr)	Style	Front Deflector	Rear Deflector	Bearing Retainer Deflector	Part Number
17N SERIES								
1.9685"/1.9680"	2.81"	1.19"	7.63"	F				**CB210121-1XSA** [1]
1.9685"/1.9680"	2.81"	1.19"	7.63"	F	DEFR35-1	DEFR35-1		**GCB210121-1X**
176N, 17N (HEAVY DUTY) and 18N SERIES								
2.3622"/2.3616"	3.38"	1.41"	8.63"	F				**CB210661-1XSA** [1]
2.3622"/2.3616"	3.38"	1.41"	8.63"	F				**CB310015-1X**
2.3622"/2.3616"	3.38"	1.41"	8.63"	F	DEFR55-1	DEFR55-1		**GCB210661-1X**
131N, 135N, 141N, 148N, 155N and 62N SERIES								
1.5748"/1.5743"	2.47"	1.06"	6.63"	F	DEFR37-1	DEFR37-1		**CB210391-1X**

CENTER BEARINGS - TYPE 3-ROUND WITH MOUNTING BRACKET



Bearing I.D. Max./Min.	Height	Width	Mounting Holes (Center to Center)	Part Number
1280 and 131N SERIES				
1.1811"/1.1807"	3.56"	.63"	1.50"	**CB210527X**
131N SERIES				
1.1811"/1.1807"	3.56"	.63"	1.50"	**GCB210527X**

1 Self aligning center bearing. Deflectors not needed.

XpresswayPlus.ArvinMeritor.com



Don't forget about using *XpresswayPlus* for:

- Ordering parts online
- Order status
- Price and availability
- Invoice Lookup
- Parts Catalog
- Reference Library
- The Company Store
- Literature
- Dealer/Distributor locator
- Online e-mail or phone numbers for Customer Service, Information Services, Marketing, Catalog, and eSupport

XpresswayPlus is easy to use, can reduce phone calls, and save you valuable time.

WHAT YOU NEED:	WHERE TO LOOK:
ACCOUNT CHANGE	CUSTOMER SERVICE
AFTERMARKET & PRODUCTION ASSEMBLIES	CATALOG
APPLICATION INFORMATION	CATALOG
BILL-OF-LADING NUMBER	ORDER STATUS
BILL-OF-MATERIAL	CATALOG
BULLETINS	REFERENCE LIBRARY
CONTACT NAMES & NUMBERS	CUSTOMER SERVICE
FIELD SUPPORT REPRESENTATIVES	CUSTOMER SERVICE
INVOICE (VIEW & PRINT)	ORDER STATUS
NEWSLETTER	REFERENCE LIBRARY
ORDER DETAILS	ORDER STATUS
ORDER HISTORY FILE	ORDER STATUS
ORDER MERCHANDISE	COMPANY STORE
ORDER SUBMIT	CREATE NEW ORDER
ORDER SUBMIT - STOCK UPLOAD (MULTIPLE LINES)	CREATE NEW ORDER
PART DETAILS	CATALOG
PART IMAGES	CATALOG
PART NUMBER COMPARISON	CATALOG
PARTS BOOKS	REFERENCE LIBRARY
PASSWORD CHANGE	CUSTOMER SERVICE
PRICE (LIST)	CATALOG
PRICE (NET) & AVAILABILITY	PRICE & AVAILABILITY
PRODUCT BROCHURES	REFERENCE LIBRARY
PRODUCT UPDATES	REFERENCE LIBRARY
PROOF-OF-DELIVERY	ORDER STATUS
REQUEST-FOR-QUOTATION (FOR MERITOR BRAND)	PRICE REQUEST
SALES LITERATURE	REFERENCE LIBRARY
SEND QUESTIONS, COMMENTS, ISSUES	CONTACT US
SHIPPER NUMBER	ORDER STATUS
TECH TIPS	REFERENCE LIBRARY
TRACKING NUMBER	ORDER STATUS
WARRANTY INFORMATION	REFERENCE LIBRARY
WHERE-USED INFORMATION	CATALOG

SECTION 13

INDEX

C.V. Components and P.T.O. Assemblies **Page**

131N SERIES AUXILIARY POWER TAKE-OFF
Unwelded Driveshaft Assembly....13-9

131N SERIES AUXILIARY POWER TAKE-OFF KIT
131N Series Auxiliary Power Take-Off Kit....13-9

BALL STUD WELD YOKES
Inside Snap Ring....13-7
Outside Snap Ring....13-8

C.V. CENTERING YOKES
C.V. Centering Yokes....13-6

C.V. HEAD ASSEMBLIES
C.V. Head Assemblies....13-4
Component Part Numbers....13-5

DOUBLE CENTER YOKES
Inside Snap Ring....13-5
Outside Snap Ring....13-5

FLANGE YOKES
Double Cardan C.V. Head - Style 1 and 2....13-6
Double Cardan C.V. Head - Style 3....13-7

SPLINE PLUG SHAFT
For Auxiliary Power Take-Off....13-8

UNWELDED C.V. SHAFT ASSEMBLIES
Component Part Numbers....13-2
Unwelded C.V. Shaft Assemblies....13-1

WELDED AND BALANCED C.V. SHAFT ASSEMBLIES
Component Part Numbers....13-3

MERITOR™

an ArvinMeritor brand


Didn't find what you were looking for?

Check our online catalog at:


XpresswayPlus.ArvinMeritor.com

Your electronic link to ArvinMeritor!


UNWELDED C.V. SHAFT ASSEMBLIES



STYLE 1




STYLE 6




STYLE 7

Maximum Length Extended	Maximum Length Compressed	Tubing	C.V. and Tube Length	Yoke & Spline Plug Shaft Assy. Maximum Length	Yoke & Spline Plug Shaft Assy. Minimum Length	Style	C.V. Shaft Assembly
121N SERIES							
52.91"	48.66"	2.50" x .065"	38.00"	14.91"	10.66"	7	**R919990-3400**
54.53"	50.28"	2.50" x .065"	39.63"	14.91"	10.66"	6	**R919976-3400**
131N SERIES							
40.94"	37.84"	2.00" x .120"	30.13"	10.81"	7.72"	1	**R909365-2600**
42.28"	39.19"	2.50" x .083"	30.13"	12.16"	9.06"	1	**R909363-2600**
133N SERIES							
42.91"	38.75"	2.50" x .083"	30.13"	12.78"	8.63"	1	**R911818-2600**


UNWELDED C.V. SHAFT ASSEMBLIES COMPONENT PART NUMBERS



STYLE 1



STYLE 6




STYLE 7


Flange Yoke	Slip Yoke (1)	Dust Cap	Spline Plug	C.V. Head Assy.	Tubing	Style	C.V. Shaft Assembly
121N SERIES	**U-JOINT KIT: CP443X**						
121N-2-1049	121N-3-8961KX	R280196	121N-40-2301		2.50" x .065"	6	**R919976-3400**
121N-2-1049	121N-3-8961KX	R280196	121N-40-2301		2.50" x .065"	7	**R919990-3400**
131N SERIES	**U-JOINT KIT: CP153X**						
	131N-3-8001KX	R280194	131N-40-1701	R912777	2.00" x .120"	1	**R909365-2600**
	131N-3-8021KX	R280194	131N-40-1851	R912747	2.50" x .083"	1	**R909363-2600**
133N SERIES	**U-JOINT KIT: CP1204X**						
	133N-3-8041KX	R280194	131N-40-1851		2.50" x .083"	1	**R911818-2600**

(1) Includes dust cap.


WELDED AND BALANCED C.V. SHAFT ASSEMBLIES COMPONENT PART NUMBERS



STYLE 3




STYLE 4



STYLE 5

Flange Yoke	Slip Yoke	Dust Cap	Spline Plug	C.V. Head Assembly	Tubing	Style	C.V. Shaft Assembly
121N SERIES	**U-JOINT KIT: CP443X**						
121N-2-1050	121N-3-8961KX	R280196	121N-40-2301		2.50" x .065"	5	**R914156-1324W**
131N SERIES	**U-JOINT KIT: CP153X**						
	131N-3-8001KX	R280194	131N-40-1701	R912777	2.00" x .120"	3	**R903862-1409W**
	131N-3-8001KX	R280194	131N-40-1701	R912777	2.00" x .120"	3	**R903862-1602W**
	131N-3-8001KX	R280194	131N-40-1701	R912286	2.00" x .120"	4	**R912170-1511W**

C.V. HEAD ASSEMBLIES



STYLE 1 STYLE 2

Overall Length	CL to Point of Weld	CL to CL of Center Yoke	Butt Dia.	Bolt Circle Dia.	Bolt Hole Spacing Across Yoke	Bolt Hole Spacing Across Ears	Bolt Hole Size	Style	C.V. Head Assembly
3R SERIES		**U-JOINT KIT: CP3147X**							
6.563"	1.625"	3.250"	1.766"	4.25"			.453"-	2	**4137268**
131N SERIES		**U-JOINT KIT: CP153X**							
4.094"	1.438"	2.688"	1.766"		2.344"	1.50"	.313"-24	1	**R912777**
4.125"	1.438"	2.688"	2.344"		2.344"	1.50"	.313"-24	1	**R912747**

XpresswayPlus.ArvinMeritor.com




Don't forget about using *XpresswayPlus* for:

- Ordering parts online
- Order status
- Price and availability
- Invoice Lookup
- Parts Catalog
- Online e-mail or phone numbers for Customer Service, Information Services, Marketing, Catalog, and eSupport
- Reference Library
- The Company Store
- Literature
- Dealer/Distributor locator


XpresswayPlus is easy to use, can reduce phone calls, and save you valuable time.

C.V. HEAD ASSEMBLIES COMPONENT PART NUMBERS




Ball Stud Yoke	Center Yoke "H" Type	Centering Yoke	Flange Socket	Tubing	Style	C.V. Head Assembly
3R SERIES	**U-JOINT KIT: CP3147X** (2 Reqd.)					
R3R-28-869	R3R-26-57		R3R-83-482	2.00" x .120" (11 GA)	2	**4137268**
131N SERIES	**U-JOINT KIT: CP153X** (2 Reqd.)					
131N-28-2957X	131N-26-497	131N-CV82-HD		2.00" x .120" (11 GA)	1	**R912747**
131N-28-2947X	131N-26-497	131N-CV82-HD		2.00" x .120" (11 GA)	1	**R912777**

DOUBLE CENTER YOKES - INSIDE SNAP RING



Center to Center	Distance Between Ears	Swing Diameter	Bearing Diameter	Distance Across Ears	Maximum Joint Angle	Part Number
3R SERIES	**U-JOINT KIT: CP3147X**					
3.25"	2.56"	4.06"	1.13"	3.56"	17 °	**R3R-26-57**


DOUBLE CENTER YOKES - OUTSIDE SNAP RING



Center Line to Center Line	Distance between Ears	Swing Diameter	Bearing Diameter	Distance Across Ears	Maximum Operating Angles	Part Number
131N SERIES	**U-JOINT KIT: CP153X**					
2.69"	2.22"	3.88"	1.06"	3.47"	26°	**131N-26-497**


13

C.V. CENTERING YOKES




Distance Between Nibbs	Bearing Cap Diameter	Swing Diameter	Bolt Hole Size	Bolt Hole Spacing Across Yoke	Bolt Hole Spacing Across Ears	Stud Socket Dimension	Part Number
131N SERIES		**U-JOINT KIT: CP153X**					
3.47"	1.06"	3.50"	.313"-24 UNF	2.34"	1.50"	.50"	**131N-CV82-HD**

FLANGE YOKES - DOUBLE CARDAN C.V. HEAD - STYLE 1 AND 2




STYLE 1



STYLE 2

Center to Face	Pilot Dia. M=Male F=Female	Bolt Circle Dia.	Yoke Dim. Across Ears	Brg. Cap Dia.	Bolt Hole Dia.	No. of Bolt Holes	Inside Snap Ring Dim.	Flange O.D.	Stud Socket Dim.	Style	Part Number
3R SERIES		**U-JOINT KIT: CP3147X**									
1.69"	F-3.13"	4.25"	3.56"	1.13"	.453"	4	2.56"	5.13"	.906"	2	**R3R-83-482**
121N SERIES		**U-JOINT KIT: CP443X**									
1.63"	F-2.00"	3.50"	2.69"	1.06"	.500"	4		4.38"	.500"	1	**121N-83-489X**
131N SERIES		**U-JOINT KIT: CP153X**									
1.63"	F-2.00"	3.50"	3.47"	1.06"	.500"	4		4.38"	.500"	1	**131N-83-388X**


FLANGE YOKES - DOUBLE CARDAN C.V. HEAD - STYLE 3




STYLE 3

Center to Face	Pilot Dia. M=Male F=Female	Bolt Pattern	Distance Between Nibbs	Brg. Cap Dia.	Bolt Hole Dia.	No. of Bolt Holes	Flange O.D.	Style	Saginaw Flange Adapter Part Number
131N SERIES		**U-JOINT KIT: CP153X**							
2.91"	M-1.81", 46mm	2.697/2.362", 68.5/60mm	3.47"	1.06"	.315", 8mm	4	4.44"	3	**131N-83-288X**


BALL STUD WELD YOKES - INSIDE SNAP RING






Use with Tubing O.D. and Wall	Butt Dia.	CL to Weld Point	CL to End of Ball Stud	Ball Stud Dia.	Yoke Dim. Across Ears	Brg. Cap Dia.	ISR Dim.	Maximum Operating Angle	Weld Yoke Part Number
3R SERIES		**U-JOINT KIT: CP3147X**							
2.00" x .120" (11 GA)	1.77"	1.63"	2.00"	.91"	3.56"	1.13"	2.56"	17 °	**R3R-28-869**

BALL STUD WELD YOKES - OUTSIDE SNAP RING



Use with Tubing O.D. and Wall	Butt Dia.	Center Line to Weld Point	Center Line to End of Ball Stud	Ball Stud Length	Ball Stud Dia.	Yoke Dim. Across Ears	Brg. Cap Dia.	Maximum Operating Angle	Weld Yoke Part Number
1280 and 131N SERIES	**U-JOINT KIT: CP153X**								
2" x .120" (11 GA)	1.77"	1.44"	1.64"	.59"	.50"	3.47"	1.06"	13°	**131N-28-2947X**
131N SERIES	**U-JOINT KIT: CP153X**								
2.50" x .083" (14 GA)	2.34"	1.44"	1.64"	.59"	.50"	3.47"	1.06"	13°	**131N-28-2957X**
133N SERIES	**U-JOINT KIT: CP153X**								
2.50" x .083" (14 GA)	2.34"	1.38"	1.67"	.59"	.50"	3.875"	1.06"		**133N-28-3067X**
135N SERIES	**U-JOINT KIT: CP153X**								
3.00" x .083" (14 GA)	2.84"	1.44"	1.73"	.59"	.50"	3.875"	1.19"		**135N-28-1327X**


SPLINE PLUG SHFAT FOR AUXILIARY POWER TAKE-OFF



Spline Size	Overall Length	Length of Spline	Dust Cap	Insert Diameter	End Yoke	Part Number
WELDED APPLICATION						
1.38"-16	24"	2.50"	R280194	1.25"	131N-4-533	**131N-40-138-2**


(1) Used primarily in crank driven front mount hydraulic pump applications. Also suitable for clutch connection drives. Maximum operating speed 2800 rpm. (Not recommended for vehicular propeller shaft applications.)

131N SERIES AUXILIARY POWER TAKE-OFF KIT



Series	Slip Yoke	Spline Plug Shaft	U-Joint Kit	End Yoke	Driveshaft Kit Part Number
FOR CLOSE COUPLED APPLICATIONS (1) (ASSEMBLY AND WELDING REQUIRED)					
DRIVESHAFT COMPONENT PART NUMBERS					
131N	131N-3-7981KX	131N-40-138-2	CP153X	131N-4-533	**R91382SF**

131N SERIES AUXILIARY POWER TAKE-OFF UNWELDED DRIVESHAFT ASSEMBLY



Series	Maximum Assembly Length	Minimum Assembly Length	Tubing	Yoke and Tube Length	Yoke & Spline Plug Assy. Maximum Length	Yoke & Spline Plug Assy. Minimum Length	Complete Driveshaft Part Number
DRIVESHAFT SPECIFICATIONS							
1280, 131N	55.75"	9.50"	2.00" x .083" (14 GA)	49.44"	8.25"	6.25"	**R9553-SF**
DRIVESHAFT COMPONENT PART NUMBERS							
Series	**Slip Yoke**	**Spline Plug**	**Weld Yoke**	**U-Joint Kit**	**Tubing**		**Complete Driveshaft Part Number**
1280, 131N	131N-3-128KX	131N-40-1031	131N-28-357	CP153X	2.00" x .083" (14 GA)		**R9553-SF**

(1) Used primarily in crank driven front mount hydraulic pump applications. Also suitable for clutch connection drives. Maximum operating speed 2800 rpm. (Not recommended for vehicular propeller shaft applications.)

MERITOR™

an *ArvinMeritor*™ brand

For additional parts and information,

visit our online catalog at:

XpresswayPlus.ArvinMeritor.com

Your electronic link to ArvinMeritor!

SECTION 14

INDEX

L6N Steering Components **Page**

CLAMP YOKES
"D-Flat" Serrated Type....14-2
Standard Serrated Type....14-1

SLIP YOKES
Slip Yokes....14-2

- **This catalog is not to be used for the design of custom steering assemblies. Any use of this catalog other than identifying genuine replacement parts is strictly prohibited.**
- Due to the safety related nature of this product, we implore you to pay special attention to the way your original steering shaft was assembled, noting the phasing of the yokes. On some steering assemblies the yokes are purposely out of phase due to vehicle/application specific requirements.
- If after reviewing the information in this catalog you are unable to positively identify the replacement part you need to repair your steering assembly, please obtain the OEM part number for the assembly and call our Information Services Department at 1-888-725-9355.

MERITOR NUMBERING SYSTEM

L6 N Y S 14 - 65

DRIVELINE SERIES

INTERNAL MERITOR DESIGNATION


TYPE OF PART
L - Slip Yoke
Y - Yoke

SIZE OF HOLE, SHAFT, OR PART (DIVIDED BY 16)


ENGINEERING PART NUMBER

TYPE OF YOKE
R - Round
S - Splined
SM - Shaft Yoke

CLAMP YOKES - STANDARD SERRATED TYPE



Major Dia. Max./Min.	Minor Dia. Max./Min.	Center to End	Clamp Hole to End	Clamp Hole Size	Clamp Hole to Center of Spline	Part Number
.75" - 26 SPLINE Based on 36 spacing						
.739" / .735"	.698" / .694"	2.25"	.47"	.47"	.45"	**L6NYS12-39**
.88" - 30 SPLINE Based on 36 spacing						
.883" / .881"	.802" / .800"	2.50"	.47"	.41"	.53"	**L6NYS14-65**
.88" - 36 SPLINE						
.883" / .881"	.802" / .800"	2.25"	.47"	.41"	.56"	**L6NYS14-100**
1.00" - 30 SPLINE Based on 36 spacing						
.994" / .989"	.949" / .944"	2.50"	.47"	.38"	.61"	**L6NYS16-34**
.994" / .989"	.949" / .944"	2.25"	.47"	.41"	.61"	**L6NYS16-16**
1.00" - 36 SPLINE						
.988" / .986"	.915" / .913"	2.25"	.75"	.41"	.58"	**L6NYS16-12**
1.013" / 1.011"	.949" / .944"	2.25"	.47"	.41"	.61"	**L6NYS16-18**




If you detect any errors in this catalog, please let us know.

We want the information to be as accurate as possible; we appreciate your help in making it so.

Please e-mail any comments/suggestions/corrections to us at: catalogfeedback@arvinmeritor.com


or mail to: ArvinMeritor
attn: Catalog Dept.
7975 Dixie Highway
Florence, KY 41042

CLAMP YOKES - "D-FLAT" SERRATED TYPE



Major Dia. Max./Min.	Minor Dia. Max./Min.	Center to End	Clamp Hole to End	Clamp Hole Size	Clamp Hole to Center of Spline	Center of Flat	Part Number
.81" - 18 SPLINE Based on 36 spacing							
.811" / .809"	.766" / .762"	2.16"	.36"	.47"	.53"	255 °	**L6NYS13-31**
.811" / .809"	.766" / .762"	3.30"	.36"	.47"	.53"	255 °	**L6NYS13-34**

SLIP YOKES



Center to End	Length of Hole	Grease Zerk Location	Dust Cap Style	Dust Cap/Seal Part Number	Part Number
1.25" - 32 SPLINE					
7.25"	5.75"		Splined	DCL6N4	**L6NLS20-65DC**
7.25"	5.81"	1.41"			**L6NLS20-127**
7.25"	5.81"	1.50" and 5.25"	Splined	SERUS20	**L6NLS20-133A**
9.13"	6.13"		Splined	SERUS20	**L6NLS20-55DC**
9.81"	8.88"	1.50"	Round	DCL6N3	**L6NLS20-63DC1**

SECTION 15

INDEX

10N Series Page

10N/1000 SERIES AUXILIARY POWER TAKE-OFF
Unwelded Driveshaft Assembly....15-4

END YOKES....15-3

FLANGE YOKE....15-1

SLIP YOKES
Inside Snap Ring....15-1
Slip Yokes....15-2

15

MERITOR NUMBERING SYSTEM

MERITOR AFTERMARKET NUMBER

10 N - 4 - 13

DRIVELINE SERIES


INTERNAL MERITOR DESIGNATION

ENGINEERING PART NUMBER

TYPE OF PART


2 - Flange Yoke
3 - Slip Yoke
4 - End Yoke

FLANGE YOKE




Center to Face	Bolt Circle Dia.	Flange O.D.	Yoke Dim. Across Ears	Bearing Dia.	Set Screw Hole Dia.	Number of Holes	Use U-Joint Kit	Part Number
1.67"	2.75"	3.50"	2.19"	.94"	.34"	4	CP170X	10N-2-29

SLIP YOKES - INSIDE SNAP RING




Center to End	Length of Hole	Yoke Dimension Across Ears	Bearing Cap Diameter	Dust Cap	Part Number
1.25" - 16 SPLINE	U-JOINT KIT: CP170X				
5.50"	4.03"	1.50"	.94"	R280196	10N-3-18KX

SLIP YOKES



Bore Type	Bore Dia.	Center to End	Bore Lgth.	Hub Dia.	Keyway		Set Screw or Pin Hole			Part Number
					Width	Location	Hole Size	Loc. Viewed From Hub End	Distance from End of Hub	
YOKE DIMENSION ACROSS EARS: 2.19"					**BEARING CAP DIAMETER: 1.31"**					
Hex	.88"	5.50"	4.19"	1.63"			.25"-28 TH	9-GAP	1.75"	**10N-3-162X**
Hex	1.13"	5.50"	4.19"	1.63"			.25"-28 TH	9-GAP	1.75"	**10N-3-32X**
Round	.81"	5.50"	4.19"	1.63"	.25"	3-GAP	.25"-28 TH	9-GAP	1.75"	**10N-3-23X**
Round	.88"	5.50"	4.19"	1.63"	.25"	3-GAP	.25"-28 TH	9-GAP	1.75"	**10N-3-33X**
Round	1.00"	5.50"	4.19"	1.63"	.25"	9-GAP	.25"-28 TH	9-GAP	1.75"	**10N-3-83X**
Round	1.13"	5.50"	4.19"	2.00"	.31"	3-GAP	.25"-28 TH	9-GAP	1.75"	**10N-3-183X**
Round	1.25"	5.50"	4.19"	2.00"	.31"	3-GAP	.25"-28 TH	9-GAP	1.75"	**10N-3-163X**
SPL-10	1.13"	5.50"	4.19"	1.63"			.25"-28 TH	9-GAP	1.75"	**10N-3-81X**
Square	.75"	5.50"	4.19"	1.63"			.25"-28 TH	9-GAP	1.75"	**10N-3-12X**
Square	.88"	5.50"	4.19"	1.63"			.25"-28 TH	9-GAP	1.75"	**10N-3-22X**
Square	1.00"	5.50"	4.19"	2.00"			.25"-28 TH	9-GAP	1.75"	**10N-3-122X**

END YOKES




Bore Type	Bore Dia.	Center to End	Bore Lgth.	Hub Dia.	Keyway		Hole Size	Set Screw or Pin Hole			Part Number
					Width	Loc.		No. of Holes	Location Viewed From Hub End	Dist. from End of Hub	
YOKE DIMENSION ACROSS EARS: 2.19"							**BEARING CAP DIAMETER: .94"**				
Hex	0.88"	2.50"	1.13"	2.00"			.38"-16TH	1	9-GAP	.63"	**10N-4-282**
Hex	1.13"	2.50"	1.13"	2.00"			.38"-16TH	1	9-GAP	.63"	**10N-4-32**
Round	0.75"	2.50"	1.13"	1.63"	.25"	3-GAP	.38"-16TH	1	9-GAP	.63"	**10N-4-23**
Round	0.75"	2.50"	1.13"	1.63"	.19"	9-GAP	.38"-16TH	2	12/6-EAR	.63"	**10N-4-133**
Round	0.75"	2.50"	1.13"	1.63"	.19"	3-GAP	.38"-16TH	1	9-GAP	.63"	**10N-4-13**
Round	0.81"	2.50"	1.13"	1.63"	.25"	9-GAP	.38"-16TH	1	6-EAR	.63"	**10N-4-173**
Round	0.81"	2.50"	1.13"	1.63"	.25"	3-GAP	.38"-16TH	1	9-GAP	.63"	**10N-4-43**
Round	0.81"	2.50"	1.13"	1.63"	.19"	3-GAP	.38"-16TH	1	9-GAP	.63"	**10N-4-33**
Round	0.88"	1.69"	1.13"	1.63"	.25"	12-EAR	.38"-16TH	1	9-GAP	.44"	**10N-4-703**
Round	0.88"	2.50"	1.13"	1.63"	.25"	3-GAP	.38"-16TH	1	9-GAP	.63"	**10N-4-63**
Round	0.88"	2.50"	1.13"	1.63"	.19"	3-GAP	.38"-16TH	1	9-GAP	.63"	**10N-4-53**
Round	0.88"	2.50"	1.13"	1.63"	.25"	9-GAP	.38"-16TH	1	6-EAR	.63"	**10N-4-453**
Round	0.94"	2.50"	1.13"	1.63"	.25"	12-EAR	.38"-16TH	1	6-EAR	.63"	**10N-4-73**
Round	1.00"	2.50"	1.13"	1.63"	.25"	9-GAP	.38"-16TH	1	6-EAR	.63"	**10N-4-573**
Round	1.00"	2.50"	1.13"	1.63"	.19"	3-GAP	.38"-16TH	1	9-GAP	.63"	**10N-4-83**
Round	1.00"	2.50"	1.13"	1.63"	.25"	3-GAP	.38"-16TH	1	9-GAP	.63"	**10N-4-93**
Round	1.00"	2.50"	1.13"	1.63"			.38"-16TH	2	12/6-EAR	.63"	**10N-4-443**
Round	1.13"	2.50"	1.13"	2.00"	.25"	3-GAP	.38"-16TH	1	9-GAP	.63"	**10N-4-103**
Round	1.13"	2.50"	1.13"	2.00"	.31"	3-GAP	.38"-16TH	1	9-GAP	.63"	**10N-4-113**
Round	1.13"	2.50"	1.13"	2.00"	.25"	9-GAP	.38"-16TH	1	6-EAR	.63"	**10N-4-143**
Round	1.13"	2.50"	1.13"	2.00"	.31"	9-GAP	.38"-16TH	1	6-EAR	.63"	**10N-4-473**
Round	1.25"	2.50"	1.13"	2.00"	.25"	9-GAP	.38"-16TH	1	6-EAR	.63"	**10N-4-183**
Round	1.25"	2.50"	1.13"	2.00"	.31"	9-GAP	.38"-16TH	1	6-EAR	.63"	**10N-4-193**
Round	1.25"	2.50"	1.13"	2.00"	.31"	3-GAP	.38"-16TH	1	9-GAP	.63"	**10N-4-123**
SPL-13	0.88"	2.50"	1.19"	1.63"			.38"-16TH	1	6-EAR	.63"	**10N-4-481**
SPL-16	0.73"	2.25"	0.94"	1.63"			.47"-DR	1	3/9-GAP	.47"	**10N-4-611** [1]
SPL-6	1.38"	3.25"	2.25"				DR	2		.38"	**10N-4-139** [2]
Square	0.75"	2.50"	1.13"	1.63"			.38"-16TH	1	9-GAP	.63"	**10N-4-22**
Square	0.88"	2.50"	1.13"	1.63"			.38"-16TH	1	9-GAP	.63"	**10N-4-12**
Square	1.00"	2.50"	1.13"	2.00"			.38"-16TH	1	9-GAP	.63"	**10N-4-52**

1 Clamp yoke.

2 Quick disconnect trailing pin yoke - tractor end.

10N/1000 SERIES AUXILIARY POWER TAKE-OFF
UNWELDED DRIVESHAFT ASSEMBLY



Maximum Assembly Length	Minimum Assembly Length	Tubing	Yoke and Tube Length	Yoke & Spline Plug Assy. Maximum Length	Yoke & Spline Plug Assy. Minimum Length	Complete Driveshaft Part Number
DRIVESHAFT SPECIFICATIONS						
69.39"	10.00"	2.00" x .083" (14 GA)	59.91"	9.48"	7.48"	**R10270-SF**

DRIVESHAFT COMPONENT PART NUMBERS

Slip Yoke	Spline Plug	Weld Yoke	U-Joint Kit	Tubing	Complete Driveshaft Part Number
10N-3-18KX	121N-40-1741	R10V5	CP170X	2.00" x .083" (14 GA)	**R10270-SF**

INDEX

Companion Flange and End Yoke Application Guide Index **Page**


ATTACHMENT HARDWARE
Attachment Hardware for Meritor Axles and Transfer Cases 16-1

AXLES
Dana Axles 16-6
Eaton Axles 16-10
Meritor Axles and Transfer Cases 16-24

TRANSMISSIONS
Allison Transmissions 16-51
Clark Transmissions 16-55
Fuller Transmissions 16-57
Meritor Transmissions 16-70
New Process Transmissions 16-72
Spicer Transmissions 16-74


ATTACHMENT HARDWARE

NUT



Part Number	Thread Size	Metric Thread Size	Width Across Flats	Thickness
1227-G-943	0.88"-20 3 UNEF-2B		1.13"	.50"
1227-C-939	1.00"-20 3 UNEF-2B		1.32"	.57"
1227-K-1051	1.25"-12 3 UNF-2B		1.63"	.62"
1227-Q-901	1.25"-12 3 UNF-2B		1.88"	.75"
1227-Z-936	1.25"-18 3 UNEF-2B		1.63"	.62"
1227-J-946	1.50"-12 3 UNF-2B		1.88"	.75"
1227-R-902	1.50"-12 3 UNF-2B		2.25"	.88"
1227-A-937	1.50"-18 3 UNEF-2B		1.88"	.75"
1227-D-940	1.75"-12 3 UN-2B		2.25"	.69"
1227-N-898	1.75"-12 3 UN-2B		2.58"	.99"
40-X-1236 (1)		32mm x 1.5-6H Thd.	45.69mm	18mm
40-X-1237 (2)		39mm x 1.5-6H Thd.	54.63mm	21mm
40-X-1233		45mm x 1.5-6H Thd.	56.20mm	24mm

WASHER



Part Number	Inside Diameter	Outside Diameter	Thickness
1229-N-1548	0.91"	1.62"	0.19"
1229-S-1397	0.91"	1.62"	0.13"
1229-E-1331	1.03"	1.81"	0.25"
1229-A-2653	1.28"	2.19"	0.22"
1229-F-2918	1.53"	2.38"	0.25"
1229-T-1736	1.53"	2.38"	0.13"
1229-W-4521	1.75"	3.25"	0.31"
1229-G-1281	1.78"	3.00"	0.10"
1229-N-1730	1.78"	3.00"	0.19"
1229-S-1605	1.81"	3.25"	0.40"
1229-E-1071	2.03"	3.25"	0.28"

(1) Order KIT 2636 to purchase nut and washer.
(2) Order KIT 2637 to purchase nut and washer.

ATTACHMENT HARDWARE

MODEL	NUT	WASHER
59000 SERIES	1227-D-940	1229-G-1281
59732	1227-D-940	1229-G-1281
59733	1227-D-940	1229-G-1281
61142	40-X-1233	1229-W-4521
61143	40-X-1233	1229-W-4521
B100	1227-G-943	1229-S-1397
B140	1227-G-943	1229-N-1548
C100	1227-C-939	1229-E-1331
C102	1227-C-939	1229-E-1331
C103	1227-C-939	1229-E-1331
D100	1227-C-939	1229-E-1331
D140	1227-C-939	1229-E-1331
F106	1227-C-939	1229-E-1331
F140	1227-C-939	1229-E-1331
F142	1227-C-939	1229-E-1331
F145	1227-C-939	1229-E-1331
F149	1227-C-939	1229-E-1331
F245	1227-C-939	1229-E-1331
F345	1227-C-939	1229-E-1331
FDS75	1227-C-939	1229-E-1331
FDS90	1227-C-939	1229-E-1331
FDS750	1227-C-939	1229-E-1331
FDS751	1227-C-939	1229-E-1331
FDS1600	1227-C-939	1229-E-1331
FDS1800	1227-A-937	NONE
FDS1801	1227-A-937	NONE
FDS1802	1227-A-937	1229-E-1071
FDS1805	1227-J-946	1229-T-1736
FDS1807	1227-J-946	1229-T-1736
FDS1808	1227-J-946	1229-T-1736
FDS2100	1227-J-946	1229-T-1736
FDS2101	1227-J-946	1229-T-1736
FDS2102	1227-J-946	1229-T-1736
H140	1227-C-939	1229-E-1331
H145	1227-C-939	1229-E-1331
H150	1227-C-939	1229-E-1331
H160	1227-Z-936	1229-A-2653
H162	1227-Z-936	1229-A-2653
H170	1227-C-939	1229-E-1331
H172	1227-K-1051	1229-A-2653
H240	1227-C-939	1229-E-1331
H250	1227-C-939	1229-E-1331
H300	1227-C-939	1829-D-238
H340	1227-C-939	1229-E-1331
H350	1227-C-939	1229-E-1331
H370	1227-C-939	1229-E-1331
L140	1227-J-946	1229-A-2653
L145	1227-J-946	1229-A-2653
L148	1227-J-946	1229-A-2653
L155	1227-J-946	1229-A-2653

MODEL	NUT	WASHER
L160	1227-J-946	1229-A-2653
L172	1227-K-1051	1229-A-2653
L200	1227-Z-936	1229-A-2653
L240	1227-Z-936	1229-A-2653
L245	1227-Z-936	1229-A-2653
L246	1227-Z-936	1229-A-2653
L300	1227-Z-936	1229-A-2653
L340	1227-Z-936	1229-A-2653
L345	1227-Z-936	1229-A-2653
L346	1227-Z-936	1229-A-2653
L350	1227-Z-936	1229-A-2653
L360	1227-Z-936	1229-A-2653
L361	1227-Z-936	1229-A-2653
L370	1227-Z-936	1229-A-2653
L371	1227-Z-936	1229-A-2653
L600	1227-K-1051	1229-A-2653
M172	1227-K-1051	1229-A-2653
PR50	1227-C-939	1229-E-1331
PR65	1227-C-939	1229-E-1331
PR75	1227-C-939	1229-E-1331
PR80	1227-C-939	1229-E-1331
PR100	1227-C-939	1229-E-1331
PR101	1227-C-939	1229-E-1331
PR102	1227-C-939	1229-E-1331
PR103	1227-C-939	1229-E-1331
PR104	1227-C-939	1229-E-1331
PR105	1227-C-939	1229-E-1331
PR106	1227-C-939	1229-E-1331
PR107	1227-C-939	1229-E-1331
PR118	1227-C-939	1229-E-1331
PR150	1227-C-939	1229-E-1331
PR151	1227-C-939	1229-E-1331
PR200	1227-Z-936	1229-A-2653
PR201	1227-Z-936	1229-A-2653
PR203	1227-Z-936	1229-A-2653
PR204	1227-Z-936	1229-A-2653
PR205	1227-Z-936	1229-A-2653
PR207	1227-Z-936	1229-A-2653
PR250	1227-A-937	1229-E-1071
PR251	1227-A-937	1229-E-1071
PR300	1227-D-940	1229-S-1605
PR352	1227-D-940	1229-S-1605
PR400	1227-A-937	1229-E-1071
PR401	1227-C-939	1229-E-1071
PR500	1227-D-940	1229-N-1730
PR502	1227-D-940	1229-N-1730
PR700	1227-D-940	1229-N-1730
PRC265	1227-C-939	1229-E-1331
PRC672	1227-C-939	1229-E-1331
PRC673	1227-K-1051	1229-A-2653

ATTACHMENT HARDWARE

MODEL	NUT	WASHER
PRC674	40-X-1236	1229-A-2653
PRC676	1227-R-902	1229-T-1736
PRC677	1227-A-937	1229-E-1071
PRC863	1227-C-939	1229-E-1331
PRC864	1227-K-1051	1229-A-2653
PRC867	1227-A-937	1229-E-1071
PRC1103	1227-C-939	1229-E-1071
PRC1104	1227-K-1051	1229-A-2653
PRC1105	1227-R-902	1229-T-1736
PRC1314	1227-R-902	1229-T-1736
PRC1315	1227-R-902	1229-T-1736
PRC1925	1227-A-937	1229-E-1071
PRC3795	1227-A-937	1229-E-1071
PRC3796	1227-D-940	1229-N-1730
PRC3805	1227-A-937	1229-E-1071
PRC4264	1227-D-940	1229-N-1730
PRC4805	1227-A-937	1229-E-1071
PRC4807	1227-D-940	1229-N-1730
PRC4824	1227-D-940	1229-N-1730
PRC5225	40-X-1233	1229-W-4521
PRC5324	1227-D-940	1229-N-1730
PRLC415	40-X-1236	1229-A-2653
PRLC614	1227-K-1051	1229-A-2653
PRLC615	1227-K-1051	1229-A-2653
PRLC755	40-X-1236	1229-A-2653
PRLC756	40-X-1236	1229-A-2653
PRLC1756	1227-R-902	1229-T-1736
PRLC1757	1227-A-937	1229-E-1071
PRM256	1227-A-937	1229-E-1071
PRM400	1227-A-937	1229-E-1071
PRM672	1227-K-1051	1229-A-2653
PRM673	1227-K-1051	1229-A-2653
PRM676	1227-R-902	1229-T-1736
PRM677	1227-A-937	1229-E-1071
PRS264	1227-C-939	1229-E-1331
PRS265	1227-C-939	1229-E-1331
PS100	1227-C-939	1229-E-1331
PS101	1227-C-939	1229-E-1331
PS102	1227-C-939	1229-E-1331
PS103	1227-C-939	1229-E-1331
PS150	1227-C-939	1229-E-1331
PS151	1227-C-939	1229-E-1331
PS152	1227-C-939	1229-E-1331
PS300	1227-A-937	1229-E-1071
PS310	1227-A-937	1229-E-1071
PSC204	1227-C-939	1229-N-1548
PSC205	1227-C-939	1229-E-1331
PSC353	1227-C-939	1229-N-1548
PSC354	1227-C-939	1229-E-1331
PSC593	1227-C-939	1229-E-1331

MODEL	NUT	WASHER
PSC594	1227-C-939	1229-E-1331
PSC723	1227-C-939	1229-E-1331
PSC724	1227-C-939	1229-E-1331
PSC824	1227-C-939	1229-E-1331
PSC825	1227-K-1051	1229-A-2653
PSC826	1227-R-902	1229-T-1736
PSC1044	1227-R-902	1229-T-1736
PSC1045	1227-A-937	1229-E-1071
PSC1485	1227-E-937	1229-E-1071
PSC1614	1227-R-902	1229-T-1736
PSC1615	1227-A-937	1229-E-1071
PSC1617	1227-R-902	1229-T-1736
PSC1794	1227-R-902	1229-T-1736
PSC1875	1227-A-937	1229-T-1736
PSM201	1227-Z-936	1229-A-2653
PSM210	1227-Z-936	1229-A-2653
PSM250	1227-Z-936	1229-A-2653
PSM260	1227-Z-936	1229-A-2653
PSM270	1227-Z-936	1229-A-2653
PSM596	1227-C-939	1229-E-1331
PSM824	1227-K-1051	1229-A-2653
PSM825	1227-K-1051	1229-A-2653
PSM826	1227-R-902	1229-T-1736
PSM827	1227-A-937	1229-E-1071
PSM1044	1227-R-902	1229-T-1736
PSM1614	1227-R-902	1229-T-1736
PSM1615	1227-A-937	1229-E-1071
PSM1616	1227-Q-901	1229-A-2653
Q100	1227-R-902	1229-T-1736
Q130	1227-Z-936	1229-A-2653
Q145	1227-Z-936	1229-A-2653
Q148	1227-Z-936	1229-A-2653
Q200	1227-Z-936	1229-A-2653
Q245	1227-Z-936	1229-A-2653
Q246	1227-Z-936	1229-A-2653
Q300	1227-Z-936	1229-A-2653
Q345	1227-Z-936	1229-A-2653
Q365	1227-Z-936	1229-A-2653
Q366	1227-Z-936	1229-A-2653
Q370	1227-Z-936	1229-A-2653
Q380	1227-Z-936	1229-A-2653
QR100	1227-R-902	1229-T-1736
QT140	1227-Z-936	1229-A-2653
R100	1229-A-937	1229-E-1071
R125	1227-R-902	1229-T-1736
R128	1227-R-902	1229-T-1736
R140	1227-A-937	1229-E-1071
R143	1227-A-937	1229-E-1071
R155	1227-A-937	1229-E-1071
R158	1227-A-937	1229-E-1071

ATTACHMENT HARDWARE

MODEL	NUT	WASHER
R160	1227-A-937	1229-E-1071
R164	1227-A-937	1229-E-1071
R170	1227-D-940	1229-N-1730
R200	1227-A-937	NONE
R220	1227-A-937	NONE
R230	1227-A-937	NONE
R240	1227-A-937	NONE
R255	1227-A-937	NONE
R270	1227-J-946	1229-T-1736
R300	1227-A-937	NONE
R330	1227-A-937	NONE
R340	1227-A-937	NONE
R355	1227-A-937	NONE
R360	1227-A-937	NONE
RC-XX-160	40-X-1236	1229-A-2653
RF-XX-145	40-X-1237	1229-T-1736
RF-XX-155	1227-J-946	1229-T-1736
RF-XX-156	1227-J-946	1229-T-1736
RF-XX-160	40-X-1236	1229-A-2653
RF-XX-180	40-X-1236	1229-A-2653
RL170	1227-D-940	1229-N-1730
RS- XX-120	40-X-1236	1229-A-2653
RS-XX-125	40-X-1236	1229-A-2653
RS-XX-140	40-X-1236	1229-A-2653
RS-XX-145	40-X-1237	1229-T-1736
RS-XX-160	40-X-1236	1229-A-2653
RS-XX-180	40-X-1236	1229-A-2653
RS-XX-181	40-X-1236	1229-A-2653
RS-XX-210	40-X-1236	1229-A-2653
RS-XX-220	40-X-1236	1229-A-2653
RS-XX-230	40-X-1236	1229-A-2653
RS-XX-240	40-X-1237	1229-T-1736
RS-XX-380	1227-J-946	1229-T-1736
RT-XX-140 (FUI)	40-X-1237	1229-T-1736
RT-XX-140 (FUO)	40-X-1237	1229-T-1736
RT-XX-140 (RUI)	40-X-1236	1229-T-1736
RT-XX-145 (FUI)	40-X-1237	1229-T-1736
RT-XX-145 (FUO)	40-X-1237	1229-T-1736
RT-XX-145 (RUI)	40-X-1237	1229-T-1736
RT-XX-160 (FUI)	40-X-1236	1229-A-2653
RT-XX-160 (FUO)	40-X-1237	1229-T-1736
RT-XX-160 (RUI)	40-X-1236	1229-A-2653
RT-XX-180 (FUI)	1227-D-940	1229-N-1730
RT-XX-180 (FUO)	1227-J-946	1229-T-1736
RT-XX-180 (RUI)	40-X-1236	1229-A-2653
RT-XX-380 (FUI)	1227-D-940	1229-N-1730
RT-XX-380 (FUO)	1227-J-946	1229-T-1736
RT-XX-380 (RUI)	1227-J-946	1229-T-1736
RT140	1227-A-937	1229-E-1071
RT240	1227-A-937	NONE


MODEL	NUT	WASHER
RT340	1227-A-937	NONE
S162	1227-A-937	NONE
S163	1227-A-937	NONE
S170	1227-D-940	1229-N-1730
SDHD (FUI)	1227-C-939	1229-N-1331
SDHD (FUO)	1227-C-939	1229-N-1331
SDHD (RUI)	1227-C-939	1229-N-1331
SFDD4640 (FUI)	1227-D-940	1229-N-1730
SFDD4640 (FUO)	1227-J-946	1229-T-1736
SFDD4640 (RUI)	1227-J-946	1229-T-1736
SHD (FUI)	1227-D-940	1229-N-1730
SHD (FUO)	1227-J-946	1229-T-1736
SHD (RUI)	1227-J-946	1229-T-1736
SHDD (FUI)	1227-D-940	1229-N-1730
SHDD (FUO)	1227-J-946	1229-T-1736
SHDD (RUI)	1227-J-946	1229-T-1736
SL100 (FUI)	1227-R-902	1229-T-1736
SL100 (FUO)	1227-Q-901	1229-A-2653
SL100 (RUI)	1227-R-902	1229-T-1736
SLD (FUI)	1227-Z-936	1229-A-2653
SLD (FUO)	1227-Z-936	1229-A-2653
SLD (RUI)	1227-Z-936	1229-A-2653
SLDD (FUI)	1227-A-937	1229-A-2653
SLDD (FUO)	1227-Z-936	1229-A-2653
SLDD (RUI)	1227-Z-936	1229-A-2653
SLHD (FUI)	1227-J-946	1229-T-1736
SLHD (FUO)	1227-Z-936	1229-A-2653
SLHD (RUI)	1227-Z-936	1229-A-2653
SPRC1353 (FUI)	1227-Z-936	1229-A-2653
SPRC1353 (FUO)	1227-Z-936	1229-A-2653
SPRC1353 (RUI)	1227-Z-936	1229-A-2653
SPRC1356	1227-R-902	1229-T-1736
SPRC1357 (FUI)	1227-R-902	1229-T-1736
SPRC1357 (FUO)	1227-Q-901	1229-A-2653
SPRC1357 (RUI)	1227-R-902	1229-T-1736
SPRC1734 (FUI)	1227-J-946	1229-T-1736
SPRC1734 (FUO)	1227-Z-936	1229-A-2653
SPRC1734 (RUI)	1227-Z-936	1229-A-2653
SPRC1735	1227-Q-901	1229-A-2653
SPRC1736	1227-R-902	1229-T-1736
SPRC1736 (FUI)	1227-R-902	1229-T-1736
SPRC1736 (FUO)	1227-Q-901	1229-A-2653
SPRC1736 (RUI)	1227-R-902	1229-T-1736
SPRC1925	1227-D-940	1229-N-1730
SPRC1926 (FUI)	1227-D-940	1229-N-1730
SPRC1926 (FUO)	1227-J-946	1229-T-1736
SPRC1926 (RUI)	1227-J-946	1229-T-1736
SPRC1927	1227-J-946	1229-T-1736
SQ100 (FUI)	1227-R-902	1229-T-1736
SQ100 (FUO)	1227-Q-901	1229-A-2653


ATTACHMENT HARDWARE


MODEL	NUT	WASHER
SQ100 (RUI)	1227-R-902	1229-T-1736
SQD (FUI)	1227-A-937	NONE
SQD (FUO)	1227-A-937	NONE
SQDD (FUO)	1227-A-937	NONE
SQDD (RUI)	1227-A-937	NONE
SQHD (FUI)	1227-J-946	1229-T-1736
SQHD (FUO)	1227-Z-936	1229-A-2653
SQHD (RUI)	1227-Z-936	1229-A-2653
SQHP (FUI)	1227-R-902	1229-T-1736
SQHP (FUO)	1227-Q-901	1229-A-2653
SQHP-(RUI)	1227-R-902	1229-F-2918
SR170 (FUI)	1227-D-940	1229-N-1730
SR170 (FUO)	1227-J-946	1229-T-1736
SR170 (RUI)	1227-D-940	1229-N-1730
SR270 (FUI)	1227-D-940	1229-N-1730
SR270 (FUO)	1227-J-946	1229-T-1736
SR270 (RUI)	1227-J-946	1229-T-1736
SR280 (FUI)	1227-D-940	1229-N-1730
SR280 (FUO)	1227-J-946	1229-T-1736
SR280 (RUI)	1227-J-946	1229-T-1736
SRDD (FUI)	1227-D-940	1229-N-1730
SRDD (FUO)	1227-J-946	1229-T-1736
SRDD (RUI)	1227-J-946	1229-T-1736
SRHD (FUI)	1227-D-940	NONE
SRHD (FUO)	1227-A-937	NONE
SRHD (RUI)	1227-Z-936	1229-A-2653
SSHD (FUI)	1227-D-940	1229-N-1730
SSHD (FUO)	1227-J-946	1229-T-1736
SSHD (RUI)	1227-J-946	1229-T-1736
ST170 (FUI)	1227-D-940	1229-N-1730
ST170 (FUO)	1227-J-946	1229-T-1736
ST170 (RUI)	1227-D-940	1229-N-1730
ST270 (FUI)	1227-D-940	1229-N-1730
ST270 (FUO)	1227-J-946	1229-T-1736
ST270 (RUI)	1227-J-946	1229-T-1736
ST280 (FUI)	1227-D-940	1229-N-1730
ST280 (FUO)	1227-J-946	1229-T-1736
ST280 (RUI)	1227-J-946	1229-T-1736
STDD (FUI)	1227-D-940	1229-N-1730
STDD (FUO)	1227-J-946	1229-T-1736
STDD (RUI)	1227-J-946	1229-T-1736
STHD (FUI)	1227-D-940	1229-N-1730
STHD (FUO)	1227-J-946	1229-T-1736
STHD (RUI)	1227-J-946	1229-T-1736
SU170 (FUI)	1227-D-940	1229-N-1730
SU170 (FUO)	1227-J-946	1229-T-1736
SU170 (RUI)	1227-D-940	1229-N-1730
SU270 (FUI)	1227-D-940	1229-N-1730
SU270 (FUO)	1227-J-946	1229-T-1736
SU270 (RUI)	1227-J-946	1229-T-1736


MODEL	NUT	WASHER
SU280 (FUI)	1227-D-940	1229-N-1730
SU280 (FUO)	1227-J-946	1229-T-1736
SU280 (RUI)	1227-J-946	1229-T-1736
SUDD (FUI)	1227-D-940	1229-N-1730
SUDD (FUO)	1227-J-946	1229-T-1736
SUDD (RUI)	1227-J-946	1229-T-1736
SUHD (FUI)	1227-D-940	1229-N-1730
SUHD (FUO)	1227-J-946	1229-T-1736
SUHD (RUI)	1227-J-946	1229-T-1736
SW170 (FUI)	1227-D-940	1229-N-1730
SW170 (FUO)	1227-J-946	1229-T-1736
SW170 (RUI)	1227-D-940	1229-N-1730
SW270 (FUI)	1227-D-940	1229-N-1730
SW270 (FUO)	1227-J-946	1229-T-1736
SW270 (RUI)	1227-J-946	1229-T-1736
SW280 (FUI)	1227-D-940	1229-N-1730
SW280 (FUO)	1227-J-946	1229-T-1736
SW280 (RUI)	1227-J-946	1229-T-1736
T-2120	1227-D-940	1229-N-1730
T182 W/PTO	1227-C-939	NONE
T182A	1227-Z-936	NONE
T182B	1227-Z-936	NONE
T2111	1227-K-1051	1229-A-2653
T2120RS	1227-K-1051	1229-A-2653
T215	1227-Z-936	1229-K-2143
T218	40-X-1236	1229-A-2653
T218PD	40-X-1236	1229-A-2653
T219	1227-K-1051	1229-A-2653
T223	1227-C-939	1829-V-100
T223H	1227-C-939	1829-V-100
T226	1227-Z-936	NONE
T228	14-X-58	NONE
T270	1227-C-939	NONE
T77-3	1227-B-496	NONE
U140	1227-A-937	1229-E-1071
U170	1227-D-940	1229-N-1730
U200	1227-A-937	NONE
U240	1227-A-937	NONE
U270	1227-J-946	1229-T-1736
U300	1227-A-937	NONE
U340	1227-A-937	NONE
W170	1227-D-940	1229-N-1730
W270	1227-J-946	1229-T-1736

LEGEND FOR DIMENSION COLUMNS









NOTE:
COMPANION FLANGES –ALL DIMENSIONS MEASURED THE SAME AS END YOKES EXCEPT AS SHOWN

16

DANA AXLES

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Comments	Part Number
F155-S	1.78"-34	2.19"	2.38"	4.21"	Easy Service		**148DYS28-18A**
F170-S				3.99"	Easy Service		**155DYS28-21A**
J210-S				3.99"	Easy Service		**155N-4-5671X**
				4.12"	Full Round		**16N-4-7291X**
				4.13"	Easy Service		**16TYS28-44A**
G340-S (FUI)	1.94"-30	2.25"	3.00"	4.75"	Full Round		**16N-4-4391**
G380-S (FUI)				4.56"	Full Round		**17N-4-4371**
				4.56"	Easy Service		**17TYS31-19 (C)**
				4.56"	Easy Service		**17TYS31-55**
				5.38"	Full Round		**18N-4-2051**
G340-S (FUO)	1.97"-10	2.00"	2.50"	4.69"	Easy Service		**148NYS31-3**
G380-S (FUO)				5.22"	Full Round		**16N-4-4551**
				5.31"	Full Round		**16NYS28-28A**
				5.00"	Full Round		**17N-4-3721**
				4.44"	Full Round		**17NYS28-5**
G400-S (FUO)	2.00"-30	2.69"	3.00"	6.00"	Full Round		**16N-4-5721**
M460-S (FUO)				6.11"	Full Round		**17N-4-5781**
G400-S (FUO)	2.00"-30	2.69"	3.00"	6.00"	Full Round	Hardened Hub	**16NYS32-55**
J340-S (FUO)				6.00"	Easy Service		**16TYS32-55**
J380-S (FUO)				6.10"	Full Round		**17NYS32-65**
J400-S (FUO)				6.10"	Easy Service		**17TYS32-65**
M460-S (FUO)							
W460-S (FUO)							
G175-S	2.00"-38	2.13"	3.00"	4.28"	Easy Service		**148NYS32-7A**
G175-T				4.28"	Easy Service		**148TYS32-3**
G190-S				4.28"	Easy Service		**148TYS32-3A**
G190-T				4.84"	Easy Service		**16N-4-6131-1**
G400-S (RUI)				4.84"	Full Round		**17N-4-6201**
M190-S				4.84"	Easy Service		**17TYS32-59 (C)**
M190-T				4.84"	Easy Service		**17TYS32-76**
M210-S							
M210-T							
M220-S							
M220-T							
M460-S (FUI)							
S185							
G340-S (RUI)	2.13"-32	2.25"	3.00"	6.00"	Full Round		**16N-4-5731**
G380-S (RUI)				5.00"	Full Round		**17N-4-5821**
				6.25"	Full Round		**17NYS34-9A**

(C) Cast Version
(FUO) Forward Unit Output
(FUI) Forward Unit Input
(RUI) Rear Unit Input

DANA AXLES

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Comments	Part Number
J175-S	2.13"-32	2.25"	3.00"	4.28"	Easy Service		**148NYS34**
J190-S				4.94"	Easy Service		**148NYS34-1**
J220-S				4.28"	Easy Service		**148TYS34-2**
				5.38"	Full Round		**16N-4-5751**
				4.56"	Full Round		**17NYS34-10**
G340-S (RUI)	2.13"-32	2.25"	3.00"	6.00"	Full Round	Hardened Hub	**16NYS34-10A**
G380-S (RUI)				6.00"	Easy Service		**16TYS34-10A**
J340-S (RUI)				6.25"	Full Round		**17NYS34-16A**
J380-S (RUI)				6.25"	Easy Service		**17TYS34-16A**
J400-S (RUI)							
J175-S	2.13"-32	2.25"	3.00"	4.28"	Easy Service	Hardened Hub	**148TYS34-1**
J190-S				4.31"	Easy Service		**155TYS34-1**
J220-S				5.38"	Full Round		**16NYS34-11A**
				5.38"	Easy Service		**16TYS34-11A**
				4.56"	Full Round		**17NYS34-15A**
				4.56"	Easy Service		**17TYS34-15A (C)**
				4.56"	Easy Service		**17TYS34-22A**
G340-S (FUI)	2.38"-36	2.69"	3.00"	6.50"	Full Round		**17N-4-5801**
G380-S (FUI)							
M460-S (RUI)	2.38"-36	2.69"	3.00"	6.00"	Full Round		**16N-4-5741**
W230-S	2.38"-36	2.69"	3.00"	5.07"	Easy Service		**155NYS38**
				5.16"	Full Round		**16N-4-5631**
				5.44"	Full Round		**17N-4-5711**
				5.44"	Easy Service		**17N-4-5711-1**
				5.44"	Full Round		**18N-4-3161**
G175-S	2.38"-36	2.69"	3.00"	5.07"	Easy Service	Hardened Hub	**155TYS38-2**
G175-T				5.16"	Full Round		**16NYS38-15A**
G190-S				5.16"	Easy Service		**16TYS38-15A**
G190-T				5.56"	Full Round		**176N-4-851X**
G400-S (FUI)				5.44"	Easy Service		**176TYS38-16A**
J340-S (FUI)				5.44"	Full Round		**17NYS38-41A**
J380-S (FUI)				5.44"	Easy Service		**17TYS38-41A (C)**
J400-S (FUI)				5.44"	Easy Service		**17TYS38-58A**
M190-S				5.44"	Full Round		**18N-4-3641X**
M190-T				5.44"	Easy Service		**18TYS38-20A**
M210-S							
M210-T							
M220-S							
M220-T							
M460-S (FUI)							
S185							
W460-S (FUI)							

(C) Cast Version
(FUO) Forward Unit Output
(FUI) Forward Unit Input
(RUI) Rear Unit Input

DANA AXLES

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Comments	Part Number
G400-S (RUI)	2.38"-36	2.69"	3.00"	6.00"	Full Round	Hardened Hub	**16NYS38-13A**
M460-S (RUI)				6.00"	Easy Service		**16TYS38-13A**
W460-S (RUI)				6.50"	Full Round		**17NYS48-43A**
				6.50"	Easy Service		**17TYS38-43**
				6.50"	Easy Service		**17TYS38-43A**
W230-S	2.38"-36	2.69"	3.00"	5.07"	Easy Service	Hardened Hub	**155TYS38-3**
				5.16"	Full Round		**16NYS38-14A**
				5.16"	Easy Service		**16TYS38-14A**
				5.56"	Full Round		**176NYS38-15A**
				5.56"	Easy Service		**176TYS38-15A**
				5.44"	Full Round		**17NYS38-42A**
				5.44"	Easy Service		**17TYS38-42A (C)**
				5.44"	Easy Service		**17TYS38-59A**
				5.44"	Full Round		**18NYS38-19A**
				5.44"	Easy Service		**18TYS38-19A**

(C) Cast Version
(FUO) Forward Unit Output
(FUI) Forward Unit Input
(RUI) Rear Unit Input

DANA AXLES

INDEX

	Page
F155-S	16-2
F170-S	16-2
G175-S	16-2
G175-S	16-4
G175-T	16-2
G175-T	16-4
G190-S	16-2
G190-S	16-4
G190-T	16-2
G190-T	16-4
G340-S (FUI)	16-2
G340-S (FUI)	16-3
G340-S (FUO)	16-2
G340-S (RUI)	16-2
G340-S (RUI)	16-3
G380-S (FUI)	16-2
G380-S (FUI)	16-3
G380-S (FUO)	16-2
G380-S (RUI)	16-2
G380-S (RUI)	16-3
G400-S (FUI)	16-4
G400-S (FUO)	16-2
G400-S (RUI)	16-2
G400-S (RUI)	16-4
J175-S	16-3
J190-S	16-3
J210-S	16-2
J220-S	16-3
J340-S (FUI)	16-4
J340-S (FUO)	16-2
J340-S (RUI)	16-3
J380-S (FUI)	16-4
J380-S (FUO)	16-2
J380-S (RUI)	16-3
J400-S (FUI)	16-4
J400-S (FUO)	16-2
J400-S (RUI)	16-3
M190-S	16-2
M190-S	16-4
M190-T	16-2
M190-T	16-4
M210-S	16-2
M210-S	16-4
M210-T	16-2
M210-T	16-4
M220-S	16-2
M220-S	16-4
M220-T	16-2
M220-T	16-4
M460-S (FUI)	16-2
M460-S (FUI)	16-4
M460-S (FUO)	16-2
M460-S (RUI)	16-3
M460-S (RUI)	16-4
S185	16-2
S185	16-4
W230-S	16-3
W230-S	16-4
W460-S (FUI)	16-4
W460-S (FUO)	16-2
W460-S (RUI)	16-4

EATON AXLES

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Part Number
15101 15201 15301	1.50"-10	2.19"	2.25"	3.88"	Easy Service	**141NYS24A**
				3.88"	Easy Service	**141TYS24-2A1**
				4.19"	Easy Service	**148N-4-3781**
				4.19"	Easy Service	**148N-4-6051X**
				4.19"	Easy Service	**148TYS24-2A1**
				4.00"	Easy Service	**155NYS24-3A**
17121 (4.33, 7.60 ratios only) 18121 (4.33, 7.60 ratios only) 340D (FUO) 34D (FUO) 380D (FUO) 38D (FUO) 400D (FUO) 42D (FUO) 50D (FUO)	1.75"-10	2.19"	2.38"	4.22"	Easy Service	**148N-4-3571**
16121 34D (RUI) (exc. 3.70, 4.11 ratios) 38D (RUI) (exc. 3.70, 4.11 ratios) 42D (RUI) (exc. 3.70, 4.11 ratios)	1.75"-10	2.25"	2.62"	4.00"	Easy Service	**141N-4-5581-1X**
				4.19"	Easy Service	**141N-4-5581X**
				4.75"	Full Round	**16N-4-2081**
				4.75"	Full Round	**16N-4-5111X**
				6.12"	Full Round	**17N-4-4141**
				5.25"	Full Round	**17N-4-4301X**
17121 (4.33, 7.60 ratios only) 18121 (4.33, 7.60 ratios only) 340D (FUO) 34D (FUO) 380D (FUO) 38D (FUO) 400D (FUO) 42D (FUO) 50D (FUO)	1.75"-10	2.25"	2.62"	4.31"	Easy Service	**155N-4-1891**
				6.00"	Full Round	**16N-4-3901**
				5.34"	Full Round	**16N-4-4571**
				5.34"	Easy Service	**16N-4-4571-1**
				4.12"	Full Round	**16N-4-781**
				4.50"	Full Round	**17N-4-2081**
				5.25"	Full Round	**17N-4-3391**
				4.50"	Easy Service	**17TYS28-60**
				5.25"	Easy Service	**17TYS28-64**
				4.50"	Easy Service	**17TYS28-7 (C)**
15040 19050	1.75"-34	2.19"	2.62"	3.81"	Easy Service	**141TYS28-17**
				3.81"	Easy Service	**141TYS28-17A**
				4.27"	Easy Service	**148TYS28-19A**
				4.27"	Easy Service	**155TYS28-15A**
				4.75"	Full Round	**16N-4-7301X**
				4.75"	Easy Service	**16TYS28-43A**
				5.26"	Full Round	**17NYS28-55A**
				5.26"	Easy Service	**17TYS28-58A**

(C) Cast Version
(FUO) Forward Unit Output
(FUI) Forward Unit Input
(RUI) Rear Unit Input

EATON AXLES

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Part Number
D341 (FUO)	1.75"-34	2.44"	2.62"	4.41"	Easy Service	**148NYS28-30A**
D381 (FUO)				4.88"	Easy Service	**148TYS28-23A**
D401 (FUO)				4.41"	Easy Service	**148TYS28-25**
D501 (FUO)				4.75"	Easy Service	**155TYS28-23**
DP341 (FUO)				6.19"	Full Round	**16NYS28-59A**
DP381 (FUO)				4.94"	Full Round	**16NYS28-60A**
DP401 (FUO)				4.94"	Easy Service	**16TYS28-39**
DP501 (FUO)				6.31"	Full Round	**17NYS28-65A**
DS341 (FUO)				5.44"	Full Round	**17NYS28-66A**
DS381 (FUO)				5.44"	Easy Service	**17TYS28-51 (C)**
DS401 (FUO)				5.44"	Easy Service	**17TYS28-59A**
DS401P (FUO)						
DS402 (FUO)						
DS501 (FUO)						
DT341 (FUO)						
DT381 (FUO)						
DT401 (FUO)						
DT402 (FUO)						
DT501 (FUO)						
DP451 (FUO)	1.79"-34	2.43"	2.62"	5.44"	RPL	**20WYS28-1A**
DT402 (FUO)				6.28"	RPL	**20WYS28-2A**
DT451 (FUO)						
17121 (exc. 4.33, 7.60 ratios)	1.97"-10	2.25"	2.62"	4.28"	Easy Service	**155N-4-2431**
18121 (exc. 4.33, 7.60 ratios)				6.00"	Full Round	**16N-4-3911**
340D (RUI)				5.31"	Full Round	**16N-4-4471**
34D (RUI) (3.70, 4.11 ratios only)				5.31"	Easy Service	**16N-4-4471-1**
380D (RUI)				6.12"	Full Round	**17N-4-4151**
38D (RUI) (3.70, 4.11 ratios only)				4.50"	Easy Service	**17N-4-4721-1**
400D (RUI)				5.25"	Full Round	**17N-5141**
42D (RUI) (3.70, 4.11 ratios only)				5.25"	Easy Service	**17TYS31-49A (C)**
50D (RUI)				5.25"	Easy Service	**17TYS31-58A**
19100	1.97"-10	2.25"	2.62"	4.04"	Easy Service	**148N-4-5821X**
19200				3.50"	Wing Bearing	**72NYS31-2A**
19300						
20100						
20200						
20300						
22000						

(C) Cast Version
(FUO) Forward Unit Output
(FUI) Forward Unit Input
(RUI) Rear Unit Input

EATON AXLES

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Part Number
34D (FUI)	1.97"-10	2.25"	2.62"	4.50"	Full Round	**17N-4-2211**
38D (FUI)				4.50"	Full Round	**17N-4-4731X**
42D (FUI)				5.25"	Full Round	**17NYS31-13A**
				4.50"	Easy Service	**17TYS31-36A (C)**
				4.50"	Easy Service	**17TYS31-57A**
				5.63"	Full Round	**18N-4-2351X**
				5.63"	Easy Service	**18TYS31-1A**
				3.94"	Wing Bearing	**92NYS31-2**
21065	2.00"-39	2.25"	2.62"	4.42"	Easy Service	**148NYS32-10A**
D341 (RUI)				4.31"	Easy Service	**148NYS32-9A**
D381 (RUI)				4.31"	Easy Service	**148TYS32-14A**
D401 (RUI)				4.70"	Easy Service	**148TYS32-15A**
D501 (RUI)				4.31"	Easy Service	**148TYS32-7A**
DP341 (RUI)				4.27"	Easy Service	**155TYS32-27A**
DP381 (RUI)				4.56"	Easy Service	**155TYS32-31A**
DP401 (RUI)				6.00"	Full Round	**16NYS32-68A1**
DP501 (RUI)				5.31"	Full Round	**16NYS32-73A**
DS341 (RUI)				4.72"	Full Round	**16NYS32-74A**
DS381 (RUI)				4.72"	Easy Service	**16TYS32-75A**
DS401 (RUI)				5.25"	Full Round	**17NYS32-85A**
DS401P (RUI)				6.12"	Full Round	**17NYS32-86A**
DS402 (RUI)				5.25"	Easy Service	**17TYS32-89A**
DS501 (RUI)				5.75"	RPL	**20WYS32-10A**
DT341 (RUI)						
DT381 (RUI)						
DT401 (RUI)						
DT402 (RUI)						
DT501 (RUI)						
D402 (RUI)						
D451 (RUI)						
DP402 (RUI)						
DP451 (RUI)						
DS451 (RUI)						
DT451 (RUI)						
D404 (FUI)	2.00"-39	2.25"	3.00"	5.31"	Full Round	**16NYS32-79A**
D404 (RUI)				6.00"	Full Round	**16NYS32-80A**
				6.12"	Easy Service	**16TYS32-79A**
				4.72"	Easy Service	**16TYS32-81A**
				6.12"	Full Round	**17NYS32-93A**
				5.25"	Easy Service	**17TYS32-92A**

(C) Cast Version
(FUO) Forward Unit Output
(FUI) Forward Unit Input
(RUI) Rear Unit Input

EATON AXLES

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Part Number
D341 (RUI)	2.00"-39	2.50"	2.62"	4.90"	RPL	**20WYS32-9A**
D381 (RUI)						
D401 (RUI)						
D402 (RUI)						
D451 (RUI)						
D501 (RUI)						
DP341 (RUI)						
DP381 (RUI)						
DP401 (RUI)						
DP402 (RUI)						
DP451 (RUI)						
DP501 (RUI)						
DS341 (RUI)						
DS381 (RUI)						
DS401 (RUI)						
DS402 (RUI)						
DS451 (RUI)						
DS501 (RUI)						
DT341 (RUI)						
DT381 (RUI)						
DT401 (RUI)						
DT402 (RUI)						
DT451 (RUI)						
DT501 (RUI)						
D404 (FUI)	2.00"-39	2.50"	2.62"	5.25"	Full Round	**17NYS32-90A**
D404 (FUO)				6.00"	Full Round	**16NYS32-77A**
D404 (RUI)				4.94"	Full Round	**16NYS32-78A**
				4.94"	Easy Service	**16TYS32-78A**
				6.12"	Full Round	**17NYS32-91A**
				5.44"	Easy Service	**17TYS32-94A**
				5.38"	RPL	**20WYS32-7A**
				5.94"	RPL	**20WYS32-8A**

(C) Cast Version
(FUO) Forward Unit Output
(FUI) Forward Unit Input
(RUI) Rear Unit Input

EATON AXLES

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Part Number
23070	2.13"-41	2.50"	2.94"	4.50"	Easy Service	**155N-4-5581**
26085				5.25"	Full Round	**16N-4-7311X**
D461 (RUI)				6.00"	Full Round	**16NYS34-14A**
DC461 (RUI)				6.00"	Full Round	**16NYS34-14A1**
DC521 (RUI)				5.25"	Full Round	**16NYS34-9A1**
DC601 (RUI)				5.25"	Easy Service	**16TYS34-9A**
DC621 (RUI)				5.25"	Easy Service	**16TYS34-9A1**
DC651 (RUI)				5.25"	Full Round	**176N-4-1071X**
DP461 (RUI)				5.25"	Full Round	**176NYS34-3A1**
DP521 (RUI)				5.25"	Easy Service	**176TYS34-3A**
DP601 (RUI)				5.25"	Easy Service	**176TYS38-3A1**
DP651 (RUI)				5.19"	Full Round	**17N-4-7321X**
DS461 (RUI)				5.19"	Full Round	**17NYS34-14A1**
DS521 (RUI)				6.12"	Full Round	**17NYS34-19A**
DS601 (RUI)				6.12"	Full Round	**17NYS34-19A1**
DS651 (RUI)				5.19"	Easy Service	**17TYS34-14A (C)**
DT461 (RUI)				5.19"	Easy Service	**17TYS34-14A1**
DT521 (RUI)				5.19"	Easy Service	**17TYS34-21A**
DT601 (RUI)				5.25"	Full Round	**18N-4-3691X**
DT651 (RUI)				5.25"	Full Round	**18NYS34-2A1**
				5.25"	Easy Service	**18TYS34-2A1**
				4.25"	Wing Bearing	**72NYS34-42A**
				4.25"	Wing Bearing	**72NYS34-42A1**
				5.12"	RPL	**20WYS34-1A**
				5.94"	RPL	**20WYS34-2A**
D461 (FUO)	2.13"-41	3.00"	2.94"	6.50"	Full Round	**16N-4-7551**
DC461 (FUO)				5.50"	Full Round	**16NYS34-12**
DC521 (FUO)				5.50"	Full Round	**16NYS34-13A1**
DC601 (FUO)				5.81"	Full Round	**176N-4-1171**
DC651 (FUO)				5.81"	Full Round	**176NYS38-4A1**
DP461 (FUO)				6.63"	Full Round	**17N-4-7541**
DP521 (FUO)				5.50"	Full Round	**17NYS34-17**
DP601 (FUO)				6.63"	Full Round	**17NYS34-18A1**
DP651 (FUO)				5.81"	Full Round	**18N-4-3931**
DS461 (FUO)				5.81"	Full Round	**18NYS34-3A1**
DS521 (FUO)				4.25"	Wing Bearing	**72NYS34-41**
DS601 (FUO)				4.25"	Wing Bearing	**72NYS34-41A**
DS651 (FUO)						
DT461 (FUO)						
DT521 (FUO)						
DT601 (FUO)						
DT651 (FUO)						

(C) Cast Version
(FUO) Forward Unit Output
(FUI) Forward Unit Input
(RUI) Rear Unit Input

EATON AXLES

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Part Number
DP461 (FUO)	2.13"-41	3.00"	2.94"	5.53"	RPL	**20WYS34-3A**
DP521 (FUO)				6.44"	RPL	**20WYS34-4A**
DP601 (FUO)						
DP651 (FUO)						
DS461 (FUO)						
DS521 (FUO)						
DS601 (FUO)						
DS651 (FUO)						
DT461 (FUO)						
DT521 (FUO)						
DT601 (FUO)						
DT651 (FUO)						
340D (FUI)	2.16"-16	2.50"	2.94"	5.25"	Full Round	**176N-4-231X**
380D (FUI)				5.19"	Full Round	**17N-4-4961**
400D (FUI)				5.19"	Easy Service	**17N-4-4961-1**
50D (FUI)				5.19"	Full Round	**17N-4-5061X**
				5.25"	Full Round	**18N-4-2441**
				4.25"	Wing Bearing	**92NYS34-6A**
19121	2.16"-16	2.88"	2.94"	4.56"	Wing Bearing	**58WBYS34-7**
19221						
19321						
19421						
19426						
20120						
23121						
23221						
23321						
23427						
26121						
26221						
26321						
26421						
35327						
44D (RUI)						
DP440 (RUI)						
DP480 (RUI)						
DP550 (RUI)						
DP580 (RUI)						
DP650 (RUI)						
DT440 (RUI)						
DT480 (RUI)						
DT550 (RUI)						
DT580 (RUI)						

(C) Cast Version
(FUO) Forward Unit Output
(FUI) Forward Unit Input
(RUI) Rear Unit Input

EATON AXLES

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Part Number
DT650 (RUI)	2.16"-16	2.88"	2.94"	4.56"	Wing Bearing	**58WBYS34-7**
19121	2.16"-16	3.00"	2.94"	5.06"	Easy Service	**155N-4-5431-1X**
19221				6.25"	Easy Service	**16N-4-5031-1X**
19321				6.25"	Full Round	**16N-4-5161X**
19421				6.72"	Full Round	**16N-4-5511X**
19426				5.81"	Easy Service	**176N-4-141-1**
20120				5.81"	Full Round	**176N-4-251X**
23121				5.50"	Full Round	**17N-4-4171X**
23221				6.63"	Full Round	**17N-4-5481X**
23321				6.31"	Full Round	**17NYS34-5A**
23427				5.50"	Easy Service	**17TYS34-23A**
26121				5.50"	Easy Service	**17TYS34-3A (C)**
26221				5.81"	Easy Service	**18N-4-2401-1X**
26321				5.81"	Full Round	**18N-4-2401X**
26421				4.25"	Wing Bearing	**72NYS34-24A**
35327						
44D (RUI)						
DP440 (RUI)						
DP480 (RUI)						
DP550 (RUI)						
DP580 (RUI)						
DP650 (RUI)						
DT440 (RUI)						
DT480 (RUI)						
DT550 (RUI)						
DT580 (RUI)						
DT650 (RUI)						
44D (FUO)	2.16"-16	3.00"	2.94"	5.06"	Easy Service	**155TYS34**
DP440 (FUO)				6.25"	Full Round	**16N-4-5031**
DP480 (FUO)				6.25"	Easy Service	**16N-4-5031-1**
DP550 (FUO)				6.72"	Full Round	**16N-4-5501**
DP580 (FUO)				5.81"	Full Round	**176N-4-141**
DP650 (FUO)				5.50"	Full Round	**17N-4-2181**
DT440 (FUO)				6.31"	Full Round	**17N-4-4161**
DT480 (FUO)				6.63"	Full Round	**17N-4-4591**
DT550 (FUO)				5.50"	Easy Service	**17TYS34-23**
DT580 (FUO)				5.81"	Full Round	**18N-4-2291**
DT650 (FUO)						

(C) Cast Version
(FUO) Forward Unit Output
(FUI) Forward Unit Input
(RUI) Rear Unit Input

EATON AXLES

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Part Number
23085	2.28"-44	2.34"	2.94"	4.34"	Easy Service	**155TYS36-1A1**
23105				4.84"	Full Round	**16NYS36-14A1**
				4.84"	Easy Service	**16TYS36-14A1**
				5.09"	Full Round	**176NYS36-10A1**
				5.09"	Easy Service	**176TYS36-10A1**
				5.03"	Full Round	**17NYS36-57A1**
				5.03"	Easy Service	**17TYS36-58A1**
				5.09"	Full Round	**18NYS36-16A1**
				5.09"	Easy Service	**18TYS36-16A1**
				4.03"	Wing Bearing	**92NYS36-73A1**
30105	2.28"-44	2.50"	2.94"	4.50"	Easy Service	**155TYS36A**
D341 (FUI)				5.00"	Full Round	**16NYS36-8A**
D381 (FUI)				5.00"	Easy Service	**16TYS36-15A**
D401 (FUI)				5.25"	Full Round	**176NYS36-11A**
D501 (FUI)				5.25"	Easy Service	**176TYS36-11A**
DP341 (FUI)				5.19"	Full Round	**17NYS36-60A**
DP381 (FUI)				5.19"	Easy Service	**17TYS36-61A**
DP401 (FUI)				5.25"	Full Round	**18NYS36-19A**
DP501 (FUI)				5.25"	Easy Service	**18TYS36-19A**
DS341 (FUI)				4.03"	Wing Bearing	**92NYS36-74**
DS381 (FUI)				4.03"	Wing Bearing	**92NYS36-74A**
DS401 (FUI)						
DS401P (FUI)						
DS402 (FUI)						
DS501 (FUI)						
DT341 (FUI)						
DT381 (FUI)						
DT401 (FUI)						
DT402 (FUI)						
DT501 (FUI)						
SUPER 23						
DP451 (FUI)	2.28"-44	2.50"	2.94"	4.75"	RPL	**20WYS36-3A**
DT402 (FUI)				4.75"	RPL	**25WYS36-3A**
DT451 (FUI)						
D404 (FUI)	2.28"-44	2.50"	3.00"	5.00"	Easy Service	**16TYS36-16A**
				5.25"	Full Round	**176NYS36-12A**
				5.25"	Easy Service	**176TYS36-12A**
				5.19"	Full Round	**17NYS36-62A**
				5.19"	Easy Service	**17TYS36-62A**
				5.25"	Full Round	**18NYS36-20A**
				5.25"	Easy Service	**18TYS36-20A**
				4.81"	RPL	**20WYS36-1A**
				4.81"	RPL	**25WYS36-1A**

(C) Cast Version
(FUO) Forward Unit Output
(FUI) Forward Unit Input
(RUI) Rear Unit Input

EATON AXLES

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Part Number
				4.03"	Wing Bearing	**92NYS36-75A**
D461 (FUI)	2.38"-46	3.19"	3.38"	6.00"	Full Round	**18NYS38-21A1**
DC461 (FUI)				4.75"	Wing Bearing	**82NYS38-33A**
DC521 (FUI)				4.75"	Wing Bearing	**82NYS38-33A1**
DC601 (FUI)				5.01"	Wing Bearing	**92NYS38-75A**
DC651 (FUI)						
DP461 (FUI)						
DP521 (FUI)						
DP601 (FUI)						
DP651 (FUI)						
DS461 (FUI)						
DS521 (FUI)						
DS601 (FUI)						
DS651 (FUI)						
DT461 (FUI)						
DT521 (FUI)						
DT601 (FUI)						
DT651 (FUI)						
D461 (FUI)	2.38"-46	3.20"	3.38"	6.20"	Full Round	**176N-4-1161X**
DC461 (FUI)				6.20"	Full Round	**176NYS38-20A1**
DC521 (FUI)				6.20"	Easy Service	**176TYS38-20A**
DC601 (FUI)				6.20"	Easy Service	**176TYS38-20A1**
DC651 (FUI)				6.00"	Full Round	**17NYS38-44A**
DP461 (FUI)				6.00"	Full Round	**17NYS38-44A1**
DP521 (FUI)				6.01"	Easy Service	**17TYS38-44A (C)**
DP601 (FUI)				6.01"	Easy Service	**17TYS38-44A1**
DP651 (FUI)				6.01"	Easy Service	**17TYS38-60A**
DS461 (FUI)				6.00"	Full Round	**18N-4-3921X**
DS521 (FUI)				6.01"	Easy Service	**18TYS38-21A**
DS601 (FUI)				6.01"	Easy Service	**18TYS38-21A1**
DS651 (FUI)				5.31"	RPL	**20WYS38-11A**
DT461 (FUI)				5.31"	RPL	**25WYS38-6A**
DT521 (FUI)						
DT601 (FUI)						
DT651 (FUI)						

(C) Cast Version
(FUO) Forward Unit Output
(FUI) Forward Unit Input
(RUI) Rear Unit Input

EATON AXLES

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Part Number
44D (FUI)	2.42"-18	3.00"	3.38"	6.00"	Easy Service	**176N-4-131-1X**
DP440 (FUI)				6.00"	Full Round	**176N-4-241X**
DP480 (FUI)				5.81"	Full Round	**17N-4-4751X**
DP550 (FUI)				5.25"	Full Round	**17NYS39-1A**
DP580 (FUI)				6.97"	Full Round	**17NYS39-2A**
DP650 (FUI)				6.97"	Easy Service	**17TYS39-2A**
DT440 (FUI)				5.81"	Easy Service	**17TYS39-3A (C)**
DT480 (FUI)				5.81"	Easy Service	**17TYS39-4A**
DT550 (FUI)				5.81"	Full Round	**18N-4-2361X**
DT580 (FUI)				5.81"	Easy Service	**18TYS39A**
DT650 (FUI)				4.25"	Wing Bearing	**92NYS39A**

(C) Cast Version
(FUO) Forward Unit Output
(FUI) Forward Unit Input
(RUI) Rear Unit Input

EATON AXLES

INDEX

	Page
15040	16-6
15101	16-6
15201	16-6
15301	16-6
16121	16-6
17121 (4.33, 7.60 ratios only)	16-6
17121 (exc. 4.33, 7.60 ratios)	16-7
18121 (4.33, 7.60 ratios only)	16-6
18121 (exc. 4.33, 7.60 ratios)	16-7
19050	16-6
19100	16-7
19121	16-11
19121	16-12
19200	16-7
19221	16-11
19221	16-12
19300	16-7
19321	16-11
19321	16-12
19421	16-11
19421	16-12
19426	16-11
19426	16-12
20100	16-7
20120	16-11
20120	16-12
20200	16-7
20300	16-7
21065	16-8
22000	16-7
23070	16-10
23085	16-13
23105	16-13
23121	16-11
23121	16-12
23221	16-11
23221	16-12
23321	16-11
23321	16-12
23427	16-11
23427	16-12
26085	16-10
26121	16-11
26121	16-12
26221	16-11
26221	16-12
26321	16-11
26321	16-12
26421	16-11
26421	16-12
30105	16-13
340D (FUI)	16-11
340D (FUO)	16-6
340D (RUI)	16-7
34D (FUI)	16-8
34D (FUO)	16-6
34D (RUI) (3.70, 4.11 ratios only)	16-7
34D (RUI) (exc. 3.70, 4.11 ratios)	16-6
35327	16-11
35327	16-12
380D (FUI)	16-11
380D (FUO)	16-6
380D (RUI)	16-7
38D (FUI)	16-8
38D (FUO)	16-6
38D (RUI) (3.70, 4.11 ratios only)	16-7
38D (RUI) (exc. 3.70, 4.11 ratios)	16-6
400D (FUI)	16-11
400D (FUO)	16-6
400D (RUI)	16-7
42D (FUI)	16-8
42D (FUO)	16-6
42D (RUI) (3.70, 4.11 ratios only)	16-7
42D (RUI) (exc. 3.70, 4.11 ratios)	16-6
44D (FUI)	16-15
44D (FUO)	16-12
44D (RUI)	16-11
44D (RUI)	16-12
50D (FUI)	16-11
50D (FUO)	16-6
50D (RUI)	16-7
D341 (FUI)	16-13
D341 (FUO)	16-7
D341 (RUI)	16-8
D341 (RUI)	16-9
D381 (FUI)	16-13
D381 (FUO)	16-7
D381 (RUI)	16-8
D381 (RUI)	16-9
D401 (FUI)	16-13
D401 (FUO)	16-7
D401 (RUI)	16-8
D401 (RUI)	16-9
D402 (RUI)	16-8
D402 (RUI)	16-9
D404 (FUI)	16-14
D404 (FUI)	16-8
D404 (FUI)	16-9
D404 (FUO)	16-9
D404 (RUI)	16-8
D404 (RUI)	16-9
D451 (RUI)	16-8
D451 (RUI)	16-9
D461 (FUI)	16-14
D461 (FUO)	16-10
D461 (RUI)	16-10
D501 (FUI)	16-13
D501 (FUO)	16-7
D501 (RUI)	16-8
D501 (RUI)	16-9
DC461 (FUI)	16-14
DC461 (FUO)	16-10
DC461 (RUI)	16-10
DC521 (FUI)	16-14
DC521 (FUO)	16-10
DC521 (RUI)	16-10
DC601 (FUI)	16-14
DC601 (FUO)	16-10
DC601 (RUI)	16-10
DC621 (RUI)	16-10
DC651 (FUI)	16-14
DC651 (FUO)	16-10
DC651 (RUI)	16-10
DP341 (FUI)	16-13
DP341 (FUO)	16-7
DP341 (RUI)	16-8
DP341 (RUI)	16-9
DP381 (FUI)	16-13
DP381 (FUO)	16-7
DP381 (RUI)	16-8
DP381 (RUI)	16-9
DP401 (FUI)	16-13
DP401 (FUO)	16-7
DP401 (RUI)	16-8
DP401 (RUI)	16-9
DP402 (RUI)	16-8
DP402 (RUI)	16-9
DP440 (FUI)	16-15
DP440 (FUO)	16-12
DP440 (RUI)	16-11
DP440 (RUI)	16-12
DP451 (FUI)	16-13
DP451 (FUO)	16-7
DP451 (RUI)	16-8
DP451 (RUI)	16-9
DP461 (FUI)	16-14
DP461 (FUO)	16-10

EATON AXLES

	Page
DP461 (FUO)	16-11
DP461 (RUI)	16-10
DP480 (FUI)	16-15
DP480 (FUO)	16-12
DP480 (RUI)	16-11
DP480 (RUI)	16-12
DP501 (FUI)	16-13
DP501 (FUO)	16-7
DP501 (RUI)	16-8
DP501 (RUI)	16-9
DP521 (FUI)	16-14
DP521 (FUO)	16-10
DP521 (FUO)	16-11
DP521 (RUI)	16-10
DP550 (FUI)	16-15
DP550 (FUO)	16-12
DP550 (RUI)	16-11
DP550 (RUI)	16-12
DP580 (FUI)	16-15
DP580 (FUO)	16-12
DP580 (RUI)	16-11
DP580 (RUI)	16-12
DP601 (FUI)	16-14
DP601 (FUO)	16-10
DP601 (FUO)	16-11
DP601 (RUI)	16-10
DP650 (FUI)	16-15
DP650 (FUO)	16-12
DP650 (RUI)	16-11
DP650 (RUI)	16-12
DP651 (FUI)	16-14
DP651 (FUO)	16-10
DP651 (FUO)	16-11
DP651 (RUI)	16-10
DS341 (FUI)	16-13
DS341 (FUO)	16-7
DS341 (RUI)	16-8
DS341 (RUI)	16-9
DS381 (FUI)	16-13
DS381 (FUO)	16-7
DS381 (RUI)	16-8
DS381 (RUI)	16-9
DS401 (FUI)	16-13
DS401 (FUO)	16-7
DS401 (RUI)	16-8
DS401 (RUI)	16-9
DS401P (FUI)	16-13
DS401P (FUO)	16-7
DS401P (RUI)	16-8
DS402 (FUI)	16-13
DS402 (FUO)	16-7
DS402 (RUI)	16-8
DS402 (RUI)	16-9
DS451 (RUI)	16-8
DS451 (RUI)	16-9
DS461 (FUI)	16-14
DS461 (FUO)	16-10
DS461 (FUO)	16-11
DS461 (RUI)	16-10
DS501 (FUI)	16-13
DS501 (FUO)	16-7
DS501 (RUI)	16-8
DS501 (RUI)	16-9
DS521 (FUI)	16-14
DS521 (FUO)	16-10
DS521 (FUO)	16-11
DS521 (RUI)	16-10
DS601 (FUI)	16-14
DS601 (FUO)	16-10
DS601 (FUO)	16-11
DS601 (RUI)	16-10
DS651 (FUI)	16-14
DS651 (FUO)	16-10
DS651 (FUO)	16-11
DS651 (RUI)	16-10
DT341 (FUI)	16-13

EATON AXLES

	Page
DT341 (FUO)	16-7
DT341 (RUI)	16-8
DT341 (RUI)	16-9
DT381 (FUI)	16-13
DT381 (FUO)	16-7
DT381 (RUI)	16-8
DT381 (RUI)	16-9
DT401 (FUI)	16-13
DT401 (FUO)	16-7
DT401 (RUI)	16-8
DT401 (RUI)	16-9
DT402 (FUI)	16-13
DT402 (FUO)	16-7
DT402 (RUI)	16-8
DT402 (RUI)	16-9
DT440 (FUI)	16-15
DT440 (FUO)	16-12
DT440 (RUI)	16-11
DT440 (RUI)	16-12
DT451 (FUI)	16-13
DT451 (FUO)	16-7
DT451 (RUI)	16-8
DT451 (RUI)	16-9
DT461 (FUI)	16-14
DT461 (FUO)	16-10
DT461 (FUO)	16-11
DT461 (RUI)	16-10
DT480 (FUI)	16-15
DT480 (FUO)	16-12
DT480 (RUI)	16-11
DT480 (RUI)	16-12
DT501 (FUI)	16-13
DT501 (FUO)	16-7
DT501 (RUI)	16-8
DT501 (RUI)	16-9
DT521 (FUI)	16-14
DT521 (FUO)	16-10
DT521 (FUO)	16-11
DT521 (RUI)	16-10
DT550 (FUI)	16-15
DT550 (FUO)	16-12
DT550 (RUI)	16-11
DT550 (RUI)	16-12
DT580 (FUI)	16-15
DT580 (FUO)	16-12
DT580 (RUI)	16-11
DT580 (RUI)	16-12
DT601 (FUI)	16-14
DT601 (FUO)	16-10
DT601 (FUO)	16-11
DT601 (RUI)	16-10
DT650 (FUI)	16-15
DT650 (FUO)	16-12
DT650 (RUI)	16-12
DT651 (FUI)	16-14
DT651 (FUO)	16-10
DT651 (FUO)	16-11
DT651 (RUI)	16-10
SUPER 23	16-13

MERITOR AXLES AND TRANSFER CASES

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Part Number
H172 L172 L600 M172 PRC1104 PRC672 PRC673 PRC864 PRLC1754 PRLC614 PRLC615 PRM672 PRM673 PSC596 PSC726 PSC824 PSC825 PSM596 PSM824 PSM825 RS-XX-120 RS-XX-125 RS-XX-140 RS-XX-210 RS-XX-220 RS-XX-230	1.75"-34	2.25"	2.25"	4.19"	Easy Service	**141DYS28A**
C100 C102 C103	1.38"-10	1.75"	2.13"	3.50" 3.50" 4.00" 3.96" 4.00"	Easy Service Easy Service Easy Service Easy Service Easy Service	**141NYS22A** **141TYS22A** **148DYS22-4A** **148NYS22-1A** **155DYS22-2A**
D140 PRC264 PRS264 PSC204 PSC205 PSC353 PSC354 PSC593 PSC594 PSM593 PSM594	1.38"-10	1.75"	2.13"	3.50" 3.50" 3.96" 3.96" 3.96" 2.31" 2.94"	Easy Service Easy Service Easy Service Easy Service Easy Service Comp.Flange Wing Bearing	**141DYS22A** **141NYS22A4** **148DYS22A** **148N-4-8961X** **148TYS22A** **2WCS22-51A1** **62NYS22-9A**
C100 C102 C103	1.38"-26	1.75"	2.13"	3.50"	Easy Service	**141TYS22-8A**

(C) Cast Version
(FUO) Forward Unit Output
(FUI) Forward Unit Input
(RUI) Rear Unit Input

MERITOR AXLES AND TRANSFER CASES

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Part Number
PSC723	1.50"-10	1.75"	2.25"	2.94"	Wing Bearing	**62NYS24-36**
T223	1.50"-10	2.19"	2.13"	4.25" 3.97" 2.81" 2.94"	Easy Service Easy Service Comp.Flange Comp.Flange	**148N-4-3731** **155NYS24-6** **2WCS24-42** **2WCS24-43**
F106 F140 FDS75 FDS90 PSC724 PSC823 PSM823	1.50"-10	2.19"	2.25"	4.00" 3.88" 4.19" 4.19" 4.00" 4.00" 4.70" 3.88" 3.47" 3.94" 3.44" 3.44"	Easy Service Easy Service Easy Service Easy Service Easy Service Easy Service Round Bearing Wing Bearing Wing Bearing Wing Bearing Wing Bearing Wing Bearing	**141N-4-2241X** **141NYS24A4** **148DYS24-2A** **148NYS24A2** **155DYS24-2A** **155NYS24-3A1** **155TYSB24-5** **58WBYS24-1A** **62NYS24-17A1** **62NYSB24-31** **72NYS24-25A** **72NYS24A1**
FDS1600 PRC1103 PRC671 (FUI) PRC672 PRC863 PRLC1753 (FUI) PRLC614 PRM672 PSC592 PSC595 (FUI) PSC596 PSC726 PSC824 PSM824	1.63"-10	2.13"	2.38"	4.73" 4.75" 3.19"	Full Round Easy Service Wing Bearing	**17NYS26** **17TYS26-3** **62NYS26-13**
T223H	1.75"-10	2.19"	2.25"	2.75"	Comp.Flange	**2WCS28-33**

(C) Cast Version
(FUO) Forward Unit Output
(FUI) Forward Unit Input
(RUI) Rear Unit Input

MERITOR AXLES AND TRANSFER CASES

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Part Number
PR401 (FUO)	1.75"-10	2.25"	2.75"	4.75"	Full Round	**16N-4-1931**
PRC1313 (FUO)				5.00"	Full Round	**16N-4-3621**
PRC673 (FUO)				6.00"	Full Round	**16N-4-3861**
PRLC615 (FUO)				5.41"	Full Round	**16N-4-4481**
PRM673 (FUO)				6.00"	Full Round	**16NYS28-11**
PSC597 (FUO)				4.88"	Full Round	**17N-4-2381**
SLHD (FUO)				6.25"	Full Round	**17N-4-4091**
SPRC1353 (FUO)				3.88"	Wing Bearing	**58WBYS28-3**
SPRC1734 (FUO)				4.00"	Wing Bearing	**62NYS28-111**
SQHD (FUO)				3.31"	Wing Bearing	**62NYS28-123**
T182A				3.31"	Wing Bearing	**62NYS28-195**
T182B				3.50"	Wing Bearing	**72NYS28-42**
T215						
T219						
TR403						
PR401 (RUI)	1.75"-10	2.25"	2.75"	4.75"	Full Round	**16N-4-3611X**
PRC1313 (RUI)				6.00"	Full Round	**16N-4-4451X**
PRC673 (RUI)				5.00"	Full Round	**16NYS28-5A**
PRM673 (RUI)				6.25"	Full Round	**17N-4-4831X**
PSC597 (RUI)				3.88"	Wing Bearing	**58WBYS28-3A**
SLHD (RUI)				4.00"	Wing Bearing	**62NYS28-111A**
SPRC1353 (RUI)				3.31"	Wing Bearing	**62NYS28-123A**
SPRC1734 (RUI)				3.31"	Wing Bearing	**62NYS28-195A**
SQHD (RUI)				3.50"	Wing Bearing	**72NYS28-174A**
T182A				3.50"	Wing Bearing	**72NYS28-42A**
T182B						
TR403						

(C) Cast Version
(FUO) Forward Unit Output
(FUI) Forward Unit Input
(RUI) Rear Unit Input

MERITOR AXLES AND TRANSFER CASES

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Part Number
H172	1.75"-34	2.25"	2.50"	4.21"	Easy Service	**141N-4-8061X**
L172				4.47"	Easy Service	**148DYS28A**
L600				4.46"	Easy Service	**148N-4-8051X**
M172				4.47"	Easy Service	**148TYS28A**
PRC1104				4.69"	Easy Service	**155DYS28-1A**
PRC672				4.69"	Easy Service	**155N-4-4111-1X**
PRC673				4.66"	Easy Service	**155NYS28-5A**
PRC864				4.88"	Full Round	**16N-4-5621X**
PRLC1754				4.88"	Easy Service	**16TYS28-13A**
PRLC614				5.04"	Round Bearing	**16TYSB28-53**
PRLC615				4.88"	Full Round	**17NYS28-43A**
PRM672				4.88"	Easy Service	**17TYS28-43A (C)**
PRM673				4.88"	Easy Service	**17TYS28-57A**
PSC596				3.16"	Comp.Flange	**2WCS28-72A**
PSC726				2.84"	Comp.Flange	**2WCS28-73A**
PSC824				3.76"	Comp.Flange	**2WCS28-80A**
PSC825				2.84"	Comp.Flange	**2WCS28-84A**
PSM596				3.88"	Wing Bearing	**58WBYS28-182A**
PSM824				3.88"	Wing Bearing	**58WBYS28-186A**
PSM825				2.94"	Comp.Flange	**5WCS28-54A**
RS-XX-120				4.25"	Wing Bearing	**62NYS28-154A**
RS-XX-125				4.25"	Wing Bearing	**62NYS28-155A**
RS-XX-140				3.31"	Wing Bearing	**62NYS28-160A**
RS-XX-210				3.94"	Wing Bearing	**62NYS28-201A**
RS-XX-220				3.94"	Wing Bearing	**62NYS28-202A**
RS-XX-230				3.75"	Wing Bearing	**72NYS28-162A**
				3.75"	Wing Bearing	**72NYS28-166A**
				4.63"	Wing Bearing	**92NYS36-62A**
RP611 (FUO)	1.75"-34	2.25"	2.50"	2.94"	Comp.Flange	**16N-1-6121**
RT-XX-140 (FUO)				6.03"	Full Round	**16N-4-6251**
SL100 (FUO)				5.44"	Full Round	**16N-4-6261**
SPRC1357 (FUO)				5.19"	Full Round	**176NYS28**
SPRC1736 (FUO)				5.97"	Full Round	**17N-4-6321**
SQ100 (FUO)				4.88"	Full Round	**17N-4-6331**
SQHP (FUO)				4.88"	Easy Service	**17N-4-6331-1**
				4.00"	Wing Bearing	**72NYS28-165**
				3.63"	Wing Bearing	**72NYS28-176**
				4.69"	Wing Bearing	**72NYS28-177**
				4.25"	Wing Bearing	**72NYS28-179**
				3.88"	Wing Bearing	**82NYS28-36**
				4.25"	Wing Bearing	**92NYS28-5**

(C) Cast Version
(FUO) Forward Unit Output
(FUI) Forward Unit Input
(RUI) Rear Unit Input

MERITOR AXLES AND TRANSFER CASES

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Part Number
PRC1044	1.88"-10	2.38"	2.75"	5.00"	Full Round	**16N-4-2501**
PRC1105				4.56"	Full Round	**16NYS30A**
PRC1314				4.50"	Full Round	**17N-4-2271**
PRC671 (FUO)				5.38"	Full Round	**17NYS30**
PRC675				3.63"	Wing Bearing	**72NYS30-2**
PRC676						
PRLC1753 (FUO)						
PRLC1756						
PRM675						
PRM676						
PSC1614						
PSC1617						
PSC1794						
PSC595 (FUO)						
PSC826						
PSM1044						
PSM1614						
PSM1617						
PSM826						
Q100						
SPRC1355						
SPRC1736						
PR300	1.97"-10	2.62"	2.75"	5.12"	Full Round	**16N-4-5281X**
PR400				4.81"	Full Round	**17N-4-4181X**
PR500				5.25"	Full Round	**17N-4-4361X**
PRC1315				6.50"	Full Round	**17N-4-4481X**
PRC672				5.25"	Easy Service	**17TYS31-59A**
PRC673				5.53"	Full Round	**18NYS31A**
PRC674				3.44"	Comp.Flange	**3WCS31-15A**
PRLC756				3.38"	Comp.Flange	**5WCS31-7A**
PRM672				3.88"	Wing Bearing	**72NYS31-3A**
PRM673				3.88"	Wing Bearing	**72NYS31-4A**
PRM674				4.33"	Wing Bearing	**72NYS31-8A**
PS300				3.88"	Wing Bearing	**82NYS31-5A**
PSC1045				3.88"	Wing Bearing	**82NYS31-6A**
PSC1615						
PSC1618						
PSM1045						
PSM1615						
PSM1618						
R100						
R140						
R160						

(C) Cast Version
(FUO) Forward Unit Output
(FUI) Forward Unit Input
(RUI) Rear Unit Input

MERITOR AXLES AND TRANSFER CASES

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Part Number
R200	1.97"-10	2.62"	2.75"	5.12"	Full Round	**16N-4-5281X**
R220				4.81"	Full Round	**17N-4-4181X**
R230				5.25"	Full Round	**17N-4-4361X**
R240				6.50"	Full Round	**17N-4-4481X**
R300				5.25"	Easy Service	**17TYS31-59A**
R330				5.53"	Full Round	**18NYS31A**
R340				3.44"	Comp.Flange	**3WCS31-15A**
R360				3.38"	Comp.Flange	**5WCS31-7A**
RT140				3.88"	Wing Bearing	**72NYS31-3A**
RT240				3.88"	Wing Bearing	**72NYS31-4A**
RT340				4.33"	Wing Bearing	**72NYS31-8A**
SHD (RUI)				3.88"	Wing Bearing	**82NYS31-5A**
SHDD (RUI)				3.88"	Wing Bearing	**82NYS31-6A**
SPRC135-6						
SPRC1356						
SPRC1926 (RUI)						
SSHD (RUI)						
STHD (RUI)						
SUDD (RUI)						
SUHD (RUI)						
U200						
U240						
U300						
S162	1.97"-10	2.62"	2.75"	3.44"	Comp.Flange	**16N-1-2121**
S163				5.12"	Full Round	**16N-4-3681**
SHD (FUO)				3.38"	Comp.Flange	**17N-1-1461**
SHDD (FUO)				5.25"	Full Round	**17N-4-3221**
SPRC1926 (FUO)				6.50"	Full Round	**17N-4-4131**
SSHD (FUO)				5.53"	Full Round	**18N-4-2251**
STHD (FUO)				3.88"	Wing Bearing	**72NYS31-3**
SUDD (FUO)				3.88"	Wing Bearing	**72NYS31-4**
SUHD (FUO)				4.33"	Wing Bearing	**72NYS31-8**
				3.88"	Wing Bearing	**82NYS31-5**
				3.88"	Wing Bearing	**82NYS31-6**
				4.13"	Wing Bearing	**85WBYS31-4**
T215	2.00"-10	2.25"	2.62"	4.34"	Comp.Flange	**3WCS32-79**
T219						

(C) Cast Version
(FUO) Forward Unit Output
(FUI) Forward Unit Input
(RUI) Rear Unit Input

MERITOR AXLES AND TRANSFER CASES

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Part Number
SLHD (FUI)	2.00"-10	2.56"	2.94"	5.19"	Full Round	**16N-4-5131X**
SPRC1353 (FUI)				5.38"	Full Round	**176N-4-181X**
SPRC1734 (FUI)				5.19"	Easy Service	**17N-4-3241-1**
SQHD (FUI)				5.19"	Full Round	**17N-4-4291X**
				5.38"	Easy Service	**18N-4-1921-1**
				5.38"	Full Round	**18N-4-2341X**
				3.31"	Comp.Flange	**3WCS32-43A**
				3.88"	Wing Bearing	**92NYS32-2A**
T215	2.00"-10	3.00"	2.94"	5.03"	Easy Service	**155TYS32-23A**
T219				5.00"	Full Round	**16NYS32-26A**
T226				5.00"	Easy Service	**16TYS32-26A**
T228				5.81"	Full Round	**176NYS32-7A**
T77-3				5.63"	Easy Service	**17N-4-2191-1**
				5.63"	Full Round	**17NYS32-10A**
				5.63"	Full Round	**17NYS32-10A1**
				4.81"	Full Round	**17NYS32-63A**
				4.81"	Full Round	**17NYS32-63A1**
				5.06"	Easy Service	**17TYS32-83A**
				5.81"	Full Round	**18NYS32-1A**
				4.31"	Wing Bearing	**58WBYS32-41A**
				4.25"	Wing Bearing	**62NYS32-16A**
				4.25"	Wing Bearing	**72NYS32-302**
				4.75"	Wing Bearing	**82NYS32-56A**
				4.25"	Wing Bearing	**92NYS32-5A**
				4.25"	Wing Bearing	**72NYS32-48**
T218PD	2.00"-39	2.17"	3.00"	4.26"	Easy Service	**16TYS32-65A**

(C) Cast Version
(FUO) Forward Unit Output
(FUI) Forward Unit Input
(RUI) Rear Unit Input

MERITOR AXLES AND TRANSFER CASES

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Part Number
PRC1044	2.00"-39	2.31"	3.00"	4.75"	Easy Service	**148TYS32-4A**
PRC1314				4.75"	Easy Service	**155DYS32-6A**
PRC265				4.38"	Easy Service	**155TYS32-2A1**
PRC676				4.75"	Easy Service	**155TYS32-6A**
PRLC1756				5.54"	Full Round	**16N-4-6281X**
PRLC415				6.22"	Full Round	**16N-4-6291X**
PRLC755				5.54"	Easy Service	**16TYS32-32A**
PRM676				6.22"	Easy Service	**16TYS32-33A**
PRS265				4.88"	Easy Service	**16TYS32-60A**
PSC1044				5.19"	Full Round	**176NYS32-3A2**
PSC1614				5.19"	Full Round	**176NYS32-3A3**
PSC205				5.19"	Easy Service	**176TYS32-3A1**
PSC826				6.25"	Full Round	**17N-4-6391X**
PSM1044				5.16"	Full Round	**17N-4-6421X**
PSM1614				5.16"	Easy Service	**17N-4-7631-1X**
PSM826				5.16"	Easy Service	**17TYS32-55A (C)**
Q100				6.25"	Easy Service	**17TYS32-56A**
R125				5.16"	Easy Service	**17TYS32-96A**
R128				5.19"	Full Round	**18NYS32-12A3**
R270				5.75"	Full Round	**18NYS32-17A2**
R611				5.19"	Easy Service	**18TYS32-12A1**
RF-XX-145				3.25"	Comp.Flange	**2WCS32-13A**
RP611 (RUI)				4.06"	Comp.Flange	**2WCS32-15AX**
RS-XX-145				3.38"	Comp.Flange	**3WCS32-73A1**
RS-XX-240				4.41"	Comp.Flange	**3WCS32-81A**
RS-XX-380				3.81"	Wing Bearing	**58WBYS32-47A**
RT-XX-140 (RUI)				3.31"	Comp.Flange	**5WCS32-86A2**
RT-XX-145 (RUI)				2.62"	Comp.Flange	**5WCS32-89A1**
RT-XX-380 (RUI)				3.27"	Comp.Flange	**5WCS32-94A1**
SL100 (RUI)				4.00"	Wing Bearing	**62NYS32-48A**
SPRC1357 (RUI)				3.81"	Wing Bearing	**72NYS32-244A**
SPRC1736 (RUI)				4.88"	Wing Bearing	**72NYS32-245A**
SQ100 (RUI)				4.06"	Wing Bearing	**72NYSB32-258**
SQHP (RUI)				3.88"	Wing Bearing	**82NYS32-74A1**
SR270 (FUI)				4.13"	Wing Bearing	**85WBYS32-20A**
SR270 (RUI)				4.44"	Wing Bearing	**92NYS32-26A**
SR280 (FUI)						
SR280 (RUI)						
ST270 (FUI)						
ST270 (RUI)						
ST280 (FUI)						
ST280 (RUI)						

(C) Cast Version
(FUO) Forward Unit Output
(FUI) Forward Unit Input
(RUI) Rear Unit Input

MERITOR AXLES AND TRANSFER CASES

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Part Number
SU270 (FUI)	2.00"-39	2.31"	3.00"	5.19"	Full Round	**176NYS32-3A3**
SU270 (RUI)						
SU280 (FUI)						
SU280 (RUI)						
SW270 (FUI)						
SW270 (RUI)						
SW280 (FUI)						
SW280 (RUI)						
PRC4806 (FUO)	2.00"-39	2.31"	3.00"	4.75"	Easy Service	**148TYS32-4**
R270				4.75"	Easy Service	**155DYS32-6**
RS-XX-380				4.38"	Easy Service	**155TYS32-2**
RT-XX-145 (FUO)				4.75"	Easy Service	**155TYS32-6**
RT-XX-160 (FUO)				6.22"	Full Round	**16N-4-6241**
RT-XX-180 (FUO)				5.54"	Full Round	**16N-4-6271**
RT-XX-380 (FUO)				5.54"	Easy Service	**16N-4-6271-1**
RT-XX-380 (RUI)				5.54"	Easy Service	**16TYS32-60**
SR170 (FUO)				5.19"	Full Round	**176N-4-531**
SR270 (FUI)				5.19"	Easy Service	**176TYS32-3**
SR270 (FUO)				6.25"	Full Round	**17N-4-6371**
SR270 (RUI)				5.16"	Full Round	**17N-4-6401**
SR280 (FUI)				5.16"	Easy Service	**17TYS32-55 (C)**
SR280 (FUO)				6.25"	Easy Service	**17TYS32-56**
SR280 (RUI)				5.16"	Easy Service	**17TYS32-68**
ST170 (FUO)				5.16"	Easy Service	**17TYS32-96**
ST270 (FUI)				5.19"	Full Round	**18N-4-3371**
ST270 (FUO)				5.19"	Easy Service	**18TYS32-12**
ST270 (RUI)				3.25"	Comp.Flange	**2WCS32-13**
ST280 (FUI)				3.38"	Comp.Flange	**3WCS32-73**
ST280 (FUO)				3.81"	Wing Bearing	**58WBYS32-47**
ST280 (RUI)				2.62"	Comp.Flange	**5WCS32-89**
SU170 (FUO)				3.27"	Comp.Flange	**5WCS32-94**
SU270 (FUI)				4.00"	Wing Bearing	**62NYS32-48**
SU270 (FUO)				3.81"	Wing Bearing	**72NYS32-244**
SU270 (RUI)				4.88"	Wing Bearing	**72NYS32-245**
SU280 (FUI)				3.88"	Wing Bearing	**82NYS32-74**
SU280 (FUO)				4.13"	Wing Bearing	**85WBYS32-20**
SU280 (RUI)				4.25"	Wing Bearing	**92NYS32-25**
SW170 (FUO)				4.44"	Wing Bearing	**92NYS32-26**
SW270 (FUI)						
SW270 (FUO)						
SW270 (RUI)						
SW280 (FUI)						

(C) Cast Version
(FUO) Forward Unit Output
(FUI) Forward Unit Input
(RUI) Rear Unit Input

MERITOR AXLES AND TRANSFER CASES

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Part Number
SW280 (FUO)	2.00"-39	2.31"	3.00"	4.75"	Easy Service	**148TYS32-4**
SW280 (RUI)				4.75"	Easy Service	**155DYS32-6**
T270				4.38"	Easy Service	**155TYS32-2**
U270				4.75"	Easy Service	**155TYS32-6**
W270				6.22"	Full Round	**16N-4-6241**
				5.54"	Full Round	**16N-4-6271**
				5.54"	Easy Service	**16N-4-6271-1**
				5.54"	Easy Service	**16TYS32-60**
				5.19"	Full Round	**176N-4-531**
				5.19"	Easy Service	**176TYS32-3**
				6.25"	Full Round	**17N-4-6371**
				5.16"	Full Round	**17N-4-6401**
				5.16"	Easy Service	**17TYS32-55 (C)**
				6.25"	Easy Service	**17TYS32-56**
				5.16"	Easy Service	**17TYS32-68**
				5.16"	Easy Service	**17TYS32-96**
				5.19"	Full Round	**18N-4-3371**
				5.19"	Easy Service	**18TYS32-12**
				3.25"	Comp.Flange	**2WCS32-13**
				3.38"	Comp.Flange	**3WCS32-73**
				3.81"	Wing Bearing	**58WBYS32-47**
				2.62"	Comp.Flange	**5WCS32-89**
				3.27"	Comp.Flange	**5WCS32-94**
				4.00"	Wing Bearing	**62NYS32-48**
				3.81"	Wing Bearing	**72NYS32-244**
				4.88"	Wing Bearing	**72NYS32-245**
				3.88"	Wing Bearing	**82NYS32-74**
				4.13"	Wing Bearing	**85WBYS32-20**
				4.25"	Wing Bearing	**92NYS32-25**
				4.44"	Wing Bearing	**92NYS32-26**

(C) Cast Version
(FUO) Forward Unit Output
(FUI) Forward Unit Input
(RUI) Rear Unit Input

MERITOR AXLES AND TRANSFER CASES

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Part Number
PSC1616	2.00"-39	2.31"	3.00"	4.38"	Easy Service	**155TYS32-2A**
PSM1616				4.75"	Easy Service	**155TYS32-6A3**
RP611 (FUI)				5.54"	Full Round	**16NYS32-32A1**
RT-XX-140 (FUI)				6.22"	Full Round	**16NYS32-33A1**
RT-XX-145 (FUI)				5.54"	Easy Service	**16TYS32-32A1**
SL100 (FUI)				4.88"	Easy Service	**16TYS32-60A1**
SPRC1356				5.19"	Full Round	**176N-4-541X**
SPRC1357 (FUI)				6.25"	Full Round	**17N-4-6381X**
SPRC1735				5.16"	Full Round	**17N-4-6411X**
SPRC1736 (FUI)				6.25"	Easy Service	**17TYS32-56A1**
SQ100 (FUI)				5.16"	Easy Service	**17TYS32-96A1**
SQHP (FUI)				5.19"	Full Round	**18N-4-3381X**
				5.19"	Easy Service	**18N-4-3841-1**
				5.75"	Full Round	**18NYS32-17A**
				3.25"	Comp.Flange	**2WCS32-13A2**
				3.38"	Comp.Flange	**3WCS32-73A**
				3.81"	Wing Bearing	**58WBYS32-47A2**
				3.31"	Comp.Flange	**5WCS32-86A**
				2.62"	Comp.Flange	**5WCS32-89A**
				3.27"	Comp.Flange	**5WCS32-94A**
				3.81"	Wing Bearing	**72NYS32-244A1**
				4.88"	Wing Bearing	**72NYS32-245A1**
				3.88"	Wing Bearing	**82NYS32-74A**
				4.13"	Wing Bearing	**85WBYS32-20A1**
				4.25"	Wing Bearing	**92NYS32-25A**
R270	2.00"-39	2.31"	3.00"	5.54"	Full Round	**16NYS32-32**
RS-XX-380				6.22"	Full Round	**16NYS32-33**
RT-XX-380 (RUI)				5.54"	Easy Service	**16TYS32-32**
SR270 (FUI)				5.19"	Easy Service	**176TYS32-3A2**
SR270 (RUI)				5.16"	Full Round	**17NYS32-55A3**
SR280 (FUI)				6.25"	Full Round	**17NYS32-56A3**
SR280 (RUI)				5.16"	Easy Service	**17TYS32-68A2**
ST270 (FUI)				5.19"	Full Round	**18NYS32-12A2**
ST270 (RUI)				5.75"	Full Round	**18NYS32-17A1**
ST280 (FUI)				5.19"	Easy Service	**18TYS32-12A2**
ST280 (RUI)				3.31"	Comp.Flange	**5WCS32-86A3**
SU270 (FUI)				2.62"	Comp.Flange	**5WCS32-89A2**
SU270 (RUI)				3.27"	Comp.Flange	**5WCS32-94A2**
SU280 (FUI)				3.88"	Wing Bearing	**82NYS32-74A2**
SU280 (RUI)				4.13"	Wing Bearing	**85WBYS32-20A2**
SW270 (FUI)						
SW270 (RUI)						
SW280 (FUI)						

(C) Cast Version
(FUO) Forward Unit Output
(FUI) Forward Unit Input
(RUI) Rear Unit Input

MERITOR AXLES AND TRANSFER CASES

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Part Number
SW280 (RUI)	2.00"-39	2.31"	3.00"	5.54"	Full Round	**16NYS32-32**
				6.22"	Full Round	**16NYS32-33**
				5.54"	Easy Service	**16TYS32-32**
				5.19"	Easy Service	**176TYS32-3A2**
				5.16"	Full Round	**17NYS32-55A3**
				6.25"	Full Round	**17NYS32-56A3**
				5.16"	Easy Service	**17TYS32-68A2**
				5.19"	Full Round	**18NYS32-12A2**
				5.75"	Full Round	**18NYS32-17A1**
				5.19"	Easy Service	**18TYS32-12A2**
				3.31"	Comp.Flange	**5WCS32-86A3**
				2.62"	Comp.Flange	**5WCS32-89A2**
				3.27"	Comp.Flange	**5WCS32-94A2**
				3.88"	Wing Bearing	**82NYS32-74A2**
				4.13"	Wing Bearing	**85WBYS32-20A2**
RS-XX-145	2.00"-39	2.31"	3.00"	4.85"	RPL	**20WYS32-1A**
RS-XX-240				5.95"	RPL	**20WYS32-2A**
RT-XX-145 (RUI)						
SQ100 (RUI)						
RT-XX-145 (FUO)	2.00"-39	2.31"	3.00"	4.85"	RPL	**20WYS32-1**
RT-XX-160 (FUO)				5.95"	RPL	**20WYS32-2**
RT-XX-180 (FUO)						
RT-XX-380 (FUO)						

(C) Cast Version
(FUO) Forward Unit Output
(FUI) Forward Unit Input
(RUI) Rear Unit Input

MERITOR AXLES AND TRANSFER CASES

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Part Number
FDS1800	2.00"-39	2.44"	2.75"	5.12"	Full Round	**16N-4-5431X**
FDS2100				5.94"	Full Round	**16N-4-6961X**
PRC1315				6.25"	Full Round	**16NYS32-13A**
PRC1318				5.19"	Full Round	**176NYS32-4A**
PRC1925				5.19"	Easy Service	**176TYS32-4A**
PRC3795				5.25"	Full Round	**17N-4-5531X**
PRC3805				4.81"	Full Round	**17N-4-5551X**
PRC4364				6.50"	Full Round	**17NYS32-40A**
PRC4805				4.81"	Easy Service	**17TYS32-69A**
PRC677				5.25"	Easy Service	**17TYS32-70A**
PRC867				5.53"	Full Round	**18N-4-3171X**
PRLC1757				5.53"	Easy Service	**18TYS32-3A**
PRM677				3.38"	Comp.Flange	**2WCS32-12A**
PSC1485				3.38"	Comp.Flange	**3WCS32-68A**
PSC1615				3.38"	Comp.Flange	**3WCS32-75A1**
PSC1618				3.31"	Comp.Flange	**5WCS32-75A**
PSC1875				3.31"	Comp.Flange	**5WCS32-76A**
PSC827				3.88"	Wing Bearing	**72NYS32-219A1**
PSM1485				3.88"	Wing Bearing	**72NYS32-220A1**
PSM1615				4.31"	Wing Bearing	**72NYS32-221A2**
PSM1618				4.31"	Wing Bearing	**72NYS32-222A**
PSM827				3.88"	Wing Bearing	**82NYS32-69A1**
R155				3.88"	Wing Bearing	**82NYS32-70A1**
R255				6.25"	Full Round	**16N-4-6871X**
RF-XX-155				5.12"	Easy Service	**16N-4-6951-1X**
RF-XX-156				5.12"	Full Round	**16N-4-6951X**
SHD (RUI)				5.19"	Full Round	**176NYS32-4A1**
SHDD (RUI)				6.50"	Full Round	**17N-4-6871X**
SPRC1737				4.81"	Full Round	**17N-4-6941X**
SPRC1925						
SPRC1926 (RUI)						
SSHD (RUI)						
STHD (RUI)						
SUDD (RUI)						
SUHD (RUI)						
U240						

(C) Cast Version
(FUO) Forward Unit Output
(FUI) Forward Unit Input
(RUI) Rear Unit Input

MERITOR AXLES AND TRANSFER CASES

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Part Number
PRC1315	2.00"-39	2.44"	2.75"	5.25"	Full Round	**17N-4-6951X**
				5.25"	Easy Service	**17TYS32-70A1**
				5.53"	Full Round	**18N-4-3571X**
				5.53"	Easy Service	**18TYS32-3A1**
				3.38"	Comp.Flange	**3WCS32-68A2**
				3.31"	Comp.Flange	**5WCS32-75A2**
				3.31"	Comp.Flange	**5WCS32-76A2**
				3.88"	Wing Bearing	**72NYS32-219A**
				3.88"	Wing Bearing	**72NYS32-220A**
				4.31"	Wing Bearing	**72NYS32-221A**
				4.31"	Wing Bearing	**72NYS32-222A1**
				3.88"	Wing Bearing	**82NYS32-70A**
PRC1925	2.00"-39	2.44"	2.75"	6.25"	Full Round	**16N-4-6871X**
PRC3795				5.12"	Easy Service	**16N-4-6951-1X**
PRC3805				5.12"	Full Round	**16N-4-6951X**
PRC4364				5.19"	Full Round	**176NYS32-4A1**
PRC4805				6.50"	Full Round	**17N-4-6871X**
PRC677				4.81"	Full Round	**17N-4-6941X**
PRC867				5.25"	Full Round	**17N-4-6951X**
PRLC1757				5.25"	Easy Service	**17TYS32-70A1**
PRM677				5.53"	Full Round	**18N-4-3571X**
PSC1485				5.53"	Easy Service	**18TYS32-3A1**
PSC1615				3.38"	Comp.Flange	**3WCS32-68A2**
PSC1875				3.31"	Comp.Flange	**5WCS32-75A2**
PSC827				3.31"	Comp.Flange	**5WCS32-76A2**
PSM1485				3.88"	Wing Bearing	**72NYS32-219A**
PSM1615				3.88"	Wing Bearing	**72NYS32-220A**
PSM827				4.31"	Wing Bearing	**72NYS32-221A**
R155				4.31"	Wing Bearing	**72NYS32-222A1**
RF-XX-155				3.88"	Wing Bearing	**82NYS32-70A**
RF-XX-156						
SHD (RUI)						
SPRC1737						
SPRC1925						
SSHD (RUI)						
STHD (RUI)						
SUDD (RUI)						
SUHD (RUI)						

(C) Cast Version
(FUO) Forward Unit Output
(FUI) Forward Unit Input
(RUI) Rear Unit Input

MERITOR AXLES AND TRANSFER CASES

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Part Number
SHD (FUO)	2.00"-39	2.44"	2.75"	5.12"	Full Round	**16N-4-5421**
SHDD (FUO)				5.12"	Easy Service	**16N-4-5421-1**
SPRC1926 (FUO)				5.94"	Full Round	**16N-4-5441**
SSHD (FUO)				6.25"	Full Round	**16N-4-5461**
STHD (FUO)				5.19"	Full Round	**176NYS32-4**
SUDD (FUO)				6.50"	Full Round	**17N-4-5501**
SUHD (FUO)				5.25"	Full Round	**17N-4-5521**
				4.81"	Full Round	**17N-4-5541**
				5.25"	Easy Service	**17N-4-6951-1**
				4.81"	Easy Service	**17TYS32-69**
				5.53"	Easy Service	**18N-4-2781-1**
				5.53"	Full Round	**18NYS32-3**
				3.38"	Comp.Flange	**3WCS32-68**
				3.31"	Comp.Flange	**5WCS32-75**
				3.88"	Wing Bearing	**72NYS32-219**
				3.88"	Wing Bearing	**72NYS32-220**
				4.31"	Wing Bearing	**72NYS32-221**
				4.31"	Wing Bearing	**72NYS32-222**
				3.88"	Wing Bearing	**82NYS32-69**
				3.88"	Wing Bearing	**82NYS32-70**
				4.13"	Wing Bearing	**85WBYS32-11**
				3.88"	Wing Bearing	**92NYS32-15**
				5.25"	Easy Service	**17N-4-6951-1X**
T218	2.13"-41	2.19"	3.00"	4.26"	Easy Service	**17TYS34-26A**
T2111	2.13"-41	2.31"	2.94"	4.75"	Easy Service	**148TYS34-3**
T215				4.31"	Easy Service	**155TYS34-6A**
T219				4.63"	Easy Service	**16TYS34-21A**
				5.16"	Easy Service	**17TYS34-38AX**
				5.75"	Full Round	**18NYS34-4A**
				5.75"	Easy Service	**18TYS34-4AX**
				3.00"	Comp.Flange	**5WCS34-7**
				3.00"	Comp.Flange	**5WCS34-8**
				3.19"	Comp.Flange	**5WCS34-9**
				3.69"	Wing Bearing	**85WBYS34-4**
T-2120	2.13"-41	2.50"	2.94"	5.35"	Full Round	**17NYS34-29A**
T2111				5.35"	Easy Service	**17TYS34-29A**
T2120RS				5.94"	Full Round	**18NYS34-5A**
				5.94"	Easy Service	**18TYS34-5A**

(C) Cast Version (FUI) Forward Unit Input
(FUO) Forward Unit Output (RUI) Rear Unit Input

MERITOR AXLES AND TRANSFER CASES

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Part Number
PRC1927	2.25"-10	3.00"	3.00"	3.84"	Comp.Flange	**16N-1-6341X**
PRC3796				5.63"	Full Round	**16N-4-6891X**
PRC4264				5.84"	Full Round	**176N-4-731X**
PRC4807				3.75"	Comp.Flange	**17N-1-5631X**
PRC4824				6.06"	Full Round	**17N-4-4411X**
PRC5225				7.19"	Full Round	**17N-4-6891X**
PRC5324				6.06"	Easy Service	**17TYS36-52A**
R170				3.75"	Comp.Flange	**18N-1-2341X**
R180				5.85"	Easy Service	**18N-4-2551-1X**
RL170				5.85"	Full Round	**18N-4-2551X**
S170				4.25"	Wing Bearing	**72NYS36-40A1**
SFDD4640 (FUI)				4.25"	Wing Bearing	**72NYS36-54A2**
SPRC1927				4.75"	Wing Bearing	**82NYS36-26A1**
SR170 (RUI)				4.75"	Wing Bearing	**82NYS36-30A1**
SRDD (FUI)						
ST170 (RUI)						
SU170 (RUI)						
SW170 (RUI)						
T228						
U170						
U180						
W170						
SFDD4640 (FUO)	2.25"-10	3.00"	3.00"	5.63"	Full Round	**16NYS36A1**
SFDD4640 (RUI)				5.84"	Full Round	**176N-4-201X**
SRDD (FUO)				7.19"	Full Round	**17NYS36-19A**
SRDD (RUI)				6.06"	Full Round	**17NYS36A**
SRTD (FUI)				5.85"	Full Round	**18NYS36A**
SRTD (FUO)				3.75"	Comp.Flange	**5WCS36-76A2**
SRTD (RUI)				4.25"	Wing Bearing	**72NYS36-54A**
SSHD (RUI)				4.75"	Wing Bearing	**82NYS36-26A**
STDD (FUI)				4.75"	Wing Bearing	**82NYS36-30A**
STDD (FUO)				4.19"	Wing Bearing	**92NYS36-6A1**
STDD (RUI)						
STHD (FUI)						
SUDD (FUI)						
SUHD (FUI)						
T218	2.25"-41	2.22"	3.00"	4.25"	Easy Service	**16TYS34-16A**
T2111	2.28"-44	2.80"	2.94"	5.66"	Easy Service	**17TYS36-59A**
				5.75"	Full Round	**18NYS36-17A**
				5.75"	Easy Service	**18TYS36-17A**
				4.38"	Wing Bearing	**72NYS36-97A**

(C) Cast Version (FUI) Forward Unit Input
(FUO) Forward Unit Output (RUI) Rear Unit Input

MERITOR AXLES AND TRANSFER CASES

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Part Number
61142	2.38"-46	2.32"	3.25"	6.19"	Full Round	**16NYS38-12A**
61143				4.94"	Full Round	**16NYS38-8A**
RC-XX-160				6.19"	Easy Service	**16TYS38-12A**
RF-XX-160				5.06"	Full Round	**176NYS38-14A**
RS-XX-160				5.38"	Easy Service	**17N-4-7181-1X**
RT-XX-145 (FUI)				5.38"	Full Round	**17N-4-7181X**
RT-XX-160 (FUI)				5.38"	Easy Service	**17TYS38-32A (C)**
RT-XX-160 (RUI)				6.50"	Easy Service	**17TYS38-71A**
				5.16"	Easy Service	**18N-4-3731-1X**
				5.16"	Full Round	**18NYS38-16A**
				5.16"	Round Bearing	**18NYSB38-1**
				3.31"	Comp.Flange	**3WCS38-8A1**
				3.88"	Comp.Flange	**5WCS38-18A**
				3.56"	Comp.Flange	**5WCS38-23A2**
				4.25"	Wing Bearing	**72NYS38-24A**
				4.25"	Wing Bearing	**72NYS38-26A**
				3.80"	Wing Bearing	**72NYS38-31A**
				4.25"	Wing Bearing	**82NYS38-31A**
				4.25"	Wing Bearing	**82NYS38-32A**
				4.06"	Wing Bearing	**85WBYS38-14A**
				4.22"	Wing Bearing	**92NYS38-73A**
				4.90"	RPL	**20WYS38-1A**
				4.90"	RPL	**20WYS38-4A**
				4.73"	RPL	**25WYS38-3A**
61142	2.38"-46	2.33"	3.25"	6.50"	Full Round	**17NYS38-38A**
61143				4.88"	Full Round	**17NYS38-61A**
RC-XX-160				5.95"	RPL	**20WYS38-3A**
RF-XX-160						
RS-XX-160						
RT-XX-145 (FUI)						
RT-XX-160 (FUI)						
RT-XX-160 (RUI)						

(C) Cast Version
(FUO) Forward Unit Output
(FUI) Forward Unit Input
(RUI) Rear Unit Input

MERITOR AXLES AND TRANSFER CASES

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Part Number
SHD (FUI)	2.38"-46	2.62"	3.25"	5.44"	Easy Service	**176N-4-211-1X**
SHDD (FUI)				5.44"	Full Round	**176N-4-211X**
SPRC1926 (FUI)				5.69"	Full Round	**17N-4-5461X**
SSHD (FUI)				5.69"	Easy Service	**17TYS38-52A**
STHD (FUI)				5.44"	Full Round	**18N-4-2711X**
SUDD (FUI)				5.44"	Easy Service	**18TYS38A**
SUHD (FUI)				3.50"	Comp.Flange	**5WCS38-4**
				3.50"	Comp.Flange	**5WCS38-5A**
				3.50"	Comp.Flange	**5WCS38-6A**
				4.38"	Wing Bearing	**72NYS38-15A**
				4.58"	Wing Bearing	**82NYS38-14A**
				4.58"	Wing Bearing	**82NYS38-15A**
				3.98"	Wing Bearing	**92NYS38-39A**
				4.50"	Wing Bearing	**92NYS38-46A1**
T228	2.38"-46	2.88"	3.00"	5.63"	Full Round	**176NYS38-25A**
				6.06"	Full Round	**17NYS38-69A**
				5.85"	Full Round	**18NYS38-25A**
				3.75"	Comp.Flange	**3WCS38-13A**
				3.75"	Comp.Flange	**5WCS38-31A**
				3.75"	Comp.Flange	**5WCS38-32A**
				4.75"	Wing Bearing	**82NYS38-34A**
PRC4806 (FUI)	2.38"-46	2.88"	3.25"	5.63"	Full Round	**176NYS38-13A1**
PRC5225				5.63"	Easy Service	**176TYS38-13A1**
R180				5.94"	Full Round	**17N-4-5961X**
RS-XX-181				6.19"	Full Round	**17NYS38-17A**
RT-XX-180 (FUI)				6.93"	Full Round	**17NYS38-63**
RT-XX-380 (FUI)				5.94"	Easy Service	**17TYS38-53A1**
SR170 (FUI)				6.93"	Easy Service	**17TYS38-70A1**
SR270 (FUI)				5.69"	Easy Service	**18N-4-3221-1X**
SR280 (FUI)				5.69"	Full Round	**18N-4-3221X**
ST170 (FUI)				3.63"	Comp.Flange	**3WCS38-9**
ST270 (FUI)				3.56"	Comp.Flange	**5WCS38-12A**
ST280 (FUI)				3.95"	Comp.Flange	**5WCS38-34A**
SU170 (FUI)				4.31"	Wing Bearing	**85WBYS38-19A**
SU270 (FUI)				4.19"	Wing Bearing	**92NYS38-52A**
SU280 (FUI)						
SW170 (FUI)						
SW270 (FUI)						
SW280 (FUI)						
U180						

(C) Cast Version
(FUO) Forward Unit Output
(FUI) Forward Unit Input
(RUI) Rear Unit Input

MERITOR AXLES AND TRANSFER CASES

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Part Number
RF-XX-180	2.38"-46	2.88"	3.25"	5.50"	Full Round	**16NYS38-11A**
RS-XX-180				5.50"	Easy Service	**16TYS38-11A**
RT-XX-180 (RUI)				5.63"	Easy Service	**176N-4-861-1X**
RS-XX-181				5.63"	Full Round	**176N-4-861X**
				5.94"	Full Round	**17N-4-6961X**
				6.93"	Full Round	**17N-4-7851X**
				6.19"	Full Round	**17NYS38-17A2**
				5.94"	Easy Service	**17TYS38-53A**
				6.93"	Easy Service	**17TYS38-70A**
				5.69"	Easy Service	**18N-4-3581-1X**
				5.69"	Full Round	**18N-4-3581X**
				3.13"	Comp.Flange	**3WCS38-11A**
				3.56"	Comp.Flange	**5WCS38-12A2**
				3.63"	Comp.Flange	**5WCS38-20A**
				3.63"	Comp.Flange	**5WCS38-24A**
				3.95"	Comp.Flange	**5WCS38-34A2**
				4.69"	Wing Bearing	**72NYS38-20A**
				4.69"	Wing Bearing	**72NYS38-22A**
				4.63"	Wing Bearing	**82NYS38-28A**
				4.19"	Wing Bearing	**92NYS38-52A2**
				6.25"	RPL	**20WYS38-8A**
RT-XX-180 (FUI)	2.38"-46	2.88"	3.25"	5.00"	RPL	**20WYS38-10A**
RT-XX-380 (FUI)				5.00"	RPL	**25WYS38-8A**
RT-XX-380 (RUI)						
T228	2.38"-46	2.88"	3.25"	5.69"	Full Round	**18NYS38-8A3**
T228	2.50"-16	3.25"	3.00"	4.75"	Wing Bearing	**82NYS40-30A**
59000 Series	2.53"-16	2.75"	3.25"	6.44"	Full Round	**17NYS40-106A**
59732				3.48"	Comp.Flange	**3WCS40-1A**
59733				3.48"	Comp.Flange	**3WCS40-1A1**
59000 Series	2.53"-16	2.75"	3.50"	3.75"	Comp.Flange	**5WCS40-29A1**
59732				3.68"	Comp.Flange	**5WCS40-39**
59733						
T228	2.53"-16	3.25"	3.25"	6.06"	Full Round	**176NYS40-21A**
				5.81"	Full Round	**17NYS40-37A**
				6.06"	Easy Service	**17TYS40-151A**
				6.06"	Full Round	**18NYS40A**
T-2120	2.99"-22	2.75"	3.75"	5.56"	Full Round	**18NYS48-1A**
T2120RS				4.25"	Wing Bearing	**92NYS48-72A**

(C) Cast Version
(FUO) Forward Unit Output
(FUI) Forward Unit Input
(RUI) Rear Unit Input

MERITOR AXLES AND TRANSFER CASES

INDEX

	Page
59000 Series	16-38
59732	16-38
59733	16-38
61142	16-36
61143	16-36
C100	16-20
C100	16-21
C102	16-20
C102	16-21
C103	16-20
C103	16-21
D140	16-20
F106	16-21
F140	16-21
FDS1600	16-21
FDS1800	16-32
FDS2100	16-32
FDS75	16-21
FDS90	16-21
H172	16-20
H172	16-23
L172	16-20
L172	16-23
L600	16-20
L600	16-23
M172	16-20
M172	16-23
PR300	16-24
PR400	16-24
PR401 (FUO)	16-22
PR401 (RUI)	16-22
PR500	16-24
PRC1044	16-24
PRC1044	16-27
PRC1103	16-21
PRC1104	16-20

	Page
PRC1104	16-23
PRC1105	16-24
PRC1313 (FUO)	16-22
PRC1313 (RUI)	16-22
PRC1314	16-24
PRC1314	16-27
PRC1315	16-24
PRC1315	16-32
PRC1315	16-33
PRC1318	16-32
PRC1925	16-32
PRC1925	16-33
PRC1927	16-35
PRC264	16-20
PRC265	16-27
PRC3795	16-32
PRC3795	16-33
PRC3796	16-35
PRC3805	16-32
PRC3805	16-33
PRC4264	16-35
PRC4364	16-32
PRC4364	16-33
PRC4805	16-32
PRC4805	16-33
PRC4806 (FUI)	16-37
PRC4806 (FUO)	16-28
PRC4807	16-35
PRC4824	16-35
PRC5225	16-35
PRC5225	16-37
PRC5324	16-35
PRC671 (FUI)	16-21
PRC671 (FUO)	16-24
PRC672	16-20

	Page
PRC672	16-21
PRC672	16-23
PRC672	16-24
PRC673	16-20
PRC673	16-23
PRC673	16-24
PRC673 (FUO)	16-22
PRC673 (RUI)	16-22
PRC674	16-24
PRC675	16-24
PRC676	16-24
PRC676	16-27
PRC677	16-32
PRC677	16-33
PRC863	16-21
PRC864	16-20
PRC864	16-23
PRC867	16-32
PRC867	16-33
PRLC1753 (FUI)	16-21
PRLC1753 (FUO)	16-24
PRLC1754	16-20
PRLC1754	16-23
PRLC1756	16-24
PRLC1756	16-27
PRLC1757	16-32
PRLC1757	16-33
PRLC415	16-27
PRLC614	16-20
PRLC614	16-21
PRLC614	16-23
PRLC615	16-20
PRLC615	16-23
PRLC615 (FUO)	16-22
PRLC755	16-27
PRLC756	16-24
PRM672	16-20
PRM672	16-21
PRM672	16-23
PRM672	16-24
PRM673	16-20
PRM673	16-23
PRM673	16-24
PRM673 (FUO)	16-22
PRM673 (RUI)	16-22
PRM674	16-24
PRM675	16-24
PRM676	16-24
PRM676	16-27
PRM677	16-32
PRM677	16-33
PRS264	16-20
PRS265	16-27
PS300	16-24
PSC1044	16-27
PSC1045	16-24
PSC1485	16-32
PSC1485	16-33
PSC1614	16-24
PSC1614	16-27
PSC1615	16-24
PSC1615	16-32
PSC1615	16-33
PSC1616	16-30
PSC1617	16-24
PSC1618	16-24
PSC1618	16-32
PSC1794	16-24
PSC1875	16-32
PSC1875	16-33
PSC204	16-20
PSC205	16-20
PSC205	16-27
PSC353	16-20
PSC354	16-20
PSC592	16-21

	Page
PSC593	16-20
PSC594	16-20
PSC595 (FUI)	16-21
PSC595 (FUO)	16-24
PSC596	16-20
PSC596	16-21
PSC596	16-23
PSC597 (FUO)	16-22
PSC597 (RUI)	16-22
PSC723	16-21
PSC724	16-21
PSC726	16-20
PSC726	16-21
PSC726	16-23
PSC823	16-21
PSC824	16-20
PSC824	16-21
PSC824	16-23
PSC825	16-20
PSC825	16-23
PSC826	16-24
PSC826	16-27
PSC827	16-32
PSC827	16-33
PSM1044	16-24
PSM1044	16-27
PSM1045	16-24
PSM1485	16-32
PSM1485	16-33
PSM1614	16-24
PSM1614	16-27
PSM1615	16-24
PSM1615	16-32
PSM1615	16-33
PSM1616	16-30
PSM1617	16-24
PSM1618	16-24
PSM1618	16-32
PSM593	16-20
PSM594	16-20
PSM596	16-20
PSM596	16-23
PSM823	16-21
PSM824	16-20
PSM824	16-21
PSM824	16-23
PSM825	16-20
PSM825	16-23
PSM826	16-24
PSM826	16-27
PSM827	16-32
PSM827	16-33
Q100	16-24
Q100	16-27
R100	16-24
R125	16-27
R128	16-27
R140	16-24
R155	16-32
R155	16-33
R160	16-24
R170	16-35
R180	16-35
R180	16-37
R200	16-25
R220	16-25
R230	16-25
R240	16-25
R255	16-32
R270	16-27
R270	16-28
R270	16-30
R300	16-25
R330	16-25
R340	16-25
R360	16-25

MERITOR AXLES AND TRANSFER CASES

	Page
R611	16-27
RC-XX-160	16-36
RF-XX-145	16-27
RF-XX-155	16-32
RF-XX-155	16-33
RF-XX-156	16-32
RF-XX-156	16-33
RF-XX-160	16-36
RF-XX-180	16-38
RL170	16-35
RP611 (FUI)	16-30
RP611 (FUO)	16-23
RP611 (RUI)	16-27
RS-XX-120	16-20
RS-XX-120	16-23
RS-XX-125	16-20
RS-XX-125	16-23
RS-XX-140	16-20
RS-XX-140	16-23
RS-XX-145	16-27
RS-XX-145	16-31
RS-XX-160	16-36
RS-XX-180	16-38
RS-XX-181	16-37
RS-XX-181	16-38
RS-XX-210	16-20
RS-XX-210	16-23
RS-XX-220	16-20
RS-XX-220	16-23
RS-XX-230	16-20
RS-XX-230	16-23
RS-XX-240	16-27
RS-XX-240	16-31
RS-XX-380	16-27
RS-XX-380	16-28
RS-XX-380	16-30
RT-XX-140 (FUI)	16-30
RT-XX-140 (FUO)	16-23
RT-XX-140 (RUI)	16-27
RT-XX-145 (FUI)	16-30
RT-XX-145 (FUI)	16-36
RT-XX-145 (FUO)	16-28
RT-XX-145 (FUO)	16-31
RT-XX-145 (RUI)	16-27
RT-XX-145 (RUI)	16-31
RT-XX-160 (FUI)	16-36
RT-XX-160 (FUO)	16-28
RT-XX-160 (FUO)	16-31
RT-XX-160 (RUI)	16-36
RT-XX-180 (FUI)	16-37
RT-XX-180 (FUI)	16-38
RT-XX-180 (FUO)	16-28
RT-XX-180 (FUO)	16-31
RT-XX-180 (RUI)	16-38
RT-XX-380 (FUI)	16-37
RT-XX-380 (FUI)	16-38
RT-XX-380 (FUO)	16-28
RT-XX-380 (FUO)	16-31
RT-XX-380 (RUI)	16-27
RT-XX-380 (RUI)	16-28
RT-XX-380 (RUI)	16-30
RT-XX-380 (RUI)	16-38
RT140	16-25
RT240	16-25
RT340	16-25
S162	16-25
S163	16-25
S170	16-35
SFDD4640 (FUI)	16-35
SFDD4640 (FUO)	16-35
SFDD4640 (RUI)	16-35
SHD (FUI)	16-37
SHD (FUO)	16-25
SHD (FUO)	16-34
SHD (RUI)	16-25
SHD (RUI)	16-32

MERITOR AXLES AND TRANSFER CASES

	Page
SHD (RUI)	16-33
SHDD (FUI)	16-37
SHDD (FUO)	16-25
SHDD (FUO)	16-34
SHDD (RUI)	16-25
SHDD (RUI)	16-32
SL100 (FUI)	16-30
SL100 (FUO)	16-23
SL100 (RUI)	16-27
SLHD (FUI)	16-26
SLHD (FUO)	16-22
SLHD (RUI)	16-22
SPRC135-6	16-25
SPRC1353 (FUI)	16-26
SPRC1353 (FUO)	16-22
SPRC1353 (RUI)	16-22
SPRC1355	16-24
SPRC1356	16-25
SPRC1356	16-30
SPRC1357 (FUI)	16-30
SPRC1357 (FUO)	16-23
SPRC1357 (RUI)	16-27
SPRC1734 (FUI)	16-26
SPRC1734 (FUO)	16-22
SPRC1734 (RUI)	16-22
SPRC1735	16-30
SPRC1736	16-24
SPRC1736 (FUI)	16-30
SPRC1736 (FUO)	16-23
SPRC1736 (RUI)	16-27
SPRC1737	16-32
SPRC1737	16-33
SPRC1925	16-32
SPRC1925	16-33
SPRC1926 (FUI)	16-37
SPRC1926 (FUO)	16-25
SPRC1926 (FUO)	16-34
SPRC1926 (RUI)	16-25
SPRC1926 (RUI)	16-32
SPRC1927	16-35
SQ100 (FUI)	16-30
SQ100 (FUO)	16-23
SQ100 (RUI)	16-27
SQ100 (RUI)	16-31
SQHD (FUI)	16-26
SQHD (FUO)	16-22
SQHD (RUI)	16-22
SQHP (FUI)	16-30
SQHP (FUO)	16-23
SQHP (RUI)	16-27
SR170 (FUI)	16-37
SR170 (FUO)	16-28
SR170 (RUI)	16-35
SR270 (FUI)	16-27
SR270 (FUI)	16-28
SR270 (FUI)	16-30
SR270 (FUI)	16-37
SR270 (FUO)	16-28
SR270 (RUI)	16-27
SR270 (RUI)	16-28
SR270 (RUI)	16-30
SR280 (FUI)	16-27
SR280 (FUI)	16-28
SR280 (FUI)	16-30
SR280 (FUI)	16-37
SR280 (FUO)	16-28
SR280 (RUI)	16-27
SR280 (RUI)	16-28
SR280 (RUI)	16-30
SRDD (FUI)	16-35
SRDD (FUO)	16-35
SRDD (RUI)	16-35
SRTD (FUI)	16-35
SRTD (FUO)	16-35
SRTD (RUI)	16-35
SSHD (FUI)	16-37

MERITOR AXLES AND TRANSFER CASES

	Page
SSHD (FUO)	16-25
SSHD (FUO)	16-34
SSHD (RUI)	16-25
SSHD (RUI)	16-32
SSHD (RUI)	16-33
SSHD (RUI)	16-35
ST170 (FUI)	16-37
ST170 (FUO)	16-28
ST170 (RUI)	16-35
ST270 (FUI)	16-27
ST270 (FUI)	16-28
ST270 (FUI)	16-30
ST270 (FUI)	16-37
ST270 (FUO)	16-28
ST270 (RUI)	16-27
ST270 (RUI)	16-28
ST270 (RUI)	16-30
ST280 (FUI)	16-27
ST280 (FUI)	16-28
ST280 (FUI)	16-30
ST280 (FUI)	16-37
ST280 (FUO)	16-28
ST280 (RUI)	16-27
ST280 (RUI)	16-28
ST280 (RUI)	16-30
STDD (FUI)	16-35
STDD (FUO)	16-35
STDD (RUI)	16-35
STHD (FUI)	16-35
STHD (FUI)	16-37
STHD (FUO)	16-25
STHD (FUO)	16-34
STHD (RUI)	16-25
STHD (RUI)	16-32
STHD (RUI)	16-33
SU170 (FUI)	16-37
SU170 (FUO)	16-28
SU170 (RUI)	16-35
SU270 (FUI)	16-28
SU270 (FUI)	16-30
SU270 (FUI)	16-37
SU270 (FUO)	16-28
SU270 (RUI)	16-28
SU270 (RUI)	16-30
SU280 (FUI)	16-28
SU280 (FUI)	16-30
SU280 (FUI)	16-37
SU280 (FUO)	16-28
SU280 (RUI)	16-28
SU280 (RUI)	16-30
SUDD (FUI)	16-35
SUDD (FUI)	16-37
SUDD (FUO)	16-25
SUDD (FUO)	16-34
SUDD (RUI)	16-25
SUDD (RUI)	16-32
SUDD (RUI)	16-33
SUHD (FUI)	16-35
SUHD (FUI)	16-37
SUHD (FUO)	16-25
SUHD (FUO)	16-34
SUHD (RUI)	16-25
SUHD (RUI)	16-32
SUHD (RUI)	16-33
SW170 (FUI)	16-37
SW170 (FUO)	16-28
SW170 (RUI)	16-35
SW270 (FUI)	16-28
SW270 (FUI)	16-30
SW270 (FUI)	16-37
SW270 (FUO)	16-28
SW270 (RUI)	16-28
SW270 (RUI)	16-30
SW280 (FUI)	16-28
SW280 (FUI)	16-30
SW280 (FUI)	16-37

MERITOR AXLES AND TRANSFER CASES

	Page
SW280 (FUO)	16-29
SW280 (RUI)	16-28
SW280 (RUI)	16-29
SW280 (RUI)	16-31
T-2120	16-34
T-2120	16-38
T182A	16-22
T182B	16-22
T2111	16-34
T2111	16-35
T2120RS	16-34
T2120RS	16-38
T215	16-22
T215	16-25
T215	16-26
T215	16-34
T218	16-34
T218	16-35
T218PD	16-26
T219	16-22
T219	16-25
T219	16-26
T219	16-34
T223	16-21
T223H	16-21
T226	16-26
T228	16-26
T228	16-35
T228	16-37
T228	16-38
T270	16-29
T77-3	16-26
TR403	16-22
U170	16-35
U180	16-35
U180	16-37
U200	16-25
U240	16-25
U240	16-32
U270	16-29
U300	16-25
W170	16-35
W270	16-29

NOTES

ALLISON TRANSMISSIONS

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Comments	Part Number
R2	1.38"-32	3.66"	2.13"	6.65"	Round Bearing	GMT 455	**141TYSB22-4**
				6.65"	Round Bearing		**141TYSB22-4A**
AD6	1.63"-31	2.56"	2.44"	3.44"	Comp.Flange	With 9"x 3"brake	**5WCS28-64**
AD6	1.63"-31	2.56"	2.44"	4.19"	Easy Service	Without brake	**141TYS28-19**
				4.63"	Easy Service		**148TYS28-17**
				4.24"	Easy Service		**155TYS28-20**
MT40	1.78"-27	1.91"	2.17"	2.88"	Wing Bearing		**72NYS28-66**
MT640	1.78"-34	2.75"	2.56"	3.70"	Comp.Flange	With 12"x 4"brake	**17N-1-5371X**
MT643				4.56"	Wing Bearing		**58WBYS28-162A**
MT644							
AT540	1.78"-34	2.75"	2.56"	6.19"	Round Bearing	With Bendix 9"x 3"or 10"x	**148NYSB29A**
AT543				6.25"	Round Bearing	3"brake	**148TYSB28-11A**
AT545				6.19"	Round Bearing		**148TYSB29-1**
				6.25"	Round Bearing		**155TYSB28-14A**
MT640	1.78"-34	2.75"	2.56"	4.38"	Wing Bearing	Without brake, threaded	**58WBYS28-144**
MT643							
MT644							
AT540	1.78"-34	2.75"	2.56"	3.42"	Comp.Flange	Without brake	**148N-1-4481X**
AT543				6.25"	Round Bearing		**148TYSB28-20A**
AT545				5.17"	Easy Service		**155N-4-4801-1X**
				5.17"	Easy Service		**155N-4-4801-2X**
				6.25"	Round Bearing		**155TYSB28-22A**
				5.31"	Easy Service		**16TYS28-51A**
				6.00"	Easy Service		**17N-4-5041-1**
				3.70"	Comp.Flange		**5WCS28-66**
				3.70"	Comp.Flange		**5WCS28-66A**
MT640	1.78"-34	2.75"	2.56"	5.31"	Full Round	Without brake	**16N-4-4841X**
MT643				5.31"	Easy Service		**16TYS28-8A**
MT644				7.19"	Full Round		**17N-4-5041X**
				6.00"	Easy Service		**17TYS28-62A**
				4.56"	Wing Bearing		**58WBYS28-163**
				4.69"	Wing Bearing		**72NYS28-141**
AT540	1.81"-34	2.75"	2.56"	6.19"	Round Bearing		**141NYSB29A1**
AT543							
AT545							
TT2000 Series	1.88"-14	2.02"	2.56"	3.34"	Wing Bearing	With brake	**58WBYS30-7**
TT2000 Series	1.88"-14	2.32"	2.56"	4.40"	Wing Bearing	Without brake	**58WBYS30-6**
				4.63"	Wing Bearing		**62NYS30-22**
4460	1.91"-14	2.79"	2.62"	3.77"	Wing Bearing		**72NYS30-1**
TG602							
MD6	2.13"-41	2.05"	3.54"	3.08"	Comp.Flange	With 12"x 3"brake	**5WCS32-96**
MD6	2.13"-41	2.05"	3.54"	5.00"	Easy Service	Without brake	**16TYS32-59**
				4.88"	Easy Service		**17TYS32-67 (C)**

(IN) Input
(OUT) Output

(C) Cast Version

ALLISON TRANSMISSIONS

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Comments	Part Number
				4.88"	Easy Service		**17TYS32-77**
4460 HT70	2.36"-18	2.31"	3.00"	3.00"	Wing Bearing		**72NYS38-4**
HTB741 HTB755BR	2.36"-18	2.34"	2.75"	5.12"	Full Round		**176NYS38-21**
				5.50"	Easy Service		**176TYS38-23**
				5.31"	Full Round		**17NYS38-62**
				5.31"	Easy Service		**17TYS38-62**
				5.63"	Full Round		**18NYS38-23**
				5.85"	Easy Service		**18TYS38-24**
				3.81"	Wing Bearing		**92NYS38-76**
HTB741 HTB755BR	2.36"-18	2.34"	3.75"	3.00"	Comp.Flange		**5WCS38-25**
				3.00"	Comp.Flange		**5WCS38-26**
CLBT750 (IN) CRT6030 CRT7033 (IN)	2.36"-18	2.76"	3.00"	3.50"	Wing Bearing		**72NYS38-1**
				4.09"	Wing Bearing		**72NYS38-2**
				4.28"	Wing Bearing		**85WBYS38-2**
TC	2.36"-18	3.19"	3.00"	4.00"	Wing Bearing		**72NYS38**
CLBT750 (OUT) HT740 HT750	2.36"-18	3.38"	3.50"	6.12"	Full Round		**176N-4-271**
				6.12"	Easy Service		**176N-4-271-1**
				5.75"	Full Round		**17N-4-4561**
				5.75"	Easy Service		**17N-4-4561-1**
				5.75"	Easy Service		**17TYS38-22 (C)**
				6.12"	Full Round		**18N-4-2581**
				6.12"	Easy Service		**18N-4-2581-1**
				5.22"	Wing Bearing		**92NYS38-12**
MT650 MT653 MT654CR	2.38"-46	3.38"	3.50"	5.22"	Wing Bearing	With 12"x 4"brake	**72NYS38-10**
MT650 MT653 MT654CR	2.38"-46	3.38"	3.50"	5.75"	Full Round	Without brake	**17N-4-4771**
MT650 MT653 MT654CR	2.39"-46	3.38"	3.50"	3.86"	Comp.Flange	With 12"x 4"brake	**17N-1-4631X**

(IN) Input
(OUT) Output

(C) Cast Version

ALLISON TRANSMISSIONS

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Comments	Part Number
MT650 MT653 MT654CR	2.39"-46	3.38"	3.50"	6.12"	Full Round	Without brake	**16N-4-4861**
				6.12"	Easy Service		**16N-4-4861-1**
				6.00"	Full Round		**176N-4-381**
				5.75"	Easy Service		**17TYS38-55**
				5.75"	Easy Service		**17TYS38-7 (C)**
				6.16"	Full Round		**18N-4-2541**
				6.15"	Easy Service		**18N-4-2541-1**
				4.75"	Wing Bearing		**82NYS38-12**
				4.75"	Wing Bearing		**92NYS38-68**
CRT5633	2.50"-19	3.00"	3.50"	5.00"	Wing Bearing		**92NYS40**
				5.00"	Wing Bearing		**92NYS40-3**
CRT5643	2.50"-19	3.13"	3.50"	3.98"	Wing Bearing		**92NYS40-35**
CLBT750 (OUT)	2.56"-20	3.34"	3.50"	5.17"	Wing Bearing		**92NYS42-16**
CLBT750 (OUT) HT740 HT750	2.72"-18	3.38"	3.50"	4.09"	Comp.Flange		**17N-1-4541**
CBT5640 CLBT5840 (IN) CLBT5860 CT5640	3.00"-23	3.00"	4.00"	4.50"	Wing Bearing		**85WBYS48-14**

(IN) Input
(OUT) Output

(C) Cast Version

ALLISON TRANSMISSIONS

INDEX

	Page
4460	16-47
4460	16-48
AD6	16-47
AT540	16-47
AT543	16-47
AT545	16-47
CBT5640	16-49
CLBT5840 (IN)	16-49
CLBT5860	16-49
CLBT750 (IN)	16-48
CLBT750 (OUT)	16-48
CLBT750 (OUT)	16-49
CRT5633	16-49
CRT5643	16-49
CRT6030	16-48
CRT7033 (IN)	16-48
CT5640	16-49
HT70	16-48
HT740	16-48
HT740	16-49
HT750	16-48
HT750	16-49
HTB741	16-48
HTB755BR	16-48
MD6	16-48
MT40	16-47
MT640	16-47
MT643	16-47
MT644	16-47
MT650	16-49
MT653	16-49
MT654CR	16-49
R2	16-47
TC	16-48
TG602	16-47
TT2000 Series	16-47

CLARK TRANSMISSIONS

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Comments	Part Number
CL450	1.75"-10	2.00"	2.50"	5.06"	Round Bearing	With 9"x 3"brake	**141TYSB28-20X**
				3.50"	Comp.Flange		**148N-1-6081X**
				5.06"	Round Bearing		**148TYSB28-7**
				6.00"	Round Bearing		**148TYSB28-9A**
				5.98"	Round Bearing		**155TYSB28-13A**
				6.42"	Round Bearing		**155TYSB28-38A**
				6.73"	Round Bearing		**16TYSB28-58A**
				5.30"	Wing Bearing		**58WBYS28-154**
CL450	1.75"-10	2.00"	2.50"	3.63"	Easy Service	Without brake	**141TYS28-18**
				4.00"	Easy Service		**148DYS28-16**
				4.00"	Easy Service		**148TYS28-16**
				4.57"	Full Round		**16NYS28-45**
				3.81"	Wing Bearing		**58WBYS28-218**
CL550	1.75"-10	2.25"	2.50"	4.19"	Easy Service		**155N-4-2511**
				4.28"	Easy Service		**155TYS28-8**
				7.69"	Round Bearing		**155TYSB31-7**
				7.69"	Round Bearing		**155TYSB31-7A**
				4.12"	Full Round		**16N-4-1051**
				4.13"	Easy Service		**16TYS28-20**
				8.00"	Round Bearing		**16TYSB31-20**
				8.00"	Round Bearing		**16TYSB31-20A**
				4.25"	Wing Bearing		**58WBYS28-54**
				4.81"	Comp.Flange		**5WCS28-67**
				3.50"	Wing Bearing		**72NYS28-18**
CL550	1.97"-10	2.80"	2.75"	5.00"	Easy Service		**155TYS31-6**
				5.28"	Easy Service		**16TYS31-16**
				5.75"	Easy Service		**17TYS31-62**
				4.81"	Comp.Flange		**5WCS31-24**
				4.81"	Comp.Flange		**5WCS31-26**

(IN) Input
(OUT) Output

(C) Cast Version

CLARK TRANSMISSIONS

INDEX

	Page
CL450	16-51
CL550	16-51

FULLER TRANSMISSIONS

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Comments	Part Number
CL450	1.75"-10	2.00"	2.50"	5.06"	Round Bearing	With 9"x 3"brake	**141TYSB28-20X**
FS3005				3.50"	Comp.Flange		**148N-1-6081X**
FS4005				5.06"	Round Bearing		**148TYSB28-7**
				6.00"	Round Bearing		**148TYSB28-9A**
				5.98"	Round Bearing		**155TYSB28-13A**
				6.42"	Round Bearing		**155TYSB28-38A**
				6.73"	Round Bearing		**16TYSB28-58A**
				5.30"	Wing Bearing		**58WBYS28-154**
CL450	1.75"-10	2.00"	2.50"	3.63"	Easy Service	Without brake	**141TYS28-18**
FS3005				4.00"	Easy Service		**148DYS28-16**
FS4005				4.00"	Easy Service		**148TYS28-16**
				4.57"	Full Round		**16NYS28-45**
				3.81"	Wing Bearing		**58WBYS28-218**
CL550	1.75"-10	2.25"	2.50"	4.19"	Easy Service		**155N-4-2511**
FS5005				4.28"	Easy Service		**155TYS28-8**
				7.69"	Round Bearing		**155TYSB31-7**
				7.69"	Round Bearing		**155TYSB31-7A**
				4.12"	Full Round		**16N-4-1051**
				4.13"	Easy Service		**16TYS28-20**
				8.00"	Round Bearing		**16TYSB31-20**
				8.00"	Round Bearing		**16TYSB31-20A**
				4.25"	Wing Bearing		**58WBYS28-54**
				4.81"	Comp.Flange		**5WCS28-67**
				3.50"	Wing Bearing		**72NYS28-18**
CL550	1.97"-10	2.80"	2.75"	5.00"	Easy Service		**155TYS31-6**
FS5005				5.28"	Easy Service		**16TYS31-16**
				5.75"	Easy Service		**17TYS31-62**
				4.81"	Comp.Flange		**5WCS31-24**
				4.81"	Comp.Flange		**5WCS31-26**
2 Speed 62 (OUT) 3 Speed 62 (IN) 3 Speed 65 (IN) 5 Speed 65 5 Speed 650 5 Speed 74 5 Speed 740 5 Speed 75 5-C-72 5-C-720	2.00"-10	3.00"	3.25"	4.81"	Full Round		**17N-4-2131**

(IN) Input
(OUT) Output

(C) Cast Version

FULLER TRANSMISSIONS

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Comments	Part Number
FS5106A	2.00"-38	2.13"	2.75"	4.03"	Easy Service		148TYS32-5
FS6005				4.03"	Easy Service		155DYS32-7
FS6105				7.56"	Round Bearing		155TYSB32-26
FS6106				7.56"	Round Bearing		155TYSB32-26A
FS6206A				4.00"	Full Round		16N-4-6321
FS7206A				4.50"	Easy Service		16TYS32-61
				7.87"	Round Bearing		16TYSB32-72
				7.87"	Round Bearing		16TYSB32-72A
				5.63"	Full Round		176NYS32-6
				5.25"	Full Round		17N-4-7301
				5.25"	Easy Service		17TYS32-66 (C)
				5.25"	Easy Service		17TYS32-73
				7.97"	Round Bearing		17TYSB32-84
				7.97"	Round Bearing		17TYSB32-84A
				3.94"	Wing Bearing		58WBYS32-44
				4.13"	Wing Bearing		72NYS32-250
10 Speed 1120	2.25"-10	3.00"	3.50"	5.50"	Full Round		16N-4-3321
10 Speed 65				5.50"	Easy Service		16N-4-3321-1
10 Speed 650				5.75"	Full Round		16N-4-4961
15 Speed 1120				5.65"	Full Round		176N-4-701
2 Speed 92				5.65"	Easy Service		176N-4-761-1X
3 Speed 65 (OUT)				5.25"	Full Round		17N-4-2141
3 Speed 92				5.25"	Full Round		17N-4-6861
4 Speed 75				5.25"	Easy Service		17N-4-6901-1X
4-A-112				5.84"	Easy Service		18N-4-2021-1
4-A-86				3.63"	Comp.Flange		3WCS36-25
4-A-860				3.63"	Comp.Flange		3WCS36-3
5 Speed 1120				3.69"	Comp.Flange		5WCS36-112
5 Speed 1220							
FS8109A							
MT11605 (OUT)							
MT905 (OUT)							
R1150							
R1160							
R96							
R960							
RT510							
RT610							
RT6609							
RT6610							
RT8609							
T11605							

(IN) Input
(OUT) Output

(C) Cast Version

FULLER TRANSMISSIONS

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Comments	Part Number
T905	2.25"-10	3.00"	3.50"	5.50"	Full Round		16N-4-3321
				5.50"	Easy Service		16N-4-3321-1
				5.75"	Full Round		16N-4-4961
				5.65"	Full Round		176N-4-701
				5.65"	Easy Service		176N-4-761-1X
				5.25"	Full Round		17N-4-2141
				5.25"	Full Round		17N-4-6861
				5.25"	Easy Service		17N-4-6901-1X
				5.84"	Easy Service		18N-4-2021-1
				3.63"	Comp.Flange		3WCS36-25
				3.63"	Comp.Flange		3WCS36-3
				3.69"	Comp.Flange		5WCS36-112
FS8109A	2.25"-10	3.00"	3.75"	5.75"	Easy Service		16TYS36-11A
MT11605 (OUT)				5.65"	Easy Service		176N-4-1101-1X
RT6609				5.25"	Full Round		17NYS36-48A
RT6610				5.25"	Easy Service		17TYS36-48A (C)
RT8609				5.25"	Easy Service		17TYS36-55A
T11605				5.84"	Easy Service		18TYS36-15A
				4.84"	Wing Bearing		92NYS36-68A
FS5106	2.34"-45	3.00"	3.75"	5.75"	Easy Service		16TYS38-22A
FS6105				5.65"	Easy Service		176N-4-901-1X
FS8206				5.65"	Full Round		176N-4-901X
T-8607				5.75"	Full Round		17N-4-7271X
				5.75"	Easy Service		17TYS38-50A (C)
				5.75"	Easy Service		17TYS38-64A
				3.69"	Comp.Flange		5WCS38-28A
				3.69"	Comp.Flange		5WCS38-29A
MRT11609 (OUT)	2.50"-10	3.00"	2.94"	5.88"	Full Round		18N-4-1961
MRT11610 (OUT)				4.44"	Wing Bearing		72NYS40-99
MRT11613 (OUT)				4.44"	Wing Bearing		72NYS40-99A
MRT11615 (OUT)				4.75"	Wing Bearing		82NYS40-28
RT1110							
RT11109-ATR							
RT11509							
RT11608							
RT11609							
RT11610							
RT11613							
RT11615							
RT11709							
RT11710							
RT11715							

(IN) Input
(OUT) Output

(C) Cast Version

FULLER TRANSMISSIONS

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Comments	Part Number
RT12109	2.50"-10	3.00"	2.94"	5.88"	Full Round		**18N-4-1961**
RT12609				4.44"	Wing Bearing		**72NYS40-99**
RT12610				4.44"	Wing Bearing		**72NYS40-99A**
RT12709				4.75"	Wing Bearing		**82NYS40-28**
RT12710							
RT13609							
RT13709							
RT13710							
RT613							
RT6613							
RT7608LL							
RT8608L							
RT906							
RT909							
RT910							
RT9109							
RT913							
RT915							
RT9508							
RT9509							
RT9513							
RTE12609							
RTLO1210A							
RTLO12610B							
RTLO12613B							
RTLO13610B							
RTLX12713A							
RTO11608LL							
RTO11618							
RTO11708LL							
RTO958LL							
RTT12609							
T1056AA							
T1106							
T11606							
T11607							
T955							
TA4510							

(IN) Input
(OUT) Output

(C) Cast Version

FULLER TRANSMISSIONS

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Comments	Part Number
11600	2.50"-10	3.00"	3.75"	5.15"	RPL		**20WYS40-2A**
RT11608				5.15"	RPL		**25WYS40-2A**
RT11610							
RT11613							
RT11615							
RT11709							
RT11710							
RT11715							
RT6613							
RT909							
T955							
MRT11609 (OUT)	2.50"-10	3.00"	3.75"	6.12"	Full Round		**16N-4-4971**
MRT11610 (OUT)				6.12"	Easy Service		**16N-4-4971-1**
MRT11613 (OUT)				6.03"	Full Round		**176N-4-781X**
MRT11615 (OUT)				6.03"	Easy Service		**176TYS40-14A**
RT1110				5.63"	Full Round		**17N-4-3611**
RT11109-ATR				5.63"	Easy Service		**17N-4-3611-1**
RT11509				5.63"	Full Round		**17N-4-6921X**
RT11608				5.63"	Easy Service		**17TYS40-125A (C)**
RT11609				5.63"	Easy Service		**17TYS40-144A**
RT11610				5.63"	Easy Service		**17TYS40-9 (C)**
RT11613				5.88"	Easy Service		**18N-4-3551-1X**
RT11615				5.88"	Full Round		**18N-4-3551X**
RT11709				3.63"	Comp.Flange		**5WCS40-40**
RT11710				3.63"	Comp.Flange		**5WCS40-40A**
RT11715				3.63"	Comp.Flange		**5WCS40-41**
RT12109				3.63"	Comp.Flange		**5WCS40-41A**
RT12609				4.31"	Wing Bearing		**85WBYS40-34**
RT12610				4.31"	Wing Bearing		**85WBYS40-34A**
RT12709				4.25"	Wing Bearing		**92NYS40-40A**
RT12710							
RT13609							
RT13709							
RT13710							
RT613							
RT6613							
RT7608LL							
RT8608L							
RT906							
RT909							
RT910							
RT9109							

(IN) Input
(OUT) Output

(C) Cast Version

FULLER TRANSMISSIONS

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Comments	Part Number
RT913	2.50"-10	3.00"	3.75"	6.12"	Full Round		**16N-4-4971**
RT915				6.12"	Easy Service		**16N-4-4971-1**
RT9508				6.03"	Full Round		**176N-4-781X**
RT9509				6.03"	Easy Service		**176TYS40-14A**
RT9513				5.63"	Full Round		**17N-4-3611**
RTE12609				5.63"	Easy Service		**17N-4-3611-1**
RTLO1210A				5.63"	Full Round		**17N-4-6921X**
RTLO12610B				5.63"	Easy Service		**17TYS40-125A (C)**
RTLO12613B				5.63"	Easy Service		**17TYS40-144A**
RTLO13610B				5.63"	Easy Service		**17TYS40-9 (C)**
RTLX12713A				5.88"	Easy Service		**18N-4-3551-1X**
RTO11608LL				5.88"	Full Round		**18N-4-3551X**
RTO11618				3.63"	Comp.Flange		**5WCS40-40**
RTO11708LL				3.63"	Comp.Flange		**5WCS40-40A**
RTO958LL				3.63"	Comp.Flange		**5WCS40-41**
RTT12609				3.63"	Comp.Flange		**5WCS40-41A**
T1056AA				4.31"	Wing Bearing		**85WBYS40-34**
T1106				4.31"	Wing Bearing		**85WBYS40-34A**
T11606				4.25"	Wing Bearing		**92NYS40-40A**
T11607							
T955							
TA4510							
T14607	2.50"-49	3.00"	3.75"	6.03"	Easy Service		**176N-4-771-1X**
				6.03"	Full Round		**176N-4-771X**
				5.63"	Full Round		**17N-4-7041X**
				5.63"	Easy Service		**17TYS40-131A (C)**
				5.63"	Easy Service		**17TYS40-143A**
				5.88"	Easy Service		**18N-4-3621-1X**
				5.88"	Full Round		**18N-4-3621X**
				3.63"	Comp.Flange		**5WCS40-42A**
				3.63"	Comp.Flange		**5WCS40-43A**
				4.63"	Wing Bearing		**92NYS40-39A**

(IN) Input
(OUT) Output

(C) Cast Version

FULLER TRANSMISSIONS

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Comments	Part Number
RT11209	2.54"-49	2.75"	3.75"	5.63"	RPL		**20WYS40-3**
RT11210				6.25"	RPL		**25WYS40-3**
RT12209							
RT12210							
RT13209							
RT13210							
RTO11209							
RTO11210							
RTO12209							
RTO12210							
RTO13209							
RTO13210							
T14607	2.54"-49	3.00"	3.75"	5.15"	RPL		**20WYS40-4A**
				5.18"	RPL		**25WYS40-4A**
4-F-1440	2.75"-10	3.00"	3.75"	5.97"	Full Round		**176N-4-711**
4-FS-1440				5.97"	Easy Service		**176N-4-711-1**
4-MB-1440 (OUT)				5.97"	Easy Service		**176N-4-791-1X**
4-MS-1440 (OUT)				5.97"	Full Round		**176N-4-791X**
AT1202 (OUT)				5.75"	Full Round		**17N-4-6821**
R1550				5.75"	Easy Service		**17N-4-6821-1**
RT11109-ATS				5.75"	Easy Service		**17N-4-6931-1X**
RT1213				5.75"	Full Round		**17N-4-6931X**
RT12509				5.75"	Easy Service		**17TYS44-7A (C)**
RT12510				6.06"	Full Round		**18N-4-3491**
RT12513				6.06"	Easy Service		**18N-4-3491-1**
RT14109				6.06"	Easy Service		**18N-4-3561-1X**
RT14608				6.06"	Full Round		**18N-4-3561X**
RT14609				4.06"	Comp.Flange		**5WCS44-3**
RT14610				4.06"	Comp.Flange		**5WCS44-3A**
RT14610B				4.50"	Wing Bearing		**85WBYS44-1**
RT14613				4.50"	Wing Bearing		**85WBYS44-1A**
RT14615				4.84"	Wing Bearing		**92NYS44-22A**
RT14709							
RT14710							
RT14715							
RT15610B							
RT15613							
RT15615							
RT15715							
RT16610B							
RTAO14710B							
RTLO1410A							

(IN) Input
(OUT) Output

(C) Cast Version

FULLER TRANSMISSIONS

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Comments	Part Number
RTLO14613B	2.75"-10	3.00"	3.75"	5.97"	Full Round		**176N-4-711**
RTLO14618A				5.97"	Easy Service		**176N-4-711-1**
RTLO16618A				5.97"	Easy Service		**176N-4-791-1X**
RTLX14713A				5.97"	Full Round		**176N-4-791X**
RTLX14718B				5.75"	Full Round		**17N-4-6821**
RTLX16718B				5.75"	Easy Service		**17N-4-6821-1**
RTO1157				5.75"	Easy Service		**17N-4-6931-1X**
RTO11607L				5.75"	Full Round		**17N-4-6931X**
RTO11607LL				5.75"	Easy Service		**17TYS44-7A (C)**
RTO11707LL				6.06"	Full Round		**18N-4-3491**
RTO1258LL				6.06"	Easy Service		**18N-4-3491-1**
RTO14608LL				6.06"	Easy Service		**18N-4-3561-1X**
RTO14708LL				6.06"	Full Round		**18N-4-3561X**
RTO15618				4.06"	Comp.Flange		**5WCS44-3**
RTO2008				4.06"	Comp.Flange		**5WCS44-3A**
				4.50"	Wing Bearing		**85WBYS44-1**
				4.50"	Wing Bearing		**85WBYS44-1A**
				4.84"	Wing Bearing		**92NYS44-22A**
AT1202 (IN)	2.75"-10	3.00"	3.75"	5.97"	Easy Service		**176N-4-721-1X**
				5.97"	Full Round		**176N-4-721X**
				5.75"	Full Round		**17N-4-6841X**
				5.75"	Easy Service		**17TYS44-12A**
				6.06"	Full Round		**18N-4-3501X**
				6.06"	Easy Service		**18TYS44-3A**
				4.84"	Wing Bearing		**92NYS44-23A**
RT12509	2.75"-10	3.00"	3.75"	5.09"	RPL		**20WYS44-2A**
RT14608				5.09"	RPL		**25WYS44-2A**
RT15613							
RTO11607							
RT14209	2.79"-54	2.75"	3.75"	5.63"	RPL		**20WYS45**
RT14210				6.25"	RPL		**25WYS45**
RT14915							
RT8908LL							
RTO11908LL							
RTO11909MLL							
RTO14209							
RTO14210							
RTO14908LL							
RTO14909MLL							
RTO14915							
RTO15210							
RTO16210							

(IN) Input
(OUT) Output

(C) Cast Version

FULLER TRANSMISSIONS

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Comments	Part Number
RTO16908LL	2.79"-54	2.75"	3.75"	5.63"	RPL		**20WYS45**
RTO16915				6.25"	RPL		**25WYS45**

(IN) Input
(OUT) Output

(C) Cast Version

FULLER TRANSMISSIONS

INDEX

	Page
10 Speed 1120	16-54
10 Speed 65	16-54
10 Speed 650	16-54
11600	16-57
15 Speed 1120	16-54
2 Speed 62 (OUT)	16-53
2 Speed 92	16-54
3 Speed 62 (IN)	16-53
3 Speed 65 (IN)	16-53
3 Speed 65 (OUT)	16-54
3 Speed 92	16-54
4 Speed 75	16-54
4-A-112	16-54
4-A-86	16-54
4-A-860	16-54
4-F-1440	16-59
4-FS-1440	16-59
4-MB-1440 (OUT)	16-59
4-MS-1440 (OUT)	16-59
5 Speed 1120	16-54
5 Speed 1220	16-54
5 Speed 65	16-53
5 Speed 650	16-53
5 Speed 74	16-53
5 Speed 740	16-53
5 Speed 75	16-53
5-C-72	16-53
5-C-720	16-53
AT1202 (IN)	16-60
AT1202 (OUT)	16-59
CL450	16-53
CL550	16-53
FS3005	16-53
FS4005	16-53
FS5005	16-53
FS5106	16-55
FS5106A	16-54
FS6005	16-54
FS6105	16-54
FS6105	16-55
FS6106	16-54
FS6206A	16-54
FS7206A	16-54
FS8109A	16-54
FS8109A	16-55
FS8206	16-55
MRT11609 (OUT)	16-55
MRT11609 (OUT)	16-57
MRT11610 (OUT)	16-55
MRT11610 (OUT)	16-57
MRT11613 (OUT)	16-55
MRT11613 (OUT)	16-57
MRT11615 (OUT)	16-55
MRT11615 (OUT)	16-57
MT11605 (OUT)	16-54
MT11605 (OUT)	16-55
MT905 (OUT)	16-54
R1150	16-54
R1160	16-54
R1550	16-59
R96	16-54
R960	16-54
RT1110	16-55
RT1110	16-57
RT11109-ATR	16-55
RT11109-ATR	16-57
RT11109-ATS	16-59
RT11209	16-59
RT11210	16-59
RT11509	16-55
RT11509	16-57
RT11608	16-55
RT11608	16-57
RT11609	16-55
RT11609	16-57
RT11610	16-55
RT11610	16-57
RT11613	16-55
RT11613	16-57
RT11615	16-55
RT11615	16-57
RT11709	16-55
RT11709	16-57
RT11710	16-55
RT11710	16-57
RT11715	16-55
RT11715	16-57
RT12109	16-56
RT12109	16-57
RT1213	16-59
RT12209	16-59
RT12210	16-59
RT12509	16-59
RT12509	16-60
RT12510	16-59
RT12513	16-59
RT12609	16-56
RT12609	16-57
RT12610	16-56
RT12610	16-57
RT12709	16-56
RT12709	16-57
RT12710	16-56
RT12710	16-57
RT13209	16-59
RT13210	16-59
RT13609	16-56
RT13609	16-57
RT13709	16-56
RT13709	16-57
RT13710	16-56
RT13710	16-57
RT14109	16-59
RT14209	16-60
RT14210	16-60
RT14608	16-59
RT14608	16-60
RT14609	16-59
RT14610	16-59
RT14610B	16-59
RT14613	16-59
RT14615	16-59
RT14709	16-59
RT14710	16-59
RT14715	16-59
RT14915	16-60
RT15610B	16-59
RT15613	16-59
RT15613	16-60
RT15615	16-59
RT15715	16-59
RT16610B	16-59
RT510	16-54
RT610	16-54
RT613	16-56
RT613	16-57
RT6609	16-54
RT6609	16-55
RT6610	16-54
RT6610	16-55
RT6613	16-56
RT6613	16-57
RT7608LL	16-56
RT7608LL	16-57
RT8608L	16-56
RT8608L	16-57
RT8609	16-54

FULLER TRANSMISSIONS

	Page
RT8609	16-55
RT8908LL	16-60
RT906	16-56
RT906	16-57
RT909	16-56
RT909	16-57
RT910	16-56
RT910	16-57
RT9109	16-56
RT9109	16-57
RT913	16-56
RT913	16-58
RT915	16-56
RT915	16-58
RT9508	16-56
RT9508	16-58
RT9509	16-56
RT9509	16-58
RT9513	16-56
RT9513	16-58
RTAO14710B	16-59
RTE12609	16-56
RTE12609	16-58
RTLO1210A	16-56
RTLO1210A	16-58
RTLO12610B	16-56
RTLO12610B	16-58
RTLO12613B	16-56
RTLO12613B	16-58
RTLO13610B	16-56
RTLO13610B	16-58
RTLO1410A	16-59
RTLO14613B	16-60
RTLO14618A	16-60
RTLO16618A	16-60
RTLX12713A	16-56
RTLX12713A	16-58
RTLX14713A	16-60
RTLX14718B	16-60
RTLX16718B	16-60
RTO11209	16-59
RTO11210	16-59
RTO1157	16-60
RTO11607	16-60
RTO11607L	16-60
RTO11607LL	16-60
RTO11608LL	16-56
RTO11608LL	16-58
RTO11618	16-56
RTO11618	16-58
RTO11707LL	16-60
RTO11708LL	16-56
RTO11708LL	16-58
RTO11908LL	16-60
RTO11909MLL	16-60
RTO12209	16-59
RTO12210	16-59
RTO1258LL	16-60
RTO13209	16-59
RTO13210	16-59
RTO14209	16-60
RTO14210	16-60
RTO14608LL	16-60
RTO14708LL	16-60
RTO14908LL	16-60
RTO14909MLL	16-60
RTO14915	16-60
RTO15210	16-60
RTO15618	16-60
RTO16210	16-60
RTO16908LL	16-61
RTO16915	16-61
RTO2008	16-60
RTO958LL	16-56
RTO958LL	16-58
RTT12609	16-56

FULLER TRANSMISSIONS

	Page
RTT12609	16-58
T-8607	16-55
T1056AA	16-56
T1056AA	16-58
T1106	16-56
T1106	16-58
T11605	16-54
T11605	16-55
T11606	16-56
T11606	16-58
T11607	16-56
T11607	16-58
T14607	16-58
T14607	16-59
T905	16-55
T955	16-56
T955	16-57
T955	16-58
TA4510	16-56
TA4510	16-58

MERITOR TRANSMISSIONS

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Part Number
RM-10-115	2.50"-10	3.00"	3.75"	6.03"	Full Round	**176N-4-781X**
RM-10-125				6.03"	Easy Service	**176TYS40-14A**
RMO-10-115				5.88"	Easy Service	**18N-4-3551-1X**
RMO-10-125				5.88"	Full Round	**18N-4-3551X**
RMO-10-135				5.15"	RPL	**20WYS40-2A**
RMO-9-115				5.15"	RPL	**25WYS40-2A**
RMO-9-125						
RMX-10-115						
RMX-9-115						
RMX-9-125						
RM-10-135	2.75"-10	3.00"	3.75"	5.97"	Easy Service	**176N-4-791-1X**
RM-10-145				5.97"	Full Round	**176N-4-791X**
RM-13-145				5.75"	Easy Service	**17N-4-6931-1X**
RM-9-135				5.75"	Full Round	**17N-4-6931X**
RM-9-145				6.06"	Easy Service	**18N-4-3561-1X**
RM-9-155				6.06"	Full Round	**18N-4-3561X**
RMO-10-135				5.09"	RPL	**20WYS44-2A**
RMO-10-145				5.09"	RPL	**25WYS44-2A**
RMO-10-155				4.84"	Wing Bearing	**92NYS44-22A**
RMO-10-165						
RMO-13-145						
RMO-9-135						
RMO-9-145						
RMO-9-155						
RMO-9-165						
RMX-10-135						
RMX-10-145						
RMX-10-155						
RMX-10-165						
RMX-13-145						
RMX-9-135						
RMX-9-145						
RMX-9-155						
RMX-9-165						

(IN) Input
(OUT) Output

(C) Cast Version

MERITOR TRANSMISSIONS

INDEX

	Page
RM-10-115	16-66
RM-10-125	16-66
RM-10-135	16-66
RM-10-145	16-66
RM-13-145	16-66
RM-9-135	16-66
RM-9-145	16-66
RM-9-155	16-66
RMO-10-115	16-66
RMO-10-125	16-66
RMO-10-135	16-66
RMO-10-145	16-66
RMO-10-155	16-66
RMO-10-165	16-66
RMO-13-145	16-66
RMO-9-115	16-66
RMO-9-125	16-66
RMO-9-135	16-66
RMO-9-145	16-66
RMO-9-155	16-66
RMO-9-165	16-66
RMX-10-115	16-66
RMX-10-135	16-66
RMX-10-145	16-66
RMX-10-155	16-66
RMX-10-165	16-66
RMX-13-145	16-66
RMX-9-115	16-66
RMX-9-125	16-66
RMX-9-135	16-66
RMX-9-145	16-66
RMX-9-155	16-66
RMX-9-165	16-66

NEW PROCESS TRANSMISSIONS

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Comments	Part Number
NP435 NP540 NP542	1.50"-10	2.00"	2.13"	3.70"	Wing Bearing	Drilled	**58WBYS24-7**
NP435 NP540 NP542	1.50"-10	2.00"	2.13"	3.75"	Wing Bearing	Threaded	**58WBYS24**
NP435	1.50"-35	2.00"	2.13"	5.06"	Easy Service		**141TYS24-6**
NP540				4.13"	Easy Service		**155N-4-5381-1**
NP542							
D SPEC	1.50"-35	2.00"	2.50"	5.06"	Round Bearing	For GMC, GMT 455	**141TYSB24-6A**
NP435				5.06"	Easy Service		**148NYS24-7A**
NP540				5.06"	Round Bearing		**148NYSB24-7A**
NP542				5.06"	Round Bearing		**148TYSB24-4A**
NP541	1.75"-10	2.00"	2.50"	3.63"	Easy Service	Without brake	**141TYS28-18**
				4.00"	Easy Service		**148DYS28-16**
				4.00"	Easy Service		**148TYS28-16**
				4.57"	Full Round		**16NYS28-45**
				3.81"	Wing Bearing		**58WBYS28-218**

(IN) Input
(OUT) Output

(C) Cast Version

NEW PROCESS TRANSMISSIONS

INDEX

	Page
D SPEC	16-68
NP435	16-68
NP540	16-68
NP541	16-68
NP542	16-68

SPICER TRANSMISSIONS

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Part Number
CL550	1.75"-10	2.25"	2.50"	4.19"	Easy Service	**155N-4-2511**
CM50				4.28"	Easy Service	**155TYS28-8**
FS5005				7.69"	Round Bearing	**155TYSB31-7**
SP5000				7.69"	Round Bearing	**155TYSB31-7A**
SP5052				4.12"	Full Round	**16N-4-1051**
SP5252				4.13"	Easy Service	**16TYS28-20**
SP5652				8.00"	Round Bearing	**16TYSB31-20**
SP5662				8.00"	Round Bearing	**16TYSB31-20A**
SP5752				4.25"	Wing Bearing	**58WBYS28-54**
SP5753				4.81"	Comp.Flange	**5WCS28-67**
SP5756				3.50"	Wing Bearing	**72NYS28-18**
SP5852						
SP5853						
6041 (IN and OUT)	1.97"-6	3.00"	2.75"	5.00"	Full Round	**16N-4-1431**
6231 (IN and OUT)				5.19"	Full Round	**17N-4-3191**
6241						
6440						
7041 (IN)						
7231 (IN and OUT)						
CM60	2.00"-10	3.00"	2.75"	5.19"	Full Round	**16NYS32-49**
SP6000				5.19"	Easy Service	**16TYS32-49**
SP6052				5.25"	Full Round	**17NYS32-21**
SP6252				5.25"	Easy Service	**17TYS32-21 (C)**
SP6253				5.25"	Easy Service	**17TYS32-75**
SP6352				4.63"	Wing Bearing	**58WBYS32-39**
SP6452				4.63"	Wing Bearing	**72NYS32-157**
SP6453				4.25"	Wing Bearing	**72NYS32-172**
SP6852						
SP6853						
SP7000						
SP7352						
SP7452						
SP7453						

(IN) Input
(OUT) Output

(C) Cast Version

SPICER TRANSMISSIONS

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Part Number
5105B	2.00"-38	2.13"	2.75"	4.03"	Easy Service	**148TYS32-5**
5106				4.03"	Easy Service	**155DYS32-7**
6105A				7.56"	Round Bearing	**155TYSB32-26**
6105B				7.56"	Round Bearing	**155TYSB32-26A**
CM55				4.00"	Full Round	**16N-4-6321**
CM5552C				4.50"	Easy Service	**16TYS32-61**
CM5552D				7.87"	Round Bearing	**16TYSB32-72**
CM5852A				7.87"	Round Bearing	**16TYSB32-72A**
FS5106A				5.63"	Full Round	**176NYS32-6**
FS6005				5.25"	Full Round	**17N-4-7301**
FS6105				5.25"	Easy Service	**17TYS32-66 (C)**
FS6106				5.25"	Easy Service	**17TYS32-73**
FS6206A				7.97"	Round Bearing	**17TYSB32-84**
FS7206A				7.97"	Round Bearing	**17TYSB32-84A**
				3.94"	Wing Bearing	**58WBYS32-44**
				4.13"	Wing Bearing	**72NYS32-250**
1241 (IN)	2.22"-6	3.25"	3.00"	5.72"	Full Round	**16N-4-4741**
7016				6.00"	Easy Service	**176TYS36-2**
7041 (OUT)				5.31"	Full Round	**17N-4-3031**
7216				5.31"	Easy Service	**17N-4-3031-1**
738 (IN and OUT)				5.31"	Easy Service	**17TYS36-4 (C)**
8012				6.00"	Full Round	**18N-4-1971**
8016				6.00"	Easy Service	**18N-4-1971-1**
8031 (IN and OUT)				4.69"	Wing Bearing	**72NYS36-51**
8035				4.50"	Wing Bearing	**82NYS36-63**
8041				5.17"	Wing Bearing	**92NYS36-41**
8045						
8051						
8052						
8054						
8055						
8212						
8216						
8245						
8251						
8252						
8255						
8341 (OUT)						
8345 (OUT)						
8440						
8445						
8512						
8516						

(IN) Input
(OUT) Output

(C) Cast Version

SPICER TRANSMISSIONS

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Part Number
8542	2.22"-6	3.25"	3.00"	5.72"	Full Round	**16N-4-4741**
8545				6.00"	Easy Service	**176TYS36-2**
8553				5.31"	Full Round	**17N-4-3031**
8554				5.31"	Easy Service	**17N-4-3031-1**
8555				5.31"	Easy Service	**17TYS36-4 (C)**
8716				6.00"	Full Round	**18N-4-1971**
8742				6.00"	Easy Service	**18N-4-1971-1**
8744				4.69"	Wing Bearing	**72NYS36-51**
8753				4.50"	Wing Bearing	**82NYS36-63**
8755				5.17"	Wing Bearing	**92NYS36-41**
SP8000						
8341 (IN)	2.22"-6	3.25"	3.00"	6.00"	Full Round	**176N-4-171X**
8345 (IN)				6.00"	Easy Service	**176TYS36-2A**
				5.31"	Full Round	**17N-4-3041X**
				5.31"	Easy Service	**17TYS36-54A**
SST1006	2.25"-10	2.25"	3.12"	5.25"	Easy Service	**176N-4-41-1**
SST1007						
SST1020						
SST1207						
SST1211						
SST1212						
SST1214						
SST1272						
SST1274-A						
SST1310						
SST1352						
SST1362						
SST1372						
SST1412						
SST1414						
SST1420-3A						
SST1452						
SST1453						
SST1463						
SST9072						

(IN) Input
(OUT) Output

(C) Cast Version

SPICER TRANSMISSIONS

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Part Number
SST1010	2.34"-16	2.75"	2.81"	5.19"	Full Round	**17N-4-5341**
SST1052				5.56"	Full Round	**18N-4-3011**
SST1062				4.19"	Wing Bearing	**92NYS38-45**
SST1064						
SST1252						
SST1253						
SST1254						
SST1262						
SST1263						
SST1264						
SST1265						
PS125-7B	2.50"-49	2.75"	3.06"	5.56"	Full Round	**176N-4-1251**
PS140-7A				5.56"	Easy Service	**176N-4-1251-1**
PS97-7A				5.19"	Full Round	**17N-4-7691**
				5.19"	Easy Service	**17N-4-7691-1**
				5.56"	Full Round	**18N-4-3821**
				5.56"	Easy Service	**18N-4-3821-1**
				4.25"	Wing Bearing	**92NYS40-41**
1241 (IN)	2.63"-20	2.75"	3.00"	5.56"	Easy Service	**176N-4-871-1X**
				5.56"	Full Round	**176N-4-871X**
				5.19"	Full Round	**17N-4-7071X**
				5.19"	Easy Service	**17TYS42-5A**
				5.56"	Full Round	**18N-4-3541**
				5.56"	Easy Service	**18N-4-3541-1X**
				4.25"	Wing Bearing	**92NYS42-18**
				4.25"	Wing Bearing	**92NYS42-18A**
SST1006	2.63"-20	2.75"	3.00"	5.56"	Full Round	**176N-4-41**
SST1007				5.56"	Full Round	**18N-4-3021**
SST1020						
SST1207						
SST1211						
SST1212						
SST1214						
SST1272						
SST1274-A						
SST1310						
SST1352						
SST1362						
SST1372						
SST1412						
SST1414						
SST1420-3A						
SST1452						

(IN) Input
(OUT) Output

(C) Cast Version

SPICER TRANSMISSIONS

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Part Number
SST1453	2.63"-20	2.75"	3.00"	5.56"	Full Round	**176N-4-41**
SST1463				5.56"	Full Round	**18N-4-3021**
SST9072						
SST1006	2.63"-20	2.75"	3.75"	5.56"	Easy Service	**16TYS42**
SST1007				5.19"	Full Round	**17N-4-5351**
SST1020				5.19"	Easy Service	**17TYS42-1 (C)**
SST1207				5.19"	Easy Service	**17TYS42-4**
SST1211				5.56"	Easy Service	**18N-4-3031-1**
SST1212				4.25"	Wing Bearing	**92NYS42-14**
SST1214						
SST1272						
SST1274-A						
SST1310						
SST1352						
SST1362						
SST1372						
SST1412						
SST1414						
SST1420-3A						
SST1452						
SST1453						
SST1463						
SST9072						
1241C (OUT)	2.75"-10	2.94"	3.38"	6.00"	Full Round	**176N-4-61**
1241D (OUT)				6.00"	Easy Service	**176N-4-61-1**
P1241C (OUT)				5.31"	Full Round	**17N-4-4651**
P1241D (OUT)				5.31"	Easy Service	**17TYS44-11**
				5.31"	Easy Service	**17TYS44-5 (C)**
				6.00"	Full Round	**18N-4-2171**
				6.00"	Easy Service	**18N-4-2171-1**
				4.38"	Wing Bearing	**92NYS44-18**

(IN) Input
(OUT) Output

(C) Cast Version

SPICER TRANSMISSIONS

INDEX

	Page
1241 (IN)	16-71
1241 (IN)	16-73
1241C (OUT)	16-74
1241D (OUT)	16-74
5105B	16-71
5106	16-71
6041 (IN and OUT)	16-70
6105A	16-71
6105B	16-71
6231 (IN and OUT)	16-70
6241	16-70
6440	16-70
7016	16-71
7041 (IN)	16-70
7041 (OUT)	16-71
7216	16-71
7231 (IN and OUT)	16-70
738 (IN and OUT)	16-71
8012	16-71
8016	16-71
8031 (IN and OUT)	16-71
8035	16-71
8041	16-71
8045	16-71
8051	16-71
8052	16-71
8054	16-71
8055	16-71
8212	16-71
8216	16-71
8245	16-71
8251	16-71
8252	16-71
8255	16-71
8341 (IN)	16-72
8341 (OUT)	16-71

	Page
8345 (IN)	16-72
8345 (OUT)	16-71
8440	16-71
8445	16-71
8512	16-71
8516	16-71
8542	16-72
8545	16-72
8553	16-72
8554	16-72
8555	16-72
8716	16-72
8742	16-72
8744	16-72
8753	16-72
8755	16-72
CL550	16-70
CM50	16-70
CM55	16-71
CM5552C	16-71
CM5552D	16-71
CM5852A	16-71
CM60	16-70
FS5005	16-70
FS5106A	16-71
FS6005	16-71
FS6105	16-71
FS6106	16-71
FS6206A	16-71
FS7206A	16-71
P1241C (OUT)	16-74
P1241D (OUT)	16-74
PS125-7B	16-73
PS140-7A	16-73
PS97-7A	16-73

SPICER TRANSMISSIONS

	Page
SP5000	16-70
SP5052	16-70
SP5252	16-70
SP5652	16-70
SP5662	16-70
SP5752	16-70
SP5753	16-70
SP5756	16-70
SP5852	16-70
SP5853	16-70
SP6000	16-70
SP6052	16-70
SP6252	16-70
SP6253	16-70
SP6352	16-70
SP6452	16-70
SP6453	16-70
SP6852	16-70
SP6853	16-70
SP7000	16-70
SP7352	16-70
SP7452	16-70
SP7453	16-70
SP8000	16-72
SST1006	16-72
SST1006	16-73
SST1006	16-74
SST1007	16-72
SST1007	16-73
SST1007	16-74
SST1010	16-73
SST1020	16-72
SST1020	16-73
SST1020	16-74
SST1052	16-73
SST1062	16-73
SST1064	16-73
SST1207	16-72
SST1207	16-73
SST1207	16-74
SST1211	16-72
SST1211	16-73
SST1211	16-74
SST1212	16-72
SST1212	16-73
SST1212	16-74
SST1214	16-72
SST1214	16-73
SST1214	16-74
SST1252	16-73
SST1253	16-73
SST1254	16-73
SST1262	16-73
SST1263	16-73
SST1264	16-73
SST1265	16-73
SST1272	16-72
SST1272	16-73
SST1272	16-74
SST1274-A	16-72
SST1274-A	16-73
SST1274-A	16-74
SST1310	16-72
SST1310	16-73
SST1310	16-74
SST1352	16-72
SST1352	16-73
SST1352	16-74
SST1362	16-72
SST1362	16-73
SST1362	16-74
SST1372	16-72
SST1372	16-73
SST1372	16-74
SST1412	16-72
SST1412	16-73
SST1412	16-74
SST1414	16-72
SST1414	16-73
SST1414	16-74
SST1420-3A	16-72
SST1420-3A	16-73
SST1420-3A	16-74
SST1452	16-72
SST1452	16-73
SST1452	16-74
SST1453	16-72
SST1453	16-74
SST1463	16-72
SST1463	16-74
SST9072	16-72
SST9072	16-74

NOTES

SUPERCESSION LISTING

Old Number	New Number
10N-1075XS	R1075XS
10N-10V5	R10V5
10N-2701SF	R10270-SF
10N-2702SF	R10270-SF
10N-UTP-175-3	RUTP1753
121N-3-0686X	121N-3-686X
126NLS18DC	No Longer Available
131N-26-367	131N-26-497
131N-26-427	131N-26-367
131N-28-1747X	131N-28-2957X
131N-28-1777X	131N-28-2947X
131N-28-1937X	131N-28-2977X
131N-3-4951	131N-3-7981
131N-3-4951KX	131N-3-7981KX
131N-3-4951X	131N-3-7981KX
131N-3-5221	131N-3-8001
131N-3-5221KX	131N-3-8001KX
131N-3-5821	131N-3-8021
131N-3-5821KX	131N-3-8021KX
131N-3-6061	131N-3-6061KX
131N-40-1221-1	No Longer Available
131N-40-138	131N-40-138-2
131N-83-188-1X	No Longer Available
131NF3	No Longer Available
131NLS20-3DC	No Longer Available
131NLS20-6DC	No Longer Available
131NLS20DC	No Longer Available
131NLS24DC	No Longer Available
131NY16	No Longer Available
131NY30	No Longer Available
131NY38-1	No Longer Available
131NY46	No Longer Available
131NY46-1	No Longer Available
131NY54	No Longer Available
131NY54-2	No Longer Available
133N-3-4681	133N-3-7961
133N-3-4681KX	133N-3-7961KX
133N-3-7481	133N-3-8041
133N-3-7481KX	133N-3-8041KX
133N-3-7961X	No Longer Available
133N-3-8041	133N-3-8041KX
135N-3-1501X	No Longer Available
135N-3-2471X	No Longer Available
135N-3-488X	No Longer Available
135N-3-598X	No Longer Available
135N-40-1011	135N-40-1101
135N-4-283K	No Longer Available
135N-53-151	135N-53-1351
135NF4	No Longer Available
135NLS22-3DC	No Longer Available
135NLS22DC	No Longer Available
135NY46	No Longer Available
135NY54	No Longer Available
135NY54-2	No Longer Available
135NYS26	No Longer Available
141DYS22A	No Longer Available
141DYS24-2A	No Longer Available

Old Number	New Number
141DYS28A	No Longer Available
141N-2-549	No Longer Available
141N-3-118X	No Longer Available
141N-3-1481X	No Longer Available
141N-3-2041X	No Longer Available
141N-3-508	141N-3-508KX
141N-3-508X	No Longer Available
141N-3-788X	No Longer Available
141N-4-2241X	No Longer Available
141N-53-1071	No Longer Available
141N-53-1131	No Longer Available
141N-53-161	No Longer Available
141N-53-611	No Longer Available
141NF1	141N-2-159
141NF2	141N-2-549
141NLS24-3DC	141N-3-2041KX
141NLS24-6DC	No Longer Available
141NLS24-9DC	141N-3-118KX
141NLS24DC	No Longer Available
141NY42	No Longer Available
141NY45	No Longer Available
141NY45-1	No Longer Available
141NY45-3	No Longer Available
141NY54	No Longer Available
141NY54-1	No Longer Available
141NY54-2	No Longer Available
141NYS22-1	No Longer Available
141NYS22-1A	No Longer Available
141NYS22A	No Longer Available
141NYS22A1	No Longer Available
141NYS24-1	141N-4-6561
141NYS24-2	141TYSB24-6
141NYS24A	No Longer Available
141NYS24A4	No Longer Available
141NYS28-14A	141DYS28A
141NYS28-4	141NYSB28-4
141NYS28A	No Longer Available
141NYSB22-8	141TYSB22-11
141NYSB24-2	141TYSB24-6
141NYSB29	No Longer Available
141NYSB29A1	No Longer Available
141TYS28-17	No Longer Available
141TYSB22-13A	141TYSB22-18A
141TYSB22-15A	141TYSB22-11A
141TYSB22-19	141TYSB22-11
141TYSB22-19A	141TYSB22-11A
148DYS24	No Longer Available
148DYS24-2	148N-4-3781
148N-3-1641X	No Longer Available
148N-3-1661KX	No Longer Available
148N-40-971	148N-40-1571
148N-4-3541	No Longer Available
148N-4-4051	No Longer Available
148N-4-7541	148TYS28A
148N-4-8961X	No Longer Available
148N-53-241	No Longer Available
148N-53-291	No Longer Available

SUPERCESSION LISTING

Old Number	New Number
148NF17	No Longer Available
148NF2	148N-2-479
148NF3	148N-2-479
148NF4	No Longer Available
148NLS25-15A	No Longer Available
148NLS25-8A	No Longer Available
148NLS25-9A	No Longer Available
148NLS25-9A1	No Longer Available
148NLS25DC	148NLS25-9A
148NLS25DC1	148NLS25-9A1
148NLS26-3DC	No Longer Available
148NLS26DC	No Longer Available
148NLS32DC	No Longer Available
148NY54	148N-28-547
148NY54-2	148N-28-537
148NY54-7	148N-28-537
148NY62-1	No Longer Available
148NYS22-4	No Longer Available
148NYS22-4A	No Longer Available
148NYS24-11	No Longer Available
148NYS24-4	148N-4-3091
148NYS26-3	No Longer Available
148NYS28-14	No Longer Available
148NYS28-15	No Longer Available
148NYS28-17	148NYSB28-17
148NYS28-36A	148N-4-10471-1X
148NYS28-9A	No Longer Available
148NYS28-9A1	No Longer Available
148NYS29-1A	No Longer Available
148NYS29A	148NYSB29
148NYS31-7	148N-4-3861
148NYS32-10A	No Longer Available
148NYS32-4A	No Longer Available
148NYS32-8	148NYS32-9
148NYS32-8A	No Longer Available
148NYS32-9A	No Longer Available
148NYS34	No Longer Available
148NYSB24-7	No Longer Available
148NYSB28-26	No Longer Available
148NYSB28-34	No Longer Available
148NYSB32-5A	148TYSB32-2A
148TYS28-19A	No Longer Available
148TYS32-6A	No Longer Available
148TYSB22-3A	No Longer Available
148TYSB28-11	No Longer Available
148TYSB28-20	No Longer Available
148TYSB28-20A	No Longer Available
148TYSB28-40A	No Longer Available
148TYSB28-9	No Longer Available
148TYSB28-9A	No Longer Available
148TYSB32-16	No Longer Available
148TYSB32-16A	No Longer Available
14TYS22-8	No Longer Available
14TYS22-8A	No Longer Available
155DYS24	No Longer Available
155DYS24-2A	No Longer Available
155DYS28-1	No Longer Available

Old Number	New Number
155DYS29A	No Longer Available
155N170-2	No Longer Available
155N-2-699	155NF7
155N-28-277	No Longer Available
155N-28-307	155NY53-4
155N-3-1241KX	No Longer Available
155N-40-461	155N-40-761
155N-40-761	No Longer Available
155N-4-2521	No Longer Available
155N-4-2801-1X	No Longer Available
155N-4-3911-1	No Longer Available
155N-4-4071X	No Longer Available
155N-4-4111-1X	155TYS28-1A
155N-4-4241	No Longer Available
155N-4-4351-1X	No Longer Available
155N-4-5431-1X	No Longer Available
155N-4-5691-1X	155N-4-6831-1X
155N-4-5691X	155N-4-6831-1X
155N-53-261	BSS24-60A
155N-53-271	No Longer Available
155NF2	155N-2-669
155NF3	No Longer Available
155NF7	No Longer Available
155NLS28	155N-3-1241X
155NLS28-10DC	No Longer Available
155NLS28-15A	155N-3-1241X
155NLS28-15A1	No Longer Available
155NLS28-20A	No Longer Available
155NLS28-3DC	155NLS28-20A
155NLS28-6DC	No Longer Available
155NLS28DC	155N-3-1241X
155NLS28DC1	155NLS28-15A1
155NY52-3	No Longer Available
155NY53	No Longer Available
155NY53-10	No Longer Available
155NY53-4	155N-28-307
155NY54	No Longer Available
155NY62	155N-28-277
155NYS24-1	155N-4-2051
155NYS24-9A	155DYS24-2A
155NYS28-3	155N-4-2041
155NYS28-4	No Longer Available
155NYS32	No Longer Available
155NYS32-16	No Longer Available
155NYS34	No Longer Available
155NYSB28-14	No Longer Available
155NYSB29-2A	No Longer Available
155NYSB31-8	No Longer Available
155NYSB31-9	No Longer Available
155NYSB32-13A	155TYSB32-13A
155NYSB32-4	155TYSB32-13
155RLS28-1	155RLS28-1A1S
155TYS22A	155N-4-5451-1X
155TYS24	155N-4-4211-1
155TYS24-2	155N-4-2731-1
155TYS24-2A	155N-4-4351-1X
155TYS24-3	155N-4-5381-1

SUPERCESSION LISTING

Old Number	New Number
155TYS28-15	155N-4-5551-1
155TYS28-15A	155N-4-5611-1X
155TYS28-3	No Longer Available
155TYS28-5A	155N-4-3581-1X
155TYS29A	155N-4-4801-1X
155TYS31-2	No Longer Available
155TYS31-2A	No Longer Available
155TYS32-12	155TYS32-23
155TYS32-14A	155N-4-6831-1X
155TYS32-16A	No Longer Available
155TYS32-2A1	No Longer Available
155TYS32-30	No Longer Available
155TYS32-8	No Longer Available
155TYS32-8A	No Longer Available
155TYS32-8A1	No Longer Available
155TYS34	No Longer Available
155TYS34-2A	No Longer Available
155TYS34-2A1	No Longer Available
155TYS34A	155N-4-5431-1X
155TYSB28-13	No Longer Available
159TYS32-1A	A3260S1657
1610BL	1199-N-1860
1612B	1199-X-1870
1613C	No Longer Available
1641B	1199-B-2576
16N-28-667	16N-28-887
16N-40-471	No Longer Available
16N-40-481	No Longer Available
16N-40-501	No Longer Available
16N-40-511	No Longer Available
16N-40-671	No Longer Available
16N-40-741	16N-40-1011
16N-4-1521	No Longer Available
16N-4-2401	No Longer Available
16N-4-3801	No Longer Available
16N-4-4741	16NYS36-7
16N-4-4761	16N-4-4761X
16N-4-4891X	16N-4-6251
16N-4-4971-1	No Longer Available
16N-4-5031-1	No Longer Available
16N-4-5451X	16N-4-6961X
16N-82-751-12	No Longer Available
16NF1	16N-2-279
16NF3	16N-2-629
16NLS32-20DC	No Longer Available
16NLS32-28CA	16N-3-2261X
16NLS32-2DC	16N-3-288X
16NLS32-33A	No Longer Available
16NLS32-47A	16NLS32-47A1
16NLS32-47CA	16NLS32-47A1
16NLS32-8	16N-3-2261X
16NYS26-2	No Longer Available
16NYS28-1	No Longer Available
16NYS28-12	16N-4-4571
16NYS28-13A	16N-4-5621X
16NYS28-20	16N-4-1051
16NYS28-26	16N-4-4481

Old Number	New Number
16NYS28-34	16N-4-6251
16NYS28-35	16N-4-6261
16NYS28-38	16NYS28-59
16NYS28-39	16NYS28-60
16NYS28-43A	16N-4-7301X
16NYS28-54	16NYS28-59
16NYS28-8A	16N-4-4841X
16NYS30-1A	Contact Specs
16NYS31-3	16N-4-4541
16NYS31-8	No Longer Available
16NYS31-9	16N-4-4551
16NYS32-13	16N-4-5461
16NYS32-15	16N-4-5721
16NYS32-1A1	16N-4-5131X
16NYS32-26	No Longer Available
16NYS32-26A	No Longer Available
16NYS32-32A	16N-4-6281X
16NYS32-33A	16N-4-6291X
16NYS32-33A1	No Longer Available
16NYS32-34	16NYS32-43
16NYS32-37	16N-4-5981
16NYS32-38A	16NYS32-74A
16NYS32-48	16N-4-6321
16NYS32-5	16N-4-5421
16NYS32-51	No Longer Available
16NYS32-76A	16N-4-6291X
16NYS32-9	16N-4-5441
16NYS34	16N-4-5731
16NYS34-3	16N-4-5751
16NYS34-7	16N-4-5031
16NYS34-9A	16NYS34-9A1
16NYS36-4	16N-4-3321
16NYS36A	16N-4-6891X
16NYSM32-19	No Longer Available
16NYSM32-20	No Longer Available
16TYS28-13	16N-4-5571-1
16TYS28-21	16N-4-1721-1
16TYS28-8A	16N-4-4841-1X
16TYS32-32	16N-4-6271-1
16TYS32-33	16TYS32-76
16TYS32-33A	16TYS32-76A
16TYS32-60A	16TYS32-86A
16TYS32-60A1	16N-4-6431-1X
16TYS32-61	16N-4-6321-1
16TYS32-86	16N-4-6421-1
16TYS38-1	16N-4-4861-1
16TYS38-8A	16N-4-7341-1X
170N-4-651-1X	170TYS32-2A
176N-4-101	176N-4-211X
176N-4-1031-1	176TYS38-27
176N-4-1041-1X	176TYS38-27A
176N-4-11	176N-4-791X
176N-4-221X	No Longer Available
176N-4-241X	No Longer Available
176N-4-321	176N-4-1421
176N-4-41	No Longer Available
176N-4-711-1	176TYS44-4

SUPERCESSION LISTING

Old Number	New Number
176NLS40-2	176N-3-21X
176NLS40-4DC	176N-3-41X
176NLS40-7A	176N-3-21X
176NLS40-9	176N-3-41X
176NLS40-9A	176N-3-41X
176NY60-1	176N-28-17
176NYS32-1A	176N-4-181X
176NYS32-3	176N-4-531
176NYS32-3A	176N-4-541X
176NYS36-5A	176N-4-331X
176NYS38-11	176N-4-391
176NYS38-13A	176N-4-861X
176NYS38-16A	176N-4-851X
176NYS38-20A	176N-4-1161X
176NYS38-20A1	176N-4-1161X
176NYS38-3A	176N-4-211X
176NYS38-4	176N-4-161
176NYS38-4A	176N-4-161
176NYS38-6	176N-4-441
176NYS38-8	176N-4-381
176NYS39-1A	176N-4-241X
176NYS40-14A	176N-4-781X
176NYS42-1	176N-4-41
176NYS42-2A	176N-4-871X
176NYS44-4A	176N-4-791X
176NYSC38-26	176N-4-821
176NYSC38-4	176N-4-161
176TYS32-3A	176N-4-541-1X
176TYS36-5A	176N-4-331-1X
176TYS38-13A	176N-4-861-1X
176TYS38-14A	176TYS38-27A
176TYS38-20	176N-4-1151-1
176TYS38-20A	176N-4-1161-1X
176TYS38-3	176N-4-211-1X
176TYS38-3A	176N-4-211-1X
176TYS38-4	176N-4-161-1
176TYS38-4A	176TYSC38-4A
176TYS38-5	176N-4-271-1
176TYS40-14	176N-4-651-1
176TYS40-14A	176N-4-781-1X
176TYS40-17A	176N-4-771-1X
176TYS40-20	176N-4-1251-1
176TYS44-4A	176N-4-791-1X
176TYS45	176N-4-1681-1
176TYSC38-26	176N-4-821-1
1792B	1199-T-2854
17N-1-4631X	No Longer Available
17N-1-5631X	No Longer Available
17N-15-93	No Longer Available
17N-16-53	No Longer Available
17N-16-93	No Longer Available
17N-2-749	17NF1
17N-28-367	17NY60-15
17N-28-427	No Longer Available
17N-3-1501X	No Longer Available
17N-3-1521X	No Longer Available
17N-3-1541X	No Longer Available

Old Number	New Number
17N-3-2241X	17N-3-2631X
17N-3-2261X	17N-3-2651X
17N-3-2341X	17N-3-2671X
17N-3-2551X	17N-3-2401X
17N-40-161	No Longer Available
17N-40-181	No Longer Available
17N-40-311	No Longer Available
17N-40-401	17N-40-541
17N-40-451	17N-40-521
17N-40-51	No Longer Available
17N-40-61	No Longer Available
17N-4-1981-1	17TYSC31-54
17N-4-2021	17N-4-3481
17N-42-1081	No Longer Available
17N-4-3121	17N-4-3291
17N-4-3141	No Longer Available
17N-4-3181	17N-4-4721
17N-4-3191	No Longer Available
17N-4-3371	17N-4-4721
17N-4-4121	17NYS36-19
17N-4-4191X	17N-4-4411X
17N-4-4881	17N-4-6321
17N-4-4911X	17N-4-6321
17N-4-4981X	17NYS32-99
17N-4-5041	17N-4-5041X
17N-4-5051X	17NYS32-100
17N-4-5101X	17N-4-6411X
17N-4-5121X	17N-4-6331
17N-4-5511X	17N-4-6871X
17N-4-5531X	17N-4-6951X
17N-4-5551X	17N-4-6941X
17N-4-5591	17N-4-6841X
17N-4-5961-1X	No Longer Available
17N-4-6001-1X	No Longer Available
17N-4-6001X	17N-4-8531X
17N-4-6371	17NYS32-99
17N-4-6371-1	17TYS32-99
17N-4-6381X	17NYS32-99A
17N-4-6391-1X	17TYS32-99A
17N-4-6401	17NYS32-100
17N-4-6401-1	17N-4-7621-1
17N-4-6421X	17NYS32-100A
17N-4-6611	17N-4-6921X
17N-4-7041X	No Longer Available
17N-4-7161-1	17TYS38-76
17N-4-7181-1X	17TYS38-76A
17N-4-7301-1	17TYS32-73
17N-54-251	No Longer Available
17N-82-1061-1	Contact Specs
17N-82-1061-13	17NYSM40-162
17N-82-1061-2	Contact Specs
17N-82-1091-1	17N-82-1091-13
17N-82-1091-1	17N-82-1091-13
17N-82-1091-10	No Longer Available
17N-82-1091-11	No Longer Available
17N-82-1091-12	17N-82-1171-2
17N-82-1091-3	17NYSM40-171

SUPERCESSION LISTING

Old Number	New Number
17N-82-1091-4	17N-82-1171-5
17N-82-1091-8	No Longer Available
17N-82-1091-9	No Longer Available
17N-82-1191-1	17NYSM40-169
17N-82-1231	17NYSM40-127
17N-82-741	No Longer Available
17N-82-971-1X	17N-82-1061-3
17NF2	17N-2-739
17NF23	17NF28
17NLS40-103A	17NLS40-121A
17NLS40-109A	17N-3-2651X
17NLS40-112A	Contact Specs
17NLS40-120A	17N-3-2401X
17NLS40-24DC	No Longer Available
17NLS40-40	17NLS40-40DC
17NLS40-42	17N-3-2671X
17NLS40-43	17N-3-2651X
17NLS40-43DC	17N-3-2651X
17NLS40-47	17NLS40-47CA
17NLS40-47DC	17NLS40-47CA
17NLS40-49	17NLS40-49DC
17NLS40-50	17NLS40-98CA
17NLS40-50DC	17NLS40-98CA
17NLS40-56DC	17NLS40-121A
17NLS40-72DC	17N-3-2401X
17NLS40-86DC	17N-3-2571X
17NLS40-90	Contact Specs
17NLS40-90DC	Contact Specs
17NLS40-97A	17N-3-2671X
17NLS40-98A	17NLS40-98CA
17NLS40-98C	17NLS40-98CA
17NLS40-99A	17N-3-2761X
17NLS40DC	17N-3-1501X
17NS40-97CKT	17NNA003
17NY52	No Longer Available
17NY58	No Longer Available
17NY60	17N-28-347
17NY60-12	17N-28-347
17NY60-14	17NY60-15
17NY60-3	17N-28-347
17NY60-7	17N-28-347
17NY60-8	17N-28-427
17NY68	No Longer Available
17NYS28-15	17N-4-4311
17NYS28-2A1	17N-4-4831X
17NYS28-46A	17N-4-5041X
17NYS28-49	17N-4-6321
17NYS28-49A	17N-4-5111X
17NYS28-50A	17N-4-5131X
17NYS28-51	17N-4-6481
17NYS28-52	17N-4-6451
17NYS28-65	17N-4-6451
17NYS28-65A	17N-4-8521X
17NYS28-66	17N-4-6481
17NYS31-19	17N-4-4371
17NYS31A	17N-4-4361X
17NYS32	17N-4-3241

Old Number	New Number
17NYS32-10	17N-4-2191
17NYS32-3A	No Longer Available
17NYS32-40	17N-4-5501
17NYS32-41	17N-4-5521
17NYS32-41A3	17N-4-6951X
17NYS32-44	17N-4-7141
17NYS32-48	17N-4-5781
17NYS32-52	17NYS32-60
17NYS32-55A	17N-4-6411X
17NYS32-55A1	17NYS32-100A
17NYS32-55A3	17NYS32-100A2
17NYS32-56	17NYS32-99
17NYS32-56A	17NYS32-99A
17NYS32-56A3	17NYS32-99A3
17NYS32-57	17N-4-5991
17NYS32-57A	17N-4-8531X
17NYS32-58	17N-4-6011
17NYS32-58A	17N-4-6021X
17NYS32-59	17N-4-6201
17NYS32-63	No Longer Available
17NYS32-63A	No Longer Available
17NYS32-85A	17N-4-8531X
17NYS32-86A	17N-4-6021X
17NYS32-90A	17N-4-9041X
17NYS32-95	17NYS32-99
17NYS32-96A	17NYS32-100A
17NYS32-96A2	17NYS32-100A2
17NYS33-3	17N-4-3791
17NYS34-11	17N-4-5821
17NYS34-14A	17N-4-7321X
17NYS34-18	17N-4-7541
17NYS34-18A	17NYS34-18A1
17NYS34-19A	17NYS34-19A1
17NYS36-2	17N-4-2441
17NYS36-22	17N-4-4341
17NYS36-40A	17N-4-8551X
17NYS36-5	17N-4-1971
17NYS36-60A	17N-4-8551X
17NYS38-15	17N-4-5341
17NYS38-16	17N-4-5801
17NYS38-17A	17N-4-5961X
17NYS38-18	17NYS38-63
17NYS38-18A	17N-4-7851X
17NYS38-22	17N-4-4561
17NYS38-24	17N-4-5841
17NYS38-28	17N-4-6601
17NYS38-29	17N-4-5841
17NYS38-31A	17N-4-6961X
17NYS38-32	17N-4-7161
17NYS38-32A	17N-4-7181X
17NYS38-35A	17NYS38-61A
17NYS38-63A	17N-4-7851X
17NYS38-8	17N-4-4601
17NYS38-8A	17N-4-5071X
17NYS39-2	No Longer Available
17NYS40-107	No Longer Available
17NYS40-125A	17N-4-6921X

SUPERCESSION LISTING

Old Number	New Number
17NYS40-128	17N-4-4421
17NYS40-13	17N-4-4421
17NYS44-6A	17N-4-6841X
17NYS44-7	17N-4-6821
17NYS44-7A	17N-4-6931X
17NYS51	No Longer Available
17NYSM40-102	No Longer Available
17NYSM40-104	17NYSM40-173
17NYSM40-116	17NYSM40-169
17NYSM40-120	17NYSM40-170
17NYSM40-123	17NYSM40-171
17NYSM40-155	17N-82-1061-3
17NYSM40-156	Contact Specs
17NYSM40-158	17NYSM40-169
17NYSM40-33	Contact Specs
17NYSM40-40	No Longer Available
17NYSM40-41	Contact Specs
17NYSM40-42	Contact Specs
17NYSM40-46	17N-82-741
17NYSM40-47	No Longer Available
17NYSM40-50	17N-82-1171-1
17NYSM40-54	Contact Specs
17NYSM40-56	17N-82-1061-3
17NYSM40-58	17N-82-1171-2
17NYSM40-59	17N-82-1091-8
17NYSM40-60	17N-82-1091-2
17NYSM40-61	No Longer Available
17NYSM40-62	Contact Specs
17NYSM40-63	17N-82-1091-11
17NYSM40-64	17N-82-1171-1
17NYSM40-65	17N-82-1171-12
17NYSM40-68	Contact Specs
17NYSM40-71	17NYSM40-169
17NYSM40-79	17N-82-1171-5
17NYSM40-80	Contact Specs
17NYSM40-81	17N-82-1171-2
17NYSM40-82	17N-82-1061-5
17NYSM40-84	17N-82-1091-13
17NYSM40-85	Contact Specs
17NYSM40-86	17NYSM40-169
17NYSM40-88	17N-82-1171-5
17NYSM40-89	17N-82-1211
17NYSM40-91	17N-82-1061-4
17NYSM40-94	17N-82-1061-9
17NYSM40-95	17N-82-1061-8
17SYS36-1A1	17TYS36-50
17TYS28-62	17N-4-5041-1
17TYS31-54	17TYSC31-54
17TYS31-61A	17TYS31-66A
17TYS31-66A	KIT-1646
17TYS32-100	17N-4-7621-1
17TYS32-100A	17N-4-7641-1X
17TYS32-56	17TYS32-99
17TYS32-56A1	17TYS32-99A
17TYS32-66	17TYS32-73
17TYS32-68	17N-4-7621-1
17TYS32-68A	17N-4-7641-1X

Old Number	New Number
17TYS32-68A1	17N-4-7631-1X
17TYS32-70	17N-4-6951-1X
17TYS32-70A1	17N-4-6951-1X
17TYS32-71	17N-4-7141-1
17TYS32-89A	17N-4-6001-1X
17TYS32-93A	17N-4-8991-1X
17TYS32-95	17TYS32-99
17TYS32-95A	17TYS32-99A
17TYS32-96A	Contact Specs
17TYS36-50	17N-4-1991-1
17TYS36-51A	17N-4-6041-1X
17TYS36-53	17N-4-6861-1
17TYS36-56A	17N-4-6901-1X
17TYS36-59A	No Longer Available
17TYS38-31A	17N-4-6961-1X
17TYS38-52A	17N-4-5461-1X
17TYS38-53A	17N-4-6961-1X
17TYS38-54A	17TYS38-76A
17TYS38-55	17N-4-4771-1
17TYS38-56	17N-4-4601-1
17TYS38-57	17N-4-4561-1
17TYS38-60A	17N-4-7531-1X
17TYS38-72A	17TYS38-75A
17TYS40-144A	17N-4-6921-1X
17TYS42-4	17N-4-5351-1
17TYS44-10A	17N-4-6931-1X
17TYSB35-2A	No Longer Available
17TYSC32-71	17N-4-7141-1
18N-1-211	No Longer Available
18N-1-81	No Longer Available
18N-27-9-5013X	No Longer Available
18N-40-151	18N-40-201
18N-40-161	18N-40-191
18N-4-1901	No Longer Available
18N-4-2101	18NYS40-5
18N-4-2251	No Longer Available
18N-4-2481X	18N-4-3371
18N-4-2491X	18N-4-3381X
18N-4-2531-1X	No Longer Available
18N-4-2651	18N-4-3201
18N-4-2751	18NYS44-3
18N-4-3171X	18N-4-3571X
18N-4-3721	18NYS38-27
18N-4-3721-1	18TYS38-27
18N-4-3731-1X	18TYS38-27A
18NF1	No Longer Available
18NLS48-10	18N-3-1431X
18NLS48-10DC	18N-3-1431X
18NLS48-13	18NLS48-13A
18NLS48-13DC	18NLS48-13A
18NLS48-16C	18N-3-1351X
18NLS48-5DC	18N-3-1371X
18NLS48-7DC	18N-3-1431X
18NY64	18N-28-127
18NY64-1	18N-28-127
18NY68	18N-28-117
18NYS31	No Longer Available

SUPERCESSION LISTING

Old Number	New Number
18NYS32	18N-4-1921
18NYS32-11	18N-4-1921
18NYS32-12A	18N-4-3381X
18NYS32-4	18N-4-3371
18NYS32-4A	18N-4-3371
18NYS34-2A1	18N-4-3691X
18NYS36-11	18N-4-3271
18NYS36-11A	18N-4-3281X
18NYS36-19A	18N-4-3281X
18NYS38	18N-4-2701
18NYS38-10	18N-4-2581
18NYS38-13	18N-4-3251
18NYS38-16	18NYS38-27
18NYS38-16A	18NYS38-27A
18NYS38-20A	18N-4-3641X
18NYS38-21A	18N-4-3921X
18NYS38-21A1	18N-4-3921X
18NYS38-26	18N-4-3591
18NYS38-3	18N-4-1891
18NYS38-4	18N-4-2541
18NYS38-6	18N-4-3161
18NYS38-8A	18N-4-3221X
18NYS38-8A2	18N-4-3581X
18NYS38-8X	18N-4-3201
18NYS38A	18N-4-2711X
18NYS40-1	18N-4-1961
18NYS40-4A	18N-4-3551X
18NYS40-6A	18N-4-3621X
18NYS42-1	18N-4-3021
18NYS44	No Longer Available
18NYS44-2A	18N-4-3501X
18NYS44-4A	18N-4-3561X
18TYS32-12A	18N-4-3381-1X
18TYS32-13A	18N-4-3851-1X
18TYS36-11A	18N-4-4351-1X
18TYS36-19A	18N-4-4351-1X
18TYS38-16A	18TYS38-27A
18TYS38-21A	18N-4-3921-1X
18TYS38-26	18N-4-3591-1
18TYS38-3	18N-4-1891-1
18TYS38-8A	18N-4-3581-1X
18TYS40-4A	18N-4-3551-1X
18TYS44-1	18N-4-2171-1
18TYS44-4A	18N-4-3561-1X
20R4-3A	20R4-4A
20RLS40-11A	20RLS40-11A1S
20RLS40-11A1	20RLS40-11A1S
20RLS40-12A1	20RLS40-12A1S
20RLS40-1A	20RLS40-1A1
20RLS40-1A1	20RLS401A1S
20RLS401A1S	20RLS40-2A1S
20RLS40-1A2	20RLS40-2A1S
20RLS40-2A	20RLS40-2A1
20RLS40-2A1	20RLS40-2A1S
20RLS40-2A2	20RLS40-2A1S
20RLS40-3A	20RLS40-3A1
20RLS40-3A1	20RLS40-3A1S

Old Number	New Number
20RLS40-3A2	20RLS40-3A1S
20RPL14-6A	20WPL14-4A
20RY60-1	20RY60-5
20RY60-2	20RY60-6
20RYSM40-18	20RYSM40-24
20WPL14-3A	20WPL14-4A
20WYS32-1	20WYS32-17
20WYS32-1A	20WYS32-17A
20WYS32-1A1	20WYS32-17A1
20WYS38-1A	20WYS38-4A
20WYS40-4A	No Longer Available
20WYSC38-9	20WYSC38-18
25RLS40-1A	25RPL-SLIP
25RLS40-1A1	25RPL-SLIP
25RLS40-1A1S	25RPL-SLIP
25RLS40-1A2	25RPL-SLIP
25RLS48-1A1	25RLS48-1A1S
25RLS48A	25RLS48-A1S
25RLS48A1	25RLS48-A1S
25RLS48A2	25RLS48-A1S
25RPL14-6A	25WPL14-4A
25RY68-1	25RY68-3
25WPL14-3A	25WPL14-4A
25WYS38-1A	25WYS38-13A
25WYS38-3A	25WYS38-13A
25WYS38-4	25WYSC38-11
25WYSC38-4	25WYSC38-11
28CV82-HD	131N-CV82-HD
2WCS22-19	No Longer Available
2WCS22-46	No Longer Available
2WCS22-51A1	No Longer Available
2WCS24-43	No Longer Available
2WCS24-61	No Longer Available
2WCS24-75	No Longer Available
2WCS28-72A	No Longer Available
2WCS32-12A	No Longer Available
2WCS32-13	No Longer Available
2WCS32-13A	No Longer Available
2WCT22-12	No Longer Available
3N170-1	No Longer Available
3NLS24-1	No Longer Available
3NLS24-10	No Longer Available
3NLS24-10DC	No Longer Available
3NLS24-1DC	No Longer Available
3NY44	No Longer Available
3NYR16-4	No Longer Available
3NYR24-21	No Longer Available
3WCS28-94	No Longer Available
3WCS31-15A	No Longer Available
3WCS32-75	No Longer Available
3WCS38-13A	No Longer Available
3WCS38-8A1	No Longer Available
3898646	No Longer Available
44RYQ21-10	No Longer Available
44RYQ21-4	No Longer Available
44RYR20-2	No Longer Available
44RYR20-5	No Longer Available

SUPERCESSION LISTING

Old Number	New Number
44RYR24-16	No Longer Available
44RYR24-4	No Longer Available
44RYR26-1	No Longer Available
44RYR26-4	No Longer Available
44RYS22-16A	No Longer Available
44RYS22-21A	No Longer Available
44RYS22-57A	No Longer Available
44RYS22-58A	No Longer Available
44RYS22-64	No Longer Available
44RYS22-9	No Longer Available
454-39-004211	No Longer Available
483-49-048-322	16NNC022D322
483-49-050-145	16NNS023D145
483-49-050-210	16NNS023D210
483-49-050-256	16NNS023D256
483-49-050-335	16NNS023D335
483-49-050-356	16NNS023D356
483-49-050-433	16NNS023D433
483-94-002167	16NNS024D167
4NF65	No Longer Available
4NF82	No Longer Available
4NY32	No Longer Available
4NY40-1	No Longer Available
4NYS20-5	No Longer Available
4NYS22	No Longer Available
4NYS24-51	No Longer Available
50NPS28-38	PS28-16-13
50NPS28-43	No Longer Available
50NPS28-44	155N-40-761
50NPS28-45	No Longer Available
55NYS22-19A	55NYS22-56A
55NYS22-64A	No Longer Available
55NYS22-7A	No Longer Available
55NYS26-1	No Longer Available
563-49-009027	No Longer Available
583-04-002019	16NNS037C019
58WB14-13A	58WB14-36A
58WB14-14A	58WB14-40A
58WB14-15A	58WB14-38A
58WB14-16A	No Longer Available
58WB14-25A	58WB14-35A
58WB14-26A	58WB14-36A
58WB14-27A	58WB14-37A
58WB14-28A	58WB14-38A
58WB14-30A	58WB14-40A
58WB170	No Longer Available
58WBF12	No Longer Available
58WBF2	No Longer Available
58WBF28	No Longer Available
58WBF34	No Longer Available
58WBF-36	No Longer Available
58WBF4	No Longer Available
58WBF5	No Longer Available
58WBF8	No Longer Available
58WBLS28-1	58WBLS28-41A
58WBLS28-11	58WBLS28-46DC
58WBLS28-11DC	58WBLS28-46DC

Old Number	New Number
58WBLS28-12	58WBLS28-12DC
58WBLS28-12DC	No Longer Available
58WBLS28-15DC	58WBLS28-47DC
58WBLS28-2	58WBLS28-42A
58WBLS28-21	58WBLS28-21DC
58WBLS28-21DC	No Longer Available
58WBLS28-2DC	58WBLS28-50DC
58WBLS28-41DC	58WBLS28-41A
58WBLS28-41DC3	58WBLS28-41A
58WBLS28-42DC	58WBLS28-42A
58WBLS28-43A	No Longer Available
58WBLS28-46DC	No Longer Available
58WBLS28-47DC	No Longer Available
58WBLS28-52A	No Longer Available
58WBLS32-14A	No Longer Available
58WBLS32-15A	No Longer Available
58WBLS32-2DC	No Longer Available
58WBLS32-3DC	No Longer Available
58WBLS32-9A	No Longer Available
58WBLS40-1DC	No Longer Available
58WBY53-5	No Longer Available
58WBY53-8	No Longer Available
58WBY53-9	No Longer Available
58WBY62	No Longer Available
58WBYR20-12	No Longer Available
58WBYR24-7	No Longer Available
58WBYR28	No Longer Available
58WBYR32-7	No Longer Available
58WBYS22	No Longer Available
58WBYS24	No Longer Available
58WBYS24-1	No Longer Available
58WBYS24-14	No Longer Available
58WBYS24-1A	No Longer Available
58WBYS24-7	No Longer Available
58WBYS26-1	No Longer Available
58WBYS26-10	No Longer Available
58WBYS26-14	No Longer Available
58WBYS28	No Longer Available
58WBYS28-14	No Longer Available
58WBYS28-162A	No Longer Available
58WBYS28-163	No Longer Available
58WBYS28-167	No Longer Available
58WBYS28-173	No Longer Available
58WBYS28-182	No Longer Available
58WBYS28-184	No Longer Available
58WBYS28-214	No Longer Available
58WBYS28-22	No Longer Available
58WBYS28-27	No Longer Available
58WBYS28-3	No Longer Available
58WBYS28-54	No Longer Available
58WBYS28-62	No Longer Available
58WBYS28-7	No Longer Available
58WBYS28-93	No Longer Available
58WBYS28-98A	No Longer Available
58WBYS30-10	No Longer Available
58WBYS30-12	No Longer Available
58WBYS30-6	58WBYSB30-6

SUPERCESSION LISTING

Old Number	New Number
58WBYS30-7	No Longer Available
58WBYS31-20	No Longer Available
58WBYS31-22	No Longer Available
58WBYS31-29	No Longer Available
58WBYS31-3	No Longer Available
58WBYS32-11	No Longer Available
58WBYS32-11A	No Longer Available
58WBYS32-42A	No Longer Available
58WBYS32-44	No Longer Available
58WBYS32-45A	No Longer Available
58WBYS32-47A	No Longer Available
58WBYS32-9	No Longer Available
58WBYS33	No Longer Available
58WBYSM25-2	No Longer Available
58WBYSM28-11	No Longer Available
58WBYSM28-121	No Longer Available
58WBYSM28-122	No Longer Available
58WBYSM28-152	No Longer Available
58WBYSM28-158	No Longer Available
58WBYSM28-159	No Longer Available
58WBYSM28-192	No Longer Available
58WBYSM28-194	No Longer Available
58WBYSM28-195	No Longer Available
58WBYSM28-196	No Longer Available
58WBYSM28-200	No Longer Available
58WBYSM28-201	No Longer Available
58WBYSM28-202	No Longer Available
58WBYSM28-203	No Longer Available
58WBYSM28-204	No Longer Available
58WBYSM28-205	No Longer Available
58WBYSM28-206	No Longer Available
58WBYSM28-22	No Longer Available
58WBYSM32-49A	No Longer Available
58WBYSM32-50	No Longer Available
58WBYSM32-51	No Longer Available
58WBYSM32-52	No Longer Available
58WBYSM40-10	No Longer Available
58WBYSM40-3	No Longer Available
58WBYT37-1	No Longer Available
590-49-066294	No Longer Available
5NLS28	No Longer Available
5NLS28-28	No Longer Available
5NPS28	No Longer Available
5NPS28-24	No Longer Available
5NY40	No Longer Available
5NYS28-69	No Longer Available
5NYS28-82	No Longer Available
5NYS28-94	No Longer Available
5NYS32-41	No Longer Available
5NYSM28-98	No Longer Available
5RLS401A	25RPL-SLIP
5WCS28-55	No Longer Available
5WCS28-61A	148N-1-6081X
5WCS28-63	No Longer Available
5WCS28-63A	No Longer Available
5WCS32-101	No Longer Available
5WCS32-110X	No Longer Available

Old Number	New Number
5WCS32-37A	No Longer Available
5WCS32-46	No Longer Available
5WCS32-49	No Longer Available
5WCS32-54A	No Longer Available
5WCS32-74	No Longer Available
5WCS32-76	5WCS32-103
5WCS32-87	No Longer Available
5WCS32-89A1	No Longer Available
5WCS32-93	No Longer Available
5WCS32-94	No Longer Available
5WCS32-99	No Longer Available
5WCS34-9	3260-C-1511
5WCS36-110	No Longer Available
5WCS36-76	No Longer Available
5WCS36-76A1	No Longer Available
5WCS38-16	No Longer Available
5WCS38-16A	No Longer Available
5WCS38-17	No Longer Available
5WCS38-31A	No Longer Available
5WCS38-32A	No Longer Available
5WCS38-6	No Longer Available
5WCS38-6A	No Longer Available
5WCS40-29A1	No Longer Available
62N14-19A	62N14-43A
62N14-20A	62N14-47A
62N14-21A	62N14-45A
62N170-11	No Longer Available
62NDCA1	No Longer Available
62NDCA-10	No Longer Available
62NDCA3	No Longer Available
62NF13	No Longer Available
62NF17	No Longer Available
62NLS28	62NLS28DC
62NLS28-1	62NLS28-1DC
62NLS28-12	62NLS28-12DC
62NLS28-12DC	No Longer Available
62NLS28-1DC	No Longer Available
62NLS28-22DC	No Longer Available
62NLS28-25A	No Longer Available
62NLS28-28DC	No Longer Available
62NLS28-2DC	62NLS28-2A
62NLS28-35DC	No Longer Available
62NLS28-4	No Longer Available
62NLS28-40	62NLS28-40DC
62NLS28-40DC	No Longer Available
62NLS28-43	62NLS28-43DC
62NLS28-4DC	No Longer Available
62NLS28-50DC	No Longer Available
62NLS28-8	62NLS28-8DC
62NLS28-80DC	No Longer Available
62NLS28-81DC	No Longer Available
62NLS28-85A	No Longer Available
62NLS28-8DC	No Longer Available
62NLS28-9DC	No Longer Available
62NLS28DC	No Longer Available
62NLS32-17	No Longer Available
62NLS32-17A	No Longer Available

SUPERCESSION LISTING

Old Number	New Number
62NLS32-2	No Longer Available
62NLS32-20DC	No Longer Available
62NLS32-2DC	No Longer Available
62NLS32-3DC	No Longer Available
62NLS32-7DC	No Longer Available
62NLS328-83A	No Longer Available
62NLS32-9DC	No Longer Available
62NPS28	No Longer Available
62NPS28-1	No Longer Available
62NPS28-12	No Longer Available
62NPS28-13	No Longer Available
62NPS28-14	No Longer Available
62NPS28-15	No Longer Available
62NPS2819	No Longer Available
62NPS28-32	No Longer Available
62NPS28-4	No Longer Available
62NPS28-5	No Longer Available
62NPS28-8	No Longer Available
62NY42	No Longer Available
62NY44	No Longer Available
62NY44-1	No Longer Available
62NY45	No Longer Available
62NY45-1	No Longer Available
62NY45-2	No Longer Available
62NY52	No Longer Available
62NY52-3	No Longer Available
62NY53	No Longer Available
62NY61	No Longer Available
62NY61-1	No Longer Available
62NYS24-15	No Longer Available
62NYS24-21	No Longer Available
62NYS24-22	No Longer Available
62NYS24-31	No Longer Available
62NYS24-33A	No Longer Available
62NYS24-35	No Longer Available
62NYS24-8	No Longer Available
62NYS26	No Longer Available
62NYS26-17	62NYS26-13
62NYS26-4	No Longer Available
62NYS26-5	No Longer Available
62NYS26-7	No Longer Available
62NYS28-111A1	62NYS28-111A
62NYS28-129	No Longer Available
62NYS28-14	No Longer Available
62NYS28-154	62NYS28-154A
62NYS28-154A	No Longer Available
62NYS28-192	No Longer Available
62NYS28-195A	No Longer Available
62NYS28-196	No Longer Available
62NYS28-199	No Longer Available
62NYS28-212	No Longer Available
62NYS28-221A	No Longer Available
62NYS28-31	No Longer Available
62NYS28-59	No Longer Available
62NYS28-71	No Longer Available
62NYS28-91	No Longer Available
62NYS30-13	No Longer Available

Old Number	New Number
62NYS30-22	No Longer Available
62NYS30-7	No Longer Available
62NYS31	No Longer Available
62NYS31-17	No Longer Available
62NYS31-2	No Longer Available
62NYS32-16	No Longer Available
62NYS32-16A	No Longer Available
62NYS32-4	No Longer Available
62NYS32-47	No Longer Available
62NYS32-7	No Longer Available
62NYS34-13	No Longer Available
62NYS34-15	No Longer Available
62NYS34-9	No Longer Available
62NYS40-7A	No Longer Available
62NYSB28-213	No Longer Available
62NYSB30-22	No Longer Available
62NYSM28-16	No Longer Available
62NYSM28-18	No Longer Available
62NYSM28-2	No Longer Available
62NYSM28-207	No Longer Available
62NYSM28-215	No Longer Available
62NYSM28-216	No Longer Available
62NYSM28-217	No Longer Available
62NYSM28-23	No Longer Available
62NYSM28-51	No Longer Available
62NYSM28-7	No Longer Available
62NYSM28-89	No Longer Available
62NYSM28-9	No Longer Available
62NYSM32-17	No Longer Available
62NYSM32-43	No Longer Available
62NYSM36-9	No Longer Available
65NYS30-1	No Longer Available
660-59-039384	No Longer Available
660-59-045327	No Longer Available
660-59-069449	No Longer Available
684-95-004250	17NTS050B250
6NF3	No Longer Available
6NLS32	No Longer Available
6NPS32	No Longer Available
6NPS32-15	No Longer Available
6NY52-4	No Longer Available
6NYS28-28	No Longer Available
72BYS32-222A	No Longer Available
72N14-22A	72N14-57A
72N14-28A	72N14-68A
72N14-29A	72N14-67A
72N14-34A	72N14-71A
72N14-37A	72N14-70A
72N14-42A	72N14-61A
72N14-43A	72N14-57A
72N14-44A	72N14-58A
72N14-45A	72N14-67A
72N14-46A	72N14-62A
72N14-47A	72N14-68A
72N14-48A	72N14-70A
72N14-49A	72N14-71A
72N170	No Longer Available

SUPERCESSION LISTING

Old Number	New Number
72N170-14	No Longer Available
72N171-1	No Longer Available
72N172-1	No Longer Available
72N175-1	No Longer Available
72N177-1	No Longer Available
72N30FM	No Longer Available
72NF13	No Longer Available
72NF18	No Longer Available
72NF27	No Longer Available
72NF32	No Longer Available
72NF41	No Longer Available
72NF46	No Longer Available
72NF50	No Longer Available
72NF6	No Longer Available
72NF8	No Longer Available
72NLS32-1	72NLS32-1DC
72NLS32-10DC	72NLS32-1DC
72NLS32-113DC	No Longer Available
72NLS32-124	No Longer Available
72NLS32-124A	No Longer Available
72NLS32-124DC1	No Longer Available
72NLS32-129	72NLS32-20DC
72NLS32-129DC	72NLS32-20DC
72NLS32-13	72NLS32-13DC
72NLS32-134DC	72NLS32-18DC
72NLS32-137DC	No Longer Available
72NLS32-13DC	No Longer Available
72NLS32-142DC	72NLS32-142A
72NLS32-15	72NLS32-15DC
72NLS32-15DC	No Longer Available
72NLS32-18	72NLS32-18DC
72NLS32-18DC	No Longer Available
72NLS32-19DC	No Longer Available
72NLS32-2	72NLS32-2DC
72NLS32-20	72NLS32-20DC
72NLS32-21	No Longer Available
72NLS32-21DC	No Longer Available
72NLS32-24	72NLS32-24DC
72NLS32-24DC	No Longer Available
72NLS32-27	72NLS32-27DC
72NLS32-27DC	No Longer Available
72NLS32-29	No Longer Available
72NLS32-29DC	No Longer Available
72NLS32-2DC	No Longer Available
72NLS32-33DC	No Longer Available
72NLS32-34	72NLS32-34DC
72NLS32-34DC	No Longer Available
72NLS32-35DC	No Longer Available
72NLS32-36DC	72NLS32-27DC
72NLS32-4	72NLS32-4DC
72NLS32-4DC	No Longer Available
72NLS32-50DC	No Longer Available
72NLS32-51DC	No Longer Available
72NLS32-52DC	No Longer Available
72NLS32-55	72NLS32-55DC
72NLS32-55DC	No Longer Available
72NLS32-61DC	No Longer Available

Old Number	New Number
72NLS32-6DC	No Longer Available
72NLS32-71DC1	No Longer Available
72NLS32-72	72NLS32-72DC
72NLS32-72DC	No Longer Available
72NLS32-77	72NLS32-77DC
72NLS32-77DC	No Longer Available
72NLS32-80DC	72NLS32-1DC
72NLS32-86DC	No Longer Available
72NLS32-89DC	No Longer Available
72NLS32-8DC	No Longer Available
72NLS40-1	No Longer Available
72NLS40-10	72NLS40-10DC
72NLS40-10DC	No Longer Available
72NLS40-12DC	No Longer Available
72NLS40-14	No Longer Available
72NLS40-14DC	No Longer Available
72NLS40-16DC	No Longer Available
72NLS40-1DC	No Longer Available
72NLS40-29	No Longer Available
72NLS40-29DC	No Longer Available
72NLS40-31	No Longer Available
72NLS40-31DC	No Longer Available
72NLS40-3DC	No Longer Available
72NLS40-5	72NLS40-5DC
72NLS40-5DC	No Longer Available
72NLS40-6DC	No Longer Available
72NLS40-7DC	No Longer Available
72NLS40-8DC	No Longer Available
72NPS32	No Longer Available
72NPS32-10	No Longer Available
72NPS32-101	PS32-16-16
72NPS32-13	No Longer Available
72NPS32-14	No Longer Available
72NPS32-17	No Longer Available
72NPS32-19	No Longer Available
72NPS32-21	No Longer Available
72NPS32-22	No Longer Available
72NPS32-25	PS32-16-16
72NPS32-26	No Longer Available
72NPS32-28	No Longer Available
72NPS32-29	No Longer Available
72NPS32-35	No Longer Available
72NPS32-5	No Longer Available
72NPS32-53	No Longer Available
72NPS32-6	No Longer Available
72NPS32-65	No Longer Available
72NPS32-73	No Longer Available
72NPS32-74	No Longer Available
72NPS32-83	No Longer Available
72NPS32-84	No Longer Available
72NPS32-87	No Longer Available
72NPS32-9	No Longer Available
72NPS32-96	PS32-16-30
72NPS40-2	No Longer Available
72NY43-3	72NY43
72NY43-5	No Longer Available
72NY44	No Longer Available

SUPERCESSION LISTING

Old Number	New Number
72NY44-2	No Longer Available
72NY50-3	No Longer Available
72NY51-1	72NY51-4
72NY51-4	No Longer Available
72NY52	No Longer Available
72NY52-1	No Longer Available
72NY52-2	No Longer Available
72NY52-23	72NY52-1
72NY52-3	No Longer Available
72NY52-5	No Longer Available
72NY52-9	No Longer Available
72NY53	No Longer Available
72NY53-1	No Longer Available
72NY53-10	No Longer Available
72NY53-2	No Longer Available
72NY53-7	No Longer Available
72NY60-3	No Longer Available
72NY61	No Longer Available
72NY61-1	No Longer Available
72NY61-10	No Longer Available
72NY61-3	No Longer Available
72NY61-4	No Longer Available
72NYR24-7	No Longer Available
72NYR28-3	No Longer Available
72NYR32-11	No Longer Available
72NYR36-6	No Longer Available
72NYR37-1	No Longer Available
72NYR40-11	No Longer Available
72NYS22	No Longer Available
72NYS22-4	No Longer Available
72NYS24-26	72NYSB24-26
72NYS28	No Longer Available
72NYS28-107	72NYS28-108
72NYS28-108	No Longer Available
72NYS28-10A	No Longer Available
72NYS28-123A	No Longer Available
72NYS28-129	No Longer Available
72NYS28-15	No Longer Available
72NYS28-151A	72NYS28-176
72NYS28-153	No Longer Available
72NYS28-157A	72NYS28-177
72NYS28-16	No Longer Available
72NYS28-161	No Longer Available
72NYS28-163	72NYSB28-163
72NYS28-165	No Longer Available
72NYS28-170	No Longer Available
72NYS28-182	72NYSB28-182
72NYS28-189	No Longer Available
72NYS28-21	72NYS28-174
72NYS28-25	No Longer Available
72NYS28-28	No Longer Available
72NYS28-32	No Longer Available
72NYS28-33	No Longer Available
72NYS28-39	No Longer Available
72NYS28-4	No Longer Available
72NYS28-42	72NYS28-6
72NYS28-47	No Longer Available

Old Number	New Number
72NYS28-57	No Longer Available
72NYS28-63	No Longer Available
72NYS28-66	No Longer Available
72NYS28-7	No Longer Available
72NYS28-79	No Longer Available
72NYS28-80	No Longer Available
72NYS28-81	No Longer Available
72NYS28-85	No Longer Available
72NYS28-9	No Longer Available
72NYS30-1	No Longer Available
72NYS30-16	72NYS30-7
72NYS30-18	No Longer Available
72NYS30-19	No Longer Available
72NYS31-12	No Longer Available
72NYS31-14	No Longer Available
72NYS31-171A	No Longer Available
72NYS31-21	No Longer Available
72NYS31-29	No Longer Available
72NYS31-33	No Longer Available
72NYS31-3A	No Longer Available
72NYS31-41	72NYS31
72NYS31-43	No Longer Available
72NYS31-48	No Longer Available
72NYS31-49	No Longer Available
72NYS31-5	No Longer Available
72NYS31-50	No Longer Available
72NYS31-53	No Longer Available
72NYS31-54	No Longer Available
72NYS31-55	No Longer Available
72NYS31-6	No Longer Available
72NYS31-60	No Longer Available
72NYS31-64	No Longer Available
72NYS31-70	72NYS31-2
72NYS31-70A	72NYS31-2A
72NYS31-72	72NYSC31-72
72NYS31-78	72NYS31-4
72NYS31-85	72NYS31-2
72NYS31-91	No Longer Available
72NYS31-91A	No Longer Available
72NYS32	No Longer Available
72NYS32-100	No Longer Available
72NYS32-107	No Longer Available
72NYS32-108	No Longer Available
72NYS32-110	No Longer Available
72NYS32-111	72NYS32-110
72NYS32-127	No Longer Available
72NYS32-129	No Longer Available
72NYS32-12A	No Longer Available
72NYS32-152	No Longer Available
72NYS32-154	No Longer Available
72NYS32-155	72NYS32-16
72NYS32-171A	No Longer Available
72NYS32-172	No Longer Available
72NYS32-173	No Longer Available
72NYS32-174	No Longer Available
72NYS32-186	No Longer Available
72NYS32-215	No Longer Available

SUPERCESSION LISTING

Old Number	New Number
72NYS32-218	72NYS32-219
72NYS32-221A	No Longer Available
72NYS32-239	72NYS32-256
72NYS32-245	No Longer Available
72NYS32-245A	No Longer Available
72NYS32-251A	No Longer Available
72NYS32-34	No Longer Available
72NYS32-40	No Longer Available
72NYS32-44	No Longer Available
72NYS32-45	No Longer Available
72NYS32-46	No Longer Available
72NYS32-50	No Longer Available
72NYS32-55	No Longer Available
72NYS32-6	No Longer Available
72NYS32-7	72NYS32-12
72NYS32-70	No Longer Available
72NYS32-77	No Longer Available
72NYS32-7A	72NYS32-12A
72NYS32-8	72NYS32-123
72NYS34-23	No Longer Available
72NYS34-31	72NYS34-24
72NYS34-32	No Longer Available
72NYS34-33	No Longer Available
72NYS34-34	No Longer Available
72NYS34-36A	No Longer Available
72NYS34-40	No Longer Available
72NYS34-40A	No Longer Available
72NYS36	No Longer Available
72NYS36-14	72NYS36-38
72NYS36-2	No Longer Available
72NYS36-23	No Longer Available
72NYS36-36	No Longer Available
72NYS36-37	No Longer Available
72NYS36-42	No Longer Available
72NYS36-45	72NYS36-95
72NYS36-5	No Longer Available
72NYS36-51	No Longer Available
72NYS36-63	72NYSB36-63
72NYS36-72	No Longer Available
72NYS36-88	No Longer Available
72NYS36-92A	No Longer Available
72NYS36-93	No Longer Available
72NYS38	No Longer Available
72NYS38-10	No Longer Available
72NYS38-14	No Longer Available
72NYS38-15	No Longer Available
72NYS38-17	No Longer Available
72NYS38-20A	No Longer Available
72NYS38-4	No Longer Available
72NYS40	No Longer Available
72NYS40-1	No Longer Available
72NYS40-21	No Longer Available
72NYS40-22	No Longer Available
72NYS40-59	No Longer Available
72NYS40-80	72NYS40-99
72NYS40-90	No Longer Available
72NYS40-90A	No Longer Available

Old Number	New Number
72NYS40-95	No Longer Available
72NYSB24-26	No Longer Available
72NYSB24-28	No Longer Available
72NYSB26-33	No Longer Available
72NYSB31-33	No Longer Available
72NYSB32-259	No Longer Available
72NYSB32-311A	No Longer Available
72NYSB32-334A	No Longer Available
72NYSB36-63	No Longer Available
72NYSM32-1	No Longer Available
72NYSM32-11	No Longer Available
72NYSM32-118	No Longer Available
72NYSM32-122	No Longer Available
72NYSM32-128	No Longer Available
72NYSM32-137	No Longer Available
72NYSM32-161	No Longer Available
72NYSM32-164	No Longer Available
72NYSM32-184	No Longer Available
72NYSM32-200	No Longer Available
72NYSM32-216	No Longer Available
72NYSM32-231	No Longer Available
72NYSM32-3	No Longer Available
72NYSM32-42	No Longer Available
72NYSM32-54	No Longer Available
72NYSM32-57	No Longer Available
72NYSM32-58	No Longer Available
72NYSM32-59	No Longer Available
72NYSM32-61	No Longer Available
72NYSM32-65	No Longer Available
72NYSM32-74	No Longer Available
72NYSM40-100	No Longer Available
72NYSM40-12	No Longer Available
72NYSM40-13	No Longer Available
72NYSM40-14	No Longer Available
72NYSM40-15	No Longer Available
72NYSM40-18	No Longer Available
72NYSM40-35	No Longer Available
72NYSM40-37	No Longer Available
72NYSM40-40	No Longer Available
72NYSM40-56	No Longer Available
72NYSM40-66	No Longer Available
72NYSM40-71	No Longer Available
72NYSM40-87	No Longer Available
72NYSM40-97	No Longer Available
72NYT26-2	No Longer Available
72NYT28-6	No Longer Available
750N10	No Longer Available
750N170	No Longer Available
750NYSM27-4	750NYSM27-12
750NYSM27-5	750NYSM27-13
750NYSM28-117	No Longer Available
750NYSM28-164	750NYSM28-180
750NYSM28-178	750NYSM28-112
750NYSM28-185	No Longer Available
750NYSM28-8	750NYSM28-168
760-59-042040	No Longer Available
760-59-042220	92WDS014B220

SUPERCESSION LISTING

Old Number	New Number
760-590-42234	No Longer Available
763-69-013-022	No Longer Available
788-39-050157	18NTS016B160
788-39-050192	18NTS016B195
7NYS32-45	No Longer Available
7NYS36-53	No Longer Available
7NYS40-51	No Longer Available
802-53-43763X	No Longer Available
825-19-001333	25RHS003B324
82N14-20A	82N14-33A
82N14-21A	82N14-37A
82N14-22A	82N14-35A
82N14-25A	82N14-32A
82N14-26A	82N14-33A
82N14-27A	82N14-34A
82N14-28A	82N14-35A
82N14-30A	82N14-37A
82N170	No Longer Available
82N174-1	No Longer Available
82NF16	No Longer Available
82NLS40-1	82NLS40-1DC
82NLS40-12DC	No Longer Available
82NLS40-16DC	No Longer Available
82NLS40-17DC	No Longer Available
82NLS40-1DC	No Longer Available
82NLS40-2	82NLS40-2DC
82NLS40-25DC	No Longer Available
82NLS40-26DC	No Longer Available
82NLS40-2DC	No Longer Available
82NLS40-32DC	No Longer Available
82NLS40-35	82NLS40-35DC
82NLS40-35DC	No Longer Available
82NLS40-3DC	No Longer Available
82NLS40-44DC	No Longer Available
82NLS40-54	82NLS40-54DC
82NLS40-54DC	No Longer Available
82NLS40-57DC	No Longer Available
82NLS40-58DC	No Longer Available
82NLS40-6	No Longer Available
82NLS40-6DC	No Longer Available
82NLS40-80DC	No Longer Available
82NLS40-83	82NLS40-83A
82NLS40-83DC	82NLS40-83A
82NLS40-85DC	82NLS40-85A
82NLS40DC	No Longer Available
82NPS40	No Longer Available
82NPS40-1	No Longer Available
82NPS40-16	No Longer Available
82NPS40-17	No Longer Available
82NPS40-19	No Longer Available
82NPS40-48	No Longer Available
82NPS40-59	No Longer Available
82NPS40-6	No Longer Available
82NPS40-60	No Longer Available
82NY42	No Longer Available
82NY60	No Longer Available
82NY60-1	No Longer Available

Old Number	New Number
82NY60-16	No Longer Available
82NY60-20	No Longer Available
82NY60-5	No Longer Available
82NY60-6	No Longer Available
82NY66-1	No Longer Available
82NYS28-12	No Longer Available
82NYS28-21	No Longer Available
82NYS28-29A	No Longer Available
82NYS28-36	No Longer Available
82NYS28-4	No Longer Available
82NYS28-6	No Longer Available
82NYS28-8	No Longer Available
82NYS30-2	No Longer Available
82NYS31	No Longer Available
82NYS31-17	No Longer Available
82NYS31-19	No Longer Available
82NYS31-25	No Longer Available
82NYS31-28	No Longer Available
82NYS31-29	No Longer Available
82NYS31-3	No Longer Available
82NYS31-31	No Longer Available
82NYS31-37	82NYSC31-37
82NYS31-39	No Longer Available
82NYS31-6	No Longer Available
82NYS31-7	82NYS31-16
82NYS31-8	No Longer Available
82NYS32-11	No Longer Available
82NYS32-11A1	No Longer Available
82NYS32-23	No Longer Available
82NYS32-28	No Longer Available
82NYS32-30	No Longer Available
82NYS32-31	No Longer Available
82NYS32-33	No Longer Available
82NYS32-38	No Longer Available
82NYS32-41	No Longer Available
82NYS32-46	No Longer Available
82NYS32-50	No Longer Available
82NYS32-70A	No Longer Available
82NYS32-71A	No Longer Available
82NYS32-75	No Longer Available
82NYS32-9	No Longer Available
82NYS33-4	No Longer Available
82NYS34-13	No Longer Available
82NYS34-28	No Longer Available
82NYS34-6	No Longer Available
82NYS36-10	No Longer Available
82NYS36-105	No Longer Available
82NYS36-15	No Longer Available
82NYS36-16	No Longer Available
82NYS36-17	No Longer Available
82NYS36-19	No Longer Available
82NYS36-23	No Longer Available
82NYS36-30	No Longer Available
82NYS36-32	No Longer Available
82NYS36-47	No Longer Available
82NYS36-53A	No Longer Available
82NYS36-63	No Longer Available

SUPERCESSION LISTING

Old Number	New Number
82NYS36-70	No Longer Available
82NYS36-72	No Longer Available
82NYS36-79	No Longer Available
82NYS36-87	No Longer Available
82NYS38-12	No Longer Available
82NYS38-14	No Longer Available
82NYS38-20	No Longer Available
82NYS38-30A	No Longer Available
82NYS38-34A	No Longer Available
82NYS39	No Longer Available
82NYS40-17	No Longer Available
82NYS40-2	No Longer Available
82NYS40-32	No Longer Available
82NYS40-42	No Longer Available
82NYS40-71	No Longer Available
82NYS40-87A	No Longer Available
82NYS40-96	No Longer Available
82NYS42	No Longer Available
82NYS44-2	No Longer Available
82NYS46-1	No Longer Available
82NYS48-14	No Longer Available
82NYSB36-22	No Longer Available
82NYSM40-102	No Longer Available
82NYSM40-103	No Longer Available
82NYSM40-104	No Longer Available
82NYSM40-14	No Longer Available
82NYSM40-45	No Longer Available
82NYSM40-49	No Longer Available
82NYSM40-6	No Longer Available
82NYT32	No Longer Available
850NYSM30-3	850NYSM30-25
850NYSM32-13	850NYSM32-18
850NYSM32-29	No Longer Available
850NYSM34-34	850NYSM34-55
850NYSM36-4	850NYSM36-19
850NYSM36-5	850NYSM36-19
854-64-49746	No Longer Available
85WB14-13A	85WB14-26A
85WB14-14A	85WB14-28A
85WB14-15A	85WB14-27A
85WB170	No Longer Available
85WBLS37-1A	No Longer Available
85WBLS40-1DC	No Longer Available
85WBLS40-23DC	No Longer Available
85WBLS40-24DC	No Longer Available
85WBLS40-3	85WBLS40-3DC
85WBLS40-3DC	No Longer Available
85WBLS48-4	No Longer Available
85WBLS48DC	No Longer Available
85WBY60	No Longer Available
85WBY60-13	No Longer Available
85WBY60-3	No Longer Available
85WBY66-1	No Longer Available
85WBYS30-1	No Longer Available
85WBYS31	No Longer Available
85WBYS31-4	No Longer Available
85WBYS31-6	85WBYSC31-6

Old Number	New Number
85WBYS31-8A	No Longer Available
85WBYS32-1	No Longer Available
85WBYS32-9	No Longer Available
85WBYS34	No Longer Available
85WBYS38-14A	No Longer Available
85WBYS38-17	No Longer Available
85WBYS38-20A	No Longer Available
85WBYS40	No Longer Available
85WBYS40-3	No Longer Available
85WBYS47	No Longer Available
85WBYSB31-6	85WBYSC31-6
85WBYSB32-19	No Longer Available
85WBYSB36-23	No Longer Available
85WBYSB36-33	No Longer Available
85WBYSM32-15	No Longer Available
85WBYSM34-5	No Longer Available
85WBYSM40-33	No Longer Available
85WBYSM40-36	No Longer Available
85WBYSM40-37	No Longer Available
85WBYSM40-38	No Longer Available
85WBYSM40-5	No Longer Available
85WBYSM48-7	No Longer Available
860-49-008234	No Longer Available
860-49-008-254	No Longer Available
860-49-008357	No Longer Available
860-49-008368	No Longer Available
860-49-011-266	No Longer Available
860-49-011-294	No Longer Available
860-49-011315	No Longer Available
860-49-011373	No Longer Available
860-49-011376	No Longer Available
860-49-011-489	No Longer Available
863-04-49625	No Longer Available
863-04-49626	No Longer Available
878-29-001-224	No Longer Available
878-29-003-382	No Longer Available
878-29-005-564	No Longer Available
884-94-49885	17NTS900B138
884-95-004139	No Longer Available
888-39-050-337	No Longer Available
888-39-050-467	No Longer Available
888-64-004-182	No Longer Available
888-79-061406	No Longer Available
888-79-063281	18NNS017B281
902-01-18186	No Longer Available
902-01-22770	No Longer Available
902-01-22942	No Longer Available
902-01-23833	No Longer Available
902-01-25347	No Longer Available
902-01-34183	No Longer Available
902-01-37636	No Longer Available
902-01-42601	No Longer Available
902-01-45066	No Longer Available
902-01-45922	No Longer Available
902-01-46228	No Longer Available
902-01-46968	No Longer Available
902-01-47281	No Longer Available

SUPERCESSION LISTING

Old Number	New Number
902-01-47554	No Longer Available
902-01-47775	No Longer Available
902-01-48156	No Longer Available
902-01-48307	No Longer Available
902-01-48638	No Longer Available
902-01-48773	No Longer Available
902-01-48822	No Longer Available
902-01-49675	No Longer Available
902-01-49691	No Longer Available
902-02-47952	No Longer Available
902-02-49278	No Longer Available
902-02-50132	No Longer Available
902-02-50154	No Longer Available
902-03-32091	No Longer Available
902-04-34544	No Longer Available
902-04-35408	No Longer Available
902-04-35409	No Longer Available
902-04-35410	No Longer Available
902-04-35414	No Longer Available
902-04-35504	No Longer Available
902-04-36399	No Longer Available
902-04-36400	No Longer Available
902-04-36402	No Longer Available
902-04-36403	No Longer Available
902-04-36404	No Longer Available
902-04-36405	No Longer Available
902-04-36406	No Longer Available
902-04-36408	No Longer Available
902-04-36409	No Longer Available
902-04-40161	No Longer Available
902-04-40286	No Longer Available
902-04-40287	No Longer Available
902-04-40605	No Longer Available
902-04-40996	No Longer Available
902-04-41632	No Longer Available
902-04-41633	No Longer Available
902-04-41984	No Longer Available
902-04-43895	No Longer Available
902-04-44994	No Longer Available
902-04-44995	No Longer Available
902-04-45968	No Longer Available
902-04-46281	No Longer Available
902-04-46863	No Longer Available
902-04-47107	No Longer Available
902-04-47108	No Longer Available
902-04-47117	No Longer Available
902-04-47215	No Longer Available
902-04-47462	No Longer Available
902-04-47683	No Longer Available
902-04-47772	902-04-49367
902-04-47865	No Longer Available
902-04-48244	No Longer Available
902-04-48307	No Longer Available
902-04-48446	902-04-48983
902-04-48447	No Longer Available
902-04-48511	No Longer Available
902-04-48608	No Longer Available

Old Number	New Number
902-04-48880X	902-04-48880
902-04-48884	No Longer Available
902-04-48885	No Longer Available
902-04-48886	No Longer Available
902-04-48887	No Longer Available
902-04-48888	No Longer Available
902-04-48889	No Longer Available
902-04-48902	No Longer Available
902-04-49029	No Longer Available
902-04-49035	No Longer Available
902-04-49215	No Longer Available
902-04-49319	No Longer Available
902-04-49335	No Longer Available
902-04-49336	No Longer Available
902-04-49367	No Longer Available
902-04-49-400	902-04-50240
902-04-49414	No Longer Available
902-04-49488	No Longer Available
902-04-49-583	No Longer Available
902-04-49-685	No Longer Available
902-05-48421	No Longer Available
902-06-21794	No Longer Available
902-06-29655	No Longer Available
902-06-34175	No Longer Available
902-06-37756	No Longer Available
902-06-38000	No Longer Available
902-06-38906	No Longer Available
902-06-40188	No Longer Available
902-06-44826	No Longer Available
902-06-44865	No Longer Available
902-06-45067	No Longer Available
902-06-46604	No Longer Available
902-06-46815	No Longer Available
902-06-46859	No Longer Available
902-06-47015	No Longer Available
902-06-47317	No Longer Available
902-06-47467	No Longer Available
902-06-47510	No Longer Available
902-06-48466	No Longer Available
902-06-48805	No Longer Available
902-06-49587	No Longer Available
902-06-49590	No Longer Available
902-07-40365	No Longer Available
902-07-48172	No Longer Available
902-13-48-721	No Longer Available
902-13-49303	No Longer Available
902-13-49305	902-13-49605
902-13-49525	902-13-50134
902-13-49604	No Longer Available
902-13-49763	902-13-50135
902-13-49764	902-13-50136
902-13-50251	No Longer Available
902-17-1	No Longer Available
902-21-21794	No Longer Available
902-21-38906	No Longer Available
902-24-49402	No Longer Available
902-27-29414	No Longer Available

SUPERCESSION LISTING

Old Number	New Number
902-27-37565	No Longer Available
902-27-38906	No Longer Available
902-27-44826	No Longer Available
902-27-44865	No Longer Available
902-30-21465	No Longer Available
902-30-33574	No Longer Available
902-30-33582	No Longer Available
902-30-34207	No Longer Available
902-30-39534	No Longer Available
902-30-40188	No Longer Available
902-30-43088	No Longer Available
902-30-44729	No Longer Available
902-30-48718	No Longer Available
902-30-49400	No Longer Available
902-30-49524	No Longer Available
902-55-35157	No Longer Available
902-55-35504	No Longer Available
902-55-36399	No Longer Available
902-55-36404	No Longer Available
902-55-36406	No Longer Available
902-55-40008	No Longer Available
902-55-40-161	No Longer Available
902-55-40162	No Longer Available
902-55-41630	No Longer Available
902-55-41632	No Longer Available
902-55-41984	No Longer Available
902-55-42377	No Longer Available
902-55-47-772	No Longer Available
902-61-47839	No Longer Available
902-61-47839X	902-61-47839
902-61-47920X	No Longer Available
902-61-48603	No Longer Available
902-65-40996	No Longer Available
902-65-48608	No Longer Available
902-65-49036	No Longer Available
902-65-49786	No Longer Available
902-78-46281	No Longer Available
902-92-49676	No Longer Available
902-92-49871	No Longer Available
902-92-49872	No Longer Available
903-01-38631	No Longer Available
903-02-29261	No Longer Available
903-02-30723	No Longer Available
903-02-48546	No Longer Available
903-04-37359	No Longer Available
903-04-41763	902-04-48888
903-04-41862	No Longer Available
903-04-43088	902-04-48885
903-04-43293	No Longer Available
903-04-43294	No Longer Available
903-04-43302	902-04-48884
903-04-43647	No Longer Available
903-04-44861	902-04-48886
903-04-48785	No Longer Available
903-07-30232	No Longer Available
903-24-33080	No Longer Available
903-24-46927	No Longer Available

Old Number	New Number
903-30-43088	902-30-43088
903-30-43499	No Longer Available
903-30-46884	No Longer Available
903-55-36403	No Longer Available
903-60-43413	No Longer Available
903-60-43421	No Longer Available
906-59-045140	No Longer Available
909-52-4	No Longer Available
920-19-001040	20RHS003B033
920-19-001050	20RHS003B043
920-92-50222	20RHM020B192
920-92-50224	20RHS005B022
927-51-10	No Longer Available
92N14-12A	92N14-30A
92N14-13A	92N14-25A
92N14-15A	92N14-24A
92N170	No Longer Available
92NDCA-13	No Longer Available
92NDCA8	No Longer Available
92NF14	No Longer Available
92NF7	No Longer Available
92NLS48	92NLS48DC
92NLS48-1	92NLS48-1DC1
92NLS48-10DC	No Longer Available
92NLS48-12	92NLS48-12DC
92NLS48-12DC	No Longer Available
92NLS48-17DC	No Longer Available
92NLS48-1DC	92NLS48-1DC1
92NLS48-1DC1	No Longer Available
92NLS48-2DC	No Longer Available
92NLS48-2DC1	No Longer Available
92NLS48-32DC	No Longer Available
92NLS48-47	92NLS48-47DC
92NLS48-49DC	No Longer Available
92NLS48-52DC	No Longer Available
92NLS48-56DC	No Longer Available
92NLS48-59A	No Longer Available
92NLS48-66DC	92NLS48-66A
92NLS48-67A	No Longer Available
92NLS48-67DC	92NLS48-67A
92NLS48DC	No Longer Available
92NLS48DC1	No Longer Available
92NPS48-1	No Longer Available
92NPS48-10	92NPS48-1
92NPS48-2	No Longer Available
92NPS48-21	No Longer Available
92NPS48-25	No Longer Available
92NPS48-8	No Longer Available
92NY51	No Longer Available
92NY60-6	No Longer Available
92NY66-1	No Longer Available
92NY66-13	No Longer Available
92NY68-1	No Longer Available
92NY68-3	No Longer Available
92NYS31-2	No Longer Available
92NYS31-7	No Longer Available
92NYS32-16A1	92NYS32-25A

SUPERCESSION LISTING

Old Number	New Number
92NYS32-23	92NYS32-29
92NYS32-28	No Longer Available
92NYS32-29	No Longer Available
92NYS32-34A	No Longer Available
92NYS32-35A	No Longer Available
92NYS32-36	No Longer Available
92NYS32-9	No Longer Available
92NYS33	92NYS33-2
92NYS33-1	No Longer Available
92NYS34-13	No Longer Available
92NYS34-24	No Longer Available
92NYS36	No Longer Available
92NYS36-15	No Longer Available
92NYS36-16	No Longer Available
92NYS36-3	No Longer Available
92NYS36-31	No Longer Available
92NYS36-38	No Longer Available
92NYS36-40	No Longer Available
92NYS36-47	No Longer Available
92NYS36-51	No Longer Available
92NYS36-53	No Longer Available
92NYS36-60	No Longer Available
92NYS36-62A	No Longer Available
92NYS36-67	No Longer Available
92NYS36-7	No Longer Available
92NYS38-1	No Longer Available
92NYS38-100A	No Longer Available
92NYS38-33	92NYSC38-33
92NYS38-42A	No Longer Available
92NYS38-55	92NYS38-69
92NYS38-67	No Longer Available
92NYS38-68	No Longer Available
92NYS38-70	No Longer Available
92NYS38-75A	92NYS38-75A1
92NYS38-76	No Longer Available
92NYS38-99A	No Longer Available
92NYS38A	No Longer Available
92NYS38A3	No Longer Available
92NYS39-1	No Longer Available
92NYS39A	No Longer Available
92NYS40-20	No Longer Available
92NYS40-3	No Longer Available
92NYS40-32	No Longer Available
92NYS40-36	No Longer Available
92NYS40-38A	92NYS40-40A
92NYS40-39	No Longer Available
92NYS40-39A	No Longer Available
92NYS40-4	No Longer Available
92NYS40-40A	No Longer Available
92NYS40-41	No Longer Available
92NYS40-7	92NYS40-40
92NYS42-14	No Longer Available
92NYS42-16	No Longer Available
92NYS44-17	No Longer Available
92NYS44-20	92NYS44-22
92NYS46	No Longer Available
92NYS47-2	No Longer Available

Old Number	New Number
92NYS48-1	No Longer Available
92NYS48-2	No Longer Available
92NYS48-3	No Longer Available
92NYS48-41	No Longer Available
92NYS48-66	No Longer Available
92NYS68-2	No Longer Available
92NYSB36-70A	No Longer Available
92NYSB38-42A	No Longer Available
92NYSM34-20	Contact Specs
92NYSM34-22	Contact Specs
92NYSM34-4	No Longer Available
92NYSM36-57	No Longer Available
92NYSM36-61	No Longer Available
92NYSM38-28	No Longer Available
92NYSM38-37	92NYSM38-78
92NYSM38-38	Contact Specs
92NYSM38-49	No Longer Available
92NYSM38-63	Contact Specs
92NYSM38-64	Contact Specs
92NYSM38-78	No Longer Available
92NYSM38-79	Contact Specs
92NYSM38-8	No Longer Available
92NYSM38-80	Contact Specs
92NYSM38-81	Contact Specs
92NYSM38-85	No Longer Available
92NYSM38-86	Contact Specs
92NYSM38-87	Contact Specs
92NYSM38-88	Contact Specs
92NYSM38-94	Contact Specs
92NYSM38-95	Contact Specs
92NYSM38-96	Contact Specs
92NYSM38-97	Contact Specs
92NYSM42-13	No Longer Available
92NYSM42-8	92NYSM42-13
92NYSM44-6	No Longer Available
92NYSM48-19	No Longer Available
92NYSM48-23	No Longer Available
92NYSM48-4	No Longer Available
92NYSM48-51	No Longer Available
92NYSM48-60	No Longer Available
92NYSM48-65	No Longer Available
92NYSM48-74	No Longer Available
92NYSM48-75	No Longer Available
92NYSM48-76	No Longer Available
950NYSM38	950NYSM38-15S
950NYSM38-10	950NYSM38-20
950NYSM38-11	950NYSM38-21
950NYSM38-8	950NYSM38-18S
950NYSM38-9	950NYSM38-19S
953-02-48831	No Longer Available
954-04-22987	No Longer Available
954-04-24432	No Longer Available
954-04-45-397	No Longer Available
954-04-47193	No Longer Available
954-05-101-443	72WDS008B443
954-05-117-020	No Longer Available
954-05-117-021	954-05-117-020

SUPERCESSION LISTING

Old Number	New Number
954-07-37014	No Longer Available
954-10-2	No Longer Available
954-11-2	No Longer Available
954-12-2	No Longer Available
954-13-2	No Longer Available
954-39-004019	No Longer Available
954-39-004089	No Longer Available
954-39-004139	No Longer Available
954-39-004199	No Longer Available
954-39-004-319	No Longer Available
954-39-008-029	No Longer Available
954-39-008-039	No Longer Available
954-39-008091	No Longer Available
954-39-008-213	No Longer Available
954-39-009-443	72WDS008B443
954-39-010058	No Longer Available
954-58-44-684	No Longer Available
954-64-47218	No Longer Available
954-64-48601X	No Longer Available
954-91-48-397	No Longer Available
954-92-35470	No Longer Available
954-92-38510	No Longer Available
954-92-47855	No Longer Available
954-92-48219	No Longer Available
954-92-49-002	No Longer Available
955-04-41709	No Longer Available
955-13-42813	No Longer Available
955-13-43463	No Longer Available
955-13-44389	No Longer Available
955-55-41709	No Longer Available
955-65-42813	No Longer Available
955-92-36044	No Longer Available
955-92-46779	No Longer Available
958-01-43274	958-01-50-119
958-01-44561	958-01-50-079
958-01-49378	No Longer Available
959-01-48137	No Longer Available
959-11-2	No Longer Available
959-49-050067	No Longer Available
959-55-34201	No Longer Available
959-57-45038	No Longer Available
959-92-41392	No Longer Available
959-92-41845	No Longer Available
960-01-49-773	No Longer Available
960-01-49-774	No Longer Available
960-01-49970	No Longer Available
960-04-19710	No Longer Available
960-04-47723	No Longer Available
960-04-47974	No Longer Available
960-04-853-374	No Longer Available
960-10-2	No Longer Available
960-11-2	No Longer Available
960-30-37981	No Longer Available
960-49-003-124	No Longer Available
960-49-008458	No Longer Available
960-49-026048	No Longer Available
960-59-041068	92WHS013B068

Old Number	New Number
960-59-045030	No Longer Available
960-59-045140	No Longer Available
960-59-045440	No Longer Available
960-91-38385	No Longer Available
960-92-38846	No Longer Available
960-92-44080	No Longer Available
960-92-47527	No Longer Available
960-92-49-873	No Longer Available
963-02-50-111	No Longer Available
963-13-42079	No Longer Available
963-92-48-253	85WHM010B062
963-92-48-799	No Longer Available
965-10-1	No Longer Available
965-10-2	No Longer Available
965-38-001048	No Longer Available
965-39-001015	No Longer Available
965-39-001048	No Longer Available
965-39-001110	62WHS001B110
965-55-49342	No Longer Available
965-60-25888	No Longer Available
965-64-42736	No Longer Available
965-92-36045	No Longer Available
965-92-39087	No Longer Available
965-92-42735	No Longer Available
965-92-44-696	No Longer Available
965-92-47959	No Longer Available
965-92-47960	No Longer Available
965-92-48256	No Longer Available
965-92-48676	No Longer Available
965-92-49342	No Longer Available
971-01-49344	A3202R9950S
978-99-45749	76NNA002S
983-04-44478	16NNS907D095
983-04-44-757	16NNS907D083
983-04-48168	16NTS906B040
983-04-48-798	16NNS907D475
983-04-49544	16NNS908D023
984-01-47975	No Longer Available
984-04-002-072	984-04-004072
984-04-004-294	17NNS043B294
984-04-44-758	17NNS913D133
984-04-44759	17NNM914D172
984-04-48735	17NNS907C201
984-04-49419	17NNS905B222
984-04-49420	17NNS905B201
984-04-49455	17NNS908C144
984-04-49565	17NNS906B144
984-04-49566	17NNS906B110
984-04-50363	17NTS901B097
984-05-002040	17NNS048B040
984-05-002053	17NNS048B053
984-05-018025	17NNS041B026
984-16-2	17NY01TA650
984-20-1	17NNM066B181
984-22-2	17NY01TA240
984-24-2	17NY01TA600
984-26-2	17NY01TA240

SUPERCESSION LISTING

Old Number	New Number
984-27-2	17NY01TA480
984-28-2	17NY01TA650
984-29-092026	17NNS041B026
984-55-48931	No Longer Available
984-55-49364	No Longer Available
984-58-44367	17NNA003
984-58-44409	17NS40-120AK
984-64-47963	No Longer Available
984-92-43883	884-95-002-094
984-92-45147	17NNM062B160
984-92-45681	17NNM066B181
984-92-47594	17NNS043B253
984-92-47596	17NNM053B113
984-92-47962	17NNM052B099
984-92-49825	17NTM055B128
984-92-50151	17NTM910B143
984-92-50152	17NTM912B153
988-92-49908	18NTM020B130
988-92-49917	18NTM027B160
988-99-47647	18NNA003S
990-12-2	No Longer Available
990-14-2	No Longer Available
990-49-062024	No Longer Available
991-12-2	No Longer Available
991-92-49073	No Longer Available
991-99-47102	No Longer Available
991-99-49451	No Longer Available
A909-51-8	No Longer Available
A922-50-8	No Longer Available
BHR56-1	No Longer Available
BHR62-3	No Longer Available
BH-R90-1	No Longer Available
BO-RUR-25-1	No Longer Available
BPS28-16-2	155N-53-61
BRNY33-7	No Longer Available
BSS22-114	No Longer Available
BSS22-115	No Longer Available
BSS22-118	No Longer Available
BSS22-120	141N-53-161
BSS22-122	No Longer Available
BSS22-123	No Longer Available
BSS22-124	141N-53-611
BSS24-30	BSS24-52A
BSS24-31	No Longer Available
BSS24-32	BSS24-53A
BSS24-38	No Longer Available
BSS24-39	No Longer Available
BSS24-40	No Longer Available
BSS24-41	141N-53-1071
BSS24-48	No Longer Available
BSS24-61A	No Longer Available
BSS24-8	BSS24-52
BSS25-1	148N-53-291
BSS25-10	148N-53-451
BSS25-14	148N-53-451
BSS25-2	148N-53-451
BSS25-21	No Longer Available

Old Number	New Number
BSS25-3	148N-53-451
BSS25-4	148N-53-291
BSS26-14	No Longer Available
BSS26-15	No Longer Available
BSS26-16	No Longer Available
BSS28-103	No Longer Available
BSS28-11	No Longer Available
BSS28-12	BSS28-103
BSS28-16	No Longer Available
BSS28-17	No Longer Available
BSS28-33	No Longer Available
BSS28-36	No Longer Available
BSS28-4	No Longer Available
BSS28-40	16N-53-141
BSS28-45	No Longer Available
BSS28-57	No Longer Available
BSS28-61	155N-53-61
BSS28-62	No Longer Available
BSS28-67	No Longer Available
BSS28-68	No Longer Available
BSS28-79	155N-53-61
BSS28-8	No Longer Available
BSS28-88	155N-53-61
BSS28-89	No Longer Available
BSS28-9	BSS28-92
BSS28-92	No Longer Available
BSS31-13	No Longer Available
BSS31-19	No Longer Available
BSS31-21	No Longer Available
BSS31-3	No Longer Available
BSS31-30	No Longer Available
BSS31-9	No Longer Available
BSS32-12	No Longer Available
BSS32-15	No Longer Available
BSS32-16	No Longer Available
BSS32-23A	No Longer Available
BSS32-31	No Longer Available
BSS36-10	No Longer Available
BSS38-10A	17N-53-311
BSS38-23	No Longer Available
BSS38-27	18N-53-171
BSS38-28	176N-53-21
BSS38-4	No Longer Available
BSS38-5	18N-53-91
BSS38-5A	18N-53-91A
BSS38-6	18N-53-51
BSS40-4	No Longer Available
BSS40-5	No Longer Available
BSS46-1	No Longer Available
BSS46-6	No Longer Available
BSS46-7	No Longer Available
CARP4-1	No Longer Available
CB210121-1X	CB210121-1XSA
CB210130-1X	CB210207-1X
CB21031X	No Longer Available
CB21033X	No Longer Available
CB21042X	No Longer Available

SUPERCESSION LISTING

Old Number	New Number
CB21043X	No Longer Available
CB210661-1X	CB210661-1XSA
CB210875-1X	CB210875-1XSA
CB210881-1X	CB310012-1XSA
CB310008-1X	No Longer Available
CB310009-1X	No Longer Available
CB310010-1X	No Longer Available
CB310012-1X	CB310012-1XSA
CB310014-1X	No Longer Available
CBRR28-1	No Longer Available
CBRR38-1	CB210661-1XSA
CBSR64-3	No Longer Available
CCB1-4	No Longer Available
CCB206	CB210121-1XSA
CCB207	CB310012-1XSA
CLMR18-2A1	No Longer Available
CP1206X	CP141N
CP1208X	No Longer Available
CP1209X	CP1200X
CP1210X	CP155N
CP1214X	No Longer Available
CP121X	CP200X
CP131N	CP1200X
CP131N-1	CP1201X
CP133N	CP1203X
CP133N-1	CP1204X
CP135N	CP1205X
CP141N21	CP141N
CP148N-1	CP148N
CP155N-23	CP155N
CP16N13	R279X
CP16N14-8A	No Longer Available
CP16N-3	R279X
CP16N-9	R279X
CP16NS	R279X
CP16S	R674X
CP16S-1	R674X
CP16S-2	R674X
CP176N-2	R407X
CP176N-4	R407X
CP176NS	R407X
CP176S	CP176S-3
CP176S-1	R677X
CP176S-2	R677X
CP176S-4	R677X
CP17N-20	R280X
CP17N-22	R280X
CP17N-35	R280X
CP17N-37	R280X
CP17N-38	R675X
CP17NS	R280X
CP17NSB	No Longer Available
CP17S	R675X
CP17S-1	R675X
CP17S-2	R675X
CP17S-5	R675X
CP18N-12	R281X

Old Number	New Number
CP18N-15	R281X
CP18N17	R281X
CP18N-3	R281X
CP18N-8	R281X
CP18N-95	CP18N-96
CP18N-99	No Longer Available
CP18NS	R281X
CP18S	CP18S-3
CP18S-1	R676X
CP18S-2	R676X
CP1FR	No Longer Available
CP2011	CP2011X
CP20-RPL	CP20-RPL-S
CP20-RPL-1	CP20-RPL-S
CP20RPL-8	CP20-RPL
CP25-RPL	CP25-RPL-S
CP25-RPL-1	CP25-RPL-S
CP25RPL-9	CP25-RPL
CP3008	CP3147X
CP35N-20	Contact Specs
CP35N-3	No Longer Available
CP35N-4	No Longer Available
CP35R	Contact Specs
CP35R-17	No Longer Available
CP35R-3	No Longer Available
CP4113	CP4143X
CP438X	CP-674X
CP45N-1	No Longer Available
CP467X	No Longer Available
CP469X	CP-677X
CP5000	CP5122
CP5109	No Longer Available
CP510X	CP-676X
CP5154	No Longer Available
CP515X	CP-675X
CP521X	No Longer Available
CP544X	No Longer Available
CP58N-4	No Longer Available
CP58WB-29	CP58WB-DWT
CP58WB-30	CP58WB-HWD
CP58WB-31	CP58WB-HWD
CP58WB-35	CP58WB-DWT
CP58WB-37	CP58WB-HB
CP58WB-38	CP58WB-HWD
CP62N-40	No Longer Available
CP62N-47	CP62N-DWT
CP62N-48	CP62N-HB
CP62N-49	CP62N-HWD
CP62N-56	No Longer Available
CP65N	No Longer Available
CP6N	No Longer Available
CP726251-2	CP1306-1X
CP72625-2	No Longer Available
CP72625-3	CP1306X
CP72N-103	CP72N-HWD
CP72N-113	CP72N-DWT
CP72N-121	CP72N-HWD

SUPERCESSION LISTING

Old Number	New Number
CP72N-34	CP72N-HB
CP72N-89	CP72N-DWT
CP72N-90	CP72N-HB
CP74X	No Longer Available
CP7N	No Longer Available
CP82N-72	CP82N-HWD
CP82N-75	CP82N-HB
CP85WB-42	CP85WB-HWD
CP85WB-46	CP85WB-HWD
CP85WB-47	CP85WB-DWT
CP85WB-48	CP85WB-HB
CP92N102	CP92N-70
CP92N-17	CP92N-HWD
CP92N-49	CP92N-DWT
CP92N-50	CP92N-HB
CP92N-58	CP92N-HWD
CP92N66	No Longer Available
CP92N-71	CP92N-DWT
CP92N-72	CP92N-HB
CP92N-73	CP92N-HWD
CPL10N-4	CPL10N-2
CPL10S	CPL10N-2
CPL10S-1	CPL10N-2
CPL12R	Contact Specs
CPL12R-12	Contact Specs
CPL14N	Contact Specs
CPL14R	Contact Specs
CPL15N-1	CPL15N-1S
CPL6R-30	CPL6R-50
CPL6R-34	CPL6R-51
CPL6R-39	Contact Specs
CPL6R-40	CPL6R-50
CPL6R-47	CPL6R-53
CPL6R-52	Contact Specs
CPL6S-22	CPL6R-50
CPL6S-26	CPL6R-51
CPL6S-36	CPL6R-53
CPL6S-48	Contact Specs
CPLD-UJ12	No Longer Available
CS-C5-18-35	SP-1049
CS-C5-24-36	CSH5-24-37
CS-C6-16-58	SP-1045
CS-C6-24-56	SP-1013
CS-C7-20-10	SP-1012
CS-C7-20-11	SP-1010
CS-C7-20-46	SP-1010
CS-C7-20-47	SP-1010
CSC8-20-47	SP-1014
CS-H12-16-6	S-11212
CS-H4-20-13	CSH4-28-13
CS-H5-18-27	CSH5-24-27
CS-H5-18-28	CSH5-24-28
CS-H5-18-35	SP-1049
CS-H5-24-15	CS-H5-24-31
CS-H5-24-30	CSH5-24-37
CS-H5-24-31	S-155-2
CSH5-24-38	S-155B-2

Old Number	New Number
CS-H6-16-58	SP-1045
CS-H6-24-21	No Longer Available
CS-H6-24-23	S-168-2
CS-H6-24-24	S-1616-2
CS-H6-24-49	S-165B-2
CSH6-24-66	S-165B-2
CS-H7-20-14	S-179-2
CSH7-20-15	No Longer Available
CS-H8-20-14	S-1818-2
CS-H8-20-15	S-1820-2
CS-H8-20-16	S-1820-2
CS-H8-20-20	S-1822-2
CS-H8-20-23	S-1812-2
CS-H8-20-31	No Longer Available
DC126N	No Longer Available
DC131N	No Longer Available
DC135N	No Longer Available
DC141N	No Longer Available
DC141N-1	No Longer Available
DC141N-2	No Longer Available
DC141N-3	No Longer Available
DC148N	No Longer Available
DC148N-1	No Longer Available
DC148N-2	No Longer Available
DC155N-1	No Longer Available
DC155N-2	No Longer Available
DC16N	SERUR25-2
DC17N-2	DC17N
DC2-5	No Longer Available
DC5N-15	No Longer Available
DC5N-16	No Longer Available
DC62N	No Longer Available
DC62N-3	No Longer Available
DC62N-4	No Longer Available
DC62N-7	No Longer Available
DC72N-4	SERUR25-1
DC7N11	No Longer Available
DC82N	No Longer Available
DC82N-1	No Longer Available
DC82N-5	No Longer Available
DC82N-8	No Longer Available
DC92N	No Longer Available
DC92N-1	No Longer Available
DC92N-2	No Longer Available
DCD36-3	No Longer Available
DCD48-2	No Longer Available
DCL6N-3	No Longer Available
DCL6N-4	No Longer Available
DCR20-1	No Longer Available
DEFR22-15	DEFR22-9
DEFR22-7	DEFR22-9
DEFR30-1	No Longer Available
DEFR32-3	No Longer Available
DEFR40-12	No Longer Available
DEFR47-16	2297-K-6303
DEFR47-3	2847-Z-312
DEFR47-9	No Longer Available

SUPERCESSION LISTING

Old Number	New Number
DEFR48-1	No Longer Available
DEFR53-4	DEFR53-5
DEFR54-4	No Longer Available
DEFR56-1	No Longer Available
DEFR61-1	DEFR61-3
DRM57-4	No Longer Available
GCB311016X	No Longer Available
GCP279X	CP279X
GCP280X	CP280X
GCP281X	CP281X
GCP407X	CP407X
GCPL6R-30	GCPL6R-50
HCB-2	DEFR55-1
HCB205	CB210661-1XSA
KIT-20-25-RPL	KIT-RPL-25-20
KIT-2524	KIT-2576
KIT-2576	KIT-2585
KIT-RPL25-CR	No Longer Available
KT101	No Longer Available
KT103	No Longer Available
KT105	No Longer Available
KT109	No Longer Available
KT113	No Longer Available
KT16ES	KT16SB
KT17ES	KT17SB
LP-HC38-1	No Longer Available
M1475X-3	CPL6R-50
M-43117	No Longer Available
M-43118	No Longer Available
M-43119	No Longer Available
N2-86-13	ND2C
NUHX7-20-1	R005961
NUPT12-16-11	NL-112-1
NUPT16-20-4	1227-C-939
NUPT20-18-6	1227-Z-936
NUPT5-18-6	NL-25-1
NUPT6-16-16	NL-26-1
NUSL16-20-1	1227-C-939
NUSL16-20-2	1227-C-939
NUSL20-18-1	1227-Z-936
OCB2-1	DEFR25-4
PB126812	No Longer Available
PB126815	No Longer Available
PB126818	No Longer Available
PLD6-24-1	PLD6-24-2
PLD6-27-4	No Longer Available
PLEX20-1	No Longer Available
PLEX28-2	No Longer Available
PLEX42-1	PLEX42-2
PLEX51-3	No Longer Available
PLNY6-1	No Longer Available
PLWE31-11	No Longer Available
PLWE31-2	No Longer Available
PLWE36-2	No Longer Available
PLWE36-4	No Longer Available
PLWE36-7	No Longer Available
PLWE36-8	No Longer Available

Old Number	New Number
PLWE43-10	No Longer Available
PLWE43-13	No Longer Available
PLWE43-3	No Longer Available
PLWE43-6	No Longer Available
PLWE43-7	No Longer Available
PLWE52-4	No Longer Available
PLWE53-15	No Longer Available
PLWE53-8	No Longer Available
PS18-24-1	No Longer Available
PS20-32-10	No Longer Available
PS20-32-12	No Longer Available
PS20-32-13	No Longer Available
PS20-32-4	No Longer Available
PS20-32-6	No Longer Available
PS20-32-7	No Longer Available
PS22-32-5	No Longer Available
PS24-16-5	No Longer Available
PS24-32-7	No Longer Available
PS25-16-1	148N-40-1571
PS26-32-1	No Longer Available
PS26-32-2	No Longer Available
PS28-16-19	155N-40-761
PS28-16-22	No Longer Available
PS28-16-5	No Longer Available
PS28-16-7	155N-40-761
PS28-16-8	155N-40-721
PS32-16-1	No Longer Available
PS32-16-16	No Longer Available
PS32-16-18	No Longer Available
PS32-16-28	16N-40-1011
PS32-16-31	No Longer Available
PS32-16-43	No Longer Available
PS-32-16-51	No Longer Available
PS40-10-25	No Longer Available
PS40-16-1	17N-40-521
PS40-16-11	No Longer Available
PS40-16-15	17N-40-521
PS40-16-25	17N-40-541
PS40-16-44	PS40-16-61
PS40-16-45	25RPL-SLIP
PS40-16-53	PS40-16-61
PS40-16-54	Contact Specs
PS40-16-55	25RPL-SLIP
PS48-10-1	No Longer Available
PS48-16-10	PS48-16-1
PS48-16-2	No Longer Available
PS48-16-2A	No Longer Available
PS48-16-33	No Longer Available
PS48-16-5	18N-40-191
PS48-16-8	No Longer Available
PS48-23-3	No Longer Available
PS48-23-4	No Longer Available
R102701-SF	R10270-SF
R102702-SF	R10270-SF
R18520	No Longer Available
R18630	No Longer Available
R18633	No Longer Available

SUPERCESSION LISTING

Old Number	New Number
R19050	No Longer Available
R19055	No Longer Available
R19060	No Longer Available
R19065	No Longer Available
R230	No Longer Available
R-280-D	No Longer Available
R28700	No Longer Available
R28730	No Longer Available
R29255	No Longer Available
R29260	No Longer Available
R310	No Longer Available
R38720	No Longer Available
R3R-26-057	R3R-26-57
R3R-2-8268	No Longer Available
R4137268	4137268
R4714X	No Longer Available
R47330	No Longer Available
R58715	No Longer Available
R58730	No Longer Available
R58735	No Longer Available
R58742	No Longer Available
R58750	No Longer Available
R600D	No Longer Available
R800	No Longer Available
R800D	No Longer Available
R-8181A	No Longer Available
R912286	4137268
R913971-2600	R91397-2000
R91397-2001	R913972-2600
R913972-2600	No Longer Available
RBK-10	No Longer Available
RBK-4	No Longer Available
RCB2-1	No Longer Available
REBC131	No Longer Available
REP26-2	No Longer Available
RES1-61-7	No Longer Available
RPL-LUBE-48	RPL-LUBE-65
RRER14-2	No Longer Available
RRER14-3	RRER14-2
RRER16-2	No Longer Available
RRER16-5	SRG-L15
RRIR19-6	No Longer Available
RRIR28-2	No Longer Available
RRIR33-1	No Longer Available
RR-IR44-1	No Longer Available
RS913970-2600	No Longer Available
RSG13P-30	No Longer Available
RT-25-12-72	Contact Specs
RT-3-10-108	No Longer Available
RT-3-10-72	No Longer Available
RT-3-14-108-DOM	RT-3-14-108
RT-3-14-72-DOM	RT-3-14-72
RT-3-156-108	No Longer Available
RT-3-156-72	No Longer Available
RT-35-12-72	No Longer Available
RT-406-165-108	No Longer Available
RT-406-165-72	No Longer Available

Old Number	New Number
S-165-2	S-165B-2
SECR32-1	17N-16-53
SECR38-2	DC92N
SERUR19-3	No Longer Available
SERUR24-2	No Longer Available
SERUR34-1	No Longer Available
SHAS13-2-24-4	No Longer Available
SHAS14-3-42-7	No Longer Available
SHAS14-3-51-3	No Longer Available
SHAS14-7-42-7	No Longer Available
SHAS20-39-20-4	No Longer Available
SHS-16-68	No Longer Available
SHS16-89-13-4	No Longer Available
SHS-16-89-26	No Longer Available
SHS20-126-7	No Longer Available
SHS20-152-65	No Longer Available
SHS20-27	No Longer Available
SHS26-38-24	No Longer Available
SHS28-49-24	No Longer Available
SHS32-38-24	No Longer Available
SHS32-48-12	No Longer Available
SHS32-48-24	No Longer Available
SHS40-26-12	No Longer Available
SHS40-26-24	SH-S40-26-12
SHS40-9-12	No Longer Available
SHS40-9-24	No Longer Available
SHS48-21-12	No Longer Available
SHS48-21-24	No Longer Available
SHS48-23-18	No Longer Available
SL-S20-4	No Longer Available
SL-S22-12	No Longer Available
SL-S28-19	SL-S28-19
SPGR5-4	No Longer Available
SSFL5-18-3	No Longer Available
TU-Q109-108	No Longer Available
TU-Q17-1-108	No Longer Available
TU-Q17-1-72	No Longer Available
TURC68-2	No Longer Available
TURC68-7	Contact Specs
TURC72-10	Contact Specs
WAFR14-5	No Longer Available
WAFR26-1	No Longer Available
WAFS22-1	No Longer Available
WAFS28-2	No Longer Available
WALH5-7	WA-15Z
WALH6-3	WA-46
WALH8-3	WA-48
WAR14-22	No Longer Available
WAR20-3	WAR20-12
WAR32-5	17N-15-33
WAR33-7	17N-15-93
WAR7-4	1229-K-1597
WAS40-10	No Longer Available
WIR38-1	1199-A-3329

CROSS REFERENCE

How to use this listing:

Look for one digit at a time until you find the part number you wish to interchange. The listing is in alphanumeric sequence and numbers have precedence over letters. Dashes and spaces should be ignored.

EXAMPLES:

1-6301	would be followed by
16-74-101	would be followed by
5-7000X	would be followed by
D2C	would be followed by
N10270-SF	

NOTE: This cross reference has been carefully researched to make it as accurate as possible. However, we cannot guarantee that it is completely and perfectly accurate. To be certain, compare the information in this cross reference to the appropriate catalog pages and double check for part dimensions and application information. Use this cross reference as a guide only. If you are not sure which part to use, always follow the vehicle manufacturer's specifications.

NOTES

CROSS REFERENCE LISTING

NUMBER	COMPETITION	ARVINMERITOR
0505X	Neapco	CP170X
0505X-1	Neapco	CP170X
0505X1	Neapco	CP170X
0605X	Neapco	CP170X
0675X	Neapco	CP170X
1-0046	Neapco	KT17SB
1-0134	Neapco	CP134X
1-0153	Neapco	CP153X
1-0170	Neapco	CP170X
1-0200	Neapco	CP200X
1-0297	Neapco	CP297X
1-0298	Neapco	CP297-1X
1-0300	Neapco	CP111X
1-050	Neapco	CP3022X
1-0505	Neapco	CP170X
1-0506	Neapco	CP170X
1-0675	Neapco	CP170X
1-0676	Neapco	CP170X
1-1153	Neapco	CP153X
1-1200	Neapco	CP153X
1-2075	Neapco	CP279X
1-2185	Neapco	CP2116
1-4635	Neapco	CP1201X
1-5900	Neapco	CP1200X
1-605X	Neapco	CP170X
1-6300	Neapco	CP1306-1X
1-6301	Neapco	CP1306X
10-1005	Neapco	R10V5
10-2-29	Dana/Spicer	10N-2-29
10-3-122X	Dana/Spicer	10N-3-122X
10-3-12X	Dana/Spicer	10N-3-12X
10-3-162X	Dana/Spicer	10N-3-162X
10-3-163X	Dana/Spicer	10N-3-163X
10-3-18KX	Dana/Spicer	10N-3-18KX
10-3-22X	Dana/Spicer	10N-3-22X
10-3-32X	Dana/Spicer	10N-3-32X
10-3-33X	Dana/Spicer	10N-3-33X
10-3-81X	Dana/Spicer	10N-3-81X
10-3-83X	Dana/Spicer	10N-3-83X
10-32-92-108	Dana/Spicer	RT-125-11-108
10-32-92-10800	Dana/Spicer	RT-125-11-108
10-4-103	Dana/Spicer	10N-4-103
10-4-113	Dana/Spicer	10N-4-113
10-4-12	Dana/Spicer	10N-4-12
10-4-123	Dana/Spicer	10N-4-123
10-4-13	Dana/Spicer	10N-4-13
10-4-139	Dana/Spicer	10N-4-139
10-4-183	Dana/Spicer	10N-4-183
10-4-193	Dana/Spicer	10N-4-193
10-4-22	Dana/Spicer	10N-4-22
10-4-282	Dana/Spicer	10N-4-282
10-4-32	Dana/Spicer	10N-4-32
10-4-43	Dana/Spicer	10N-4-43
10-4-481	Dana/Spicer	10N-4-481
10-4-52	Dana/Spicer	10N-4-52
10-4-63	Dana/Spicer	10N-4-63
10-4-93	Dana/Spicer	10N-4-93
100322	Neapco	10N-3-22X
100323	Neapco	10N-3-23X
100332	Neapco	10N-3-32X
100333	Neapco	10N-3-33X
100381	Neapco	10N-3-81X
100412	Neapco	10N-4-12
100413	Neapco	10N-4-13
100422	Neapco	10N-4-22
100423	Neapco	10N-4-23
100432	Neapco	10N-4-32
100433	Neapco	10N-4-33
100443	Neapco	10N-4-43
10045	Neapco	KT16SB
100452	Neapco	10N-4-52
100453	Neapco	10N-4-53
10046	Neapco	KT17SB
100463	Neapco	10N-4-63
100473	Neapco	10N-4-73
100483	Neapco	10N-4-83
100493	Neapco	10N-4-93
10089	Neapco	KT116
10099	Neapco	KT117
101005	Neapco	R10V5
10105	Neapco	CP105X
10109	Neapco	KT118
10134	Neapco	CP134X
10153	Neapco	CP153X
10170	Neapco	CP170X
10200	Neapco	CP153X
10200	Neapco	CP200X
1022029	Dana/Spicer	10N-2-29
10229	Dana/Spicer	10N-2-29
10248	Neapco	CP248X
10270-1SF	Dana/Spicer	R10270-SF
10270-2SF	Dana/Spicer	R10270-SF
10270-5729	Dana/Spicer	R10270-SF
102701SF	Dana/Spicer	R10270-SF
102702SF	Dana/Spicer	R10270-SF
102705729	Dana/Spicer	R10270-SF
10297	Neapco	CP297X
10298	Neapco	CP297-1X
10300	Neapco	CP111X
10301	Neapco	CP101X
10312	Neapco	10N-3-12X
103122	Neapco	10N-3-122X
103122X	Dana/Spicer	10N-3-122X
10312X	Dana/Spicer	10N-3-12X
103162	Neapco	10N-3-162X
103162X	Dana/Spicer	10N-3-162X
103163	Neapco	10N-3-163X
103163X	Dana/Spicer	10N-3-163X
103183	Neapco	10N-3-183X
103183X	Dana/Spicer	10N-3-183X
10318KX	Dana/Spicer	10N-3-18KX
10322X	Dana/Spicer	10N-3-22X
10323X	Dana/Spicer	10N-3-23X
103292108	Dana/Spicer	RT-125-11-108
10329210800	Dana/Spicer	RT-125-11-108
1032925400	Dana/Spicer	RT-125-11-72
10332X	Dana/Spicer	10N-3-32X
10333X	Dana/Spicer	10N-3-33X
10381X	Dana/Spicer	10N-3-81X
10383X	Dana/Spicer	10N-3-83X
104103	Dana/Spicer	10N-4-103
104113	Dana/Spicer	10N-4-113
10412	Dana/Spicer	10N-4-12
104123	Dana/Spicer	10N-4-123
10413	Dana/Spicer	10N-4-13
104133	Dana/Spicer	10N-4-133
104139	Dana/Spicer	10N-4-139
104143	Dana/Spicer	10N-4-143

CROSS REFERENCE LISTING

NUMBER	COMPETITION	ARVINMERITOR
104173	Dana/Spicer	10N-4-173
104183	Dana/Spicer	10N-4-183
104193	Dana/Spicer	10N-4-193
104193	Neapco	10N-4-193
1041932	Dana/Spicer	10N-4-32
1041943	Dana/Spicer	10N-4-43
1041952	Dana/Spicer	10N-4-52
1041963	Dana/Spicer	10N-4-63
1041993	Dana/Spicer	10N-4-93
1042012	Dana/Spicer	10N-4-12
1042013	Dana/Spicer	10N-4-13
1042022	Dana/Spicer	10N-4-22
10422	Dana/Spicer	10N-4-22
10423	Dana/Spicer	10N-4-23
104282	Dana/Spicer	10N-4-282
10432	Dana/Spicer	10N-4-32
10433	Dana/Spicer	10N-4-33
10443	Dana/Spicer	10N-4-43
10443	Neapco	CP443X
104443	Dana/Spicer	10N-4-443
104453	Dana/Spicer	10N-4-453
104473	Dana/Spicer	10N-4-473
104481	Dana/Spicer	10N-4-481
10452	Dana/Spicer	10N-4-52
10453	Dana/Spicer	10N-4-53
104573	Dana/Spicer	10N-4-573
104611	Dana/Spicer	10N-4-611
10463	Dana/Spicer	10N-4-63
104703	Dana/Spicer	10N-4-703
10473	Dana/Spicer	10N-4-73
10483	Dana/Spicer	10N-4-83
10493	Dana/Spicer	10N-4-93
1050	Neapco	CP3022X
10505	Neapco	CP170X
10506	Neapco	CP170X
10675	Neapco	CP170X
10676	Neapco	CP170X
11153	Neapco	CP153X
11200	Neapco	CP153X
11475	Neapco	CPL6R-50
11554	Neapco	CP2031
11555	Neapco	CP105X
11875	Neapco	CP2011X
12075	Neapco	CP279X
12075	Neapco	R279X
12185	Neapco	CP2116
13600	Neapco	CP2011X
13650	Neapco	CP2140
143012108	Dana/Spicer	RT-175-16-108
14301210800	Dana/Spicer	RT-175-16-108
143052108	Dana/Spicer	RT-175-14-108
14305210800	Dana/Spicer	RT-175-14-108
14475	Neapco	CPL6R-50
14635	Neapco	CP1201X
1475X	Neapco	CPL6R-50
15900	Neapco	CP1200X
16-30-62-10800	Dana/Spicer	RT-2-14-108
16-30-62-7400	Dana/Spicer	RT-2-14-72
1605X	Neapco	CP170X
16300	Neapco	CP1306-1X
16301	Neapco	CP1306X
16306210800	Dana/Spicer	RT-2-14-108
16306274	Dana/Spicer	RT-2-14-72
1630627400	Dana/Spicer	RT-2-14-72

NUMBER	COMPETITION	ARVINMERITOR
1875X	Neapco	CP2011X
2-0053	Neapco	CP178X
2-0054	Neapco	CP160X
2-075X	Neapco	CP279X
2-075X-1A	Neapco	CP279X
2-1033J	Neapco	72NYS31-2
2-1569	Neapco	CP1204X
2-2-329	Dana/Spicer	131N-2-329
2-2-479	Dana/Spicer	131N-2-479
2-20-1701	Dana/Spicer	131N-40-1701
2-28-1177	Dana/Spicer	133N-28-1177
2-28-1697	Dana/Spicer	133N-28-1697
2-28-1707	Dana/Spicer	133N-28-1707
2-28-1717	Dana/Spicer	133N-28-1717
2-28-1757	Dana/Spicer	131N-28-1757
2-28-277	Dana/Spicer	131N-28-277
2-28-307	Dana/Spicer	131N-28-307
2-28-327	Dana/Spicer	131N-28-327
2-28-357	Dana/Spicer	131N-28-357
2-28-367	Dana/Spicer	131N-28-367
2-28-397	Dana/Spicer	131N-28-397
2-28-417	Dana/Spicer	131N-28-417
2-28-427	Dana/Spicer	131N-28-427
2-28-437	Dana/Spicer	131N-28-437
2-3-10621KX	Dana/Spicer	131N-3-7260KX
2-3-128KX	Dana/Spicer	131N-3-128KX
2-3-4441KX	Dana/Spicer	131N-3-4441KX
2-3-4681KX	Dana/Spicer	133N-3-7961KX
2-3-4951KX	Dana/Spicer	131N-3-7981KX
2-3-5221KX	Dana/Spicer	131N-3-8001KX
2-3-5221X	Dana/Spicer	131N-3-8001KX
2-3-5821X	Dana/Spicer	131N-3-8021KX
2-3-7481KX	Dana/Spicer	133N-3-8041KX
2-3-7481X	Dana/Spicer	133N-3-8041KX
2-3-7681KX	Dana/Spicer	133N-3-7681KX
2-3-7961KX	Dana/Spicer	133N-3-7961KX
2-3-7981KX	Dana/Spicer	131N-3-7981KX
2-3-8001KX	Dana/Spicer	131N-3-8001KX
2-3-8021KX	Dana/Spicer	131N-3-8021KX
2-3-8041KX	Dana/Spicer	133N-3-8041KX
2-3011	Neapco	CP3147X
2-3100	Neapco	CP353X
2-4-473	Dana/Spicer	131N-4-473
2-4-503	Dana/Spicer	131N-4-503
2-4-533	Dana/Spicer	131N-4-533
2-40-1031	Dana/Spicer	131N-40-1031
2-40-1701	Dana/Spicer	131N-40-1701
2-40-1711	Dana/Spicer	131N-40-1711
2-40-1771	Dana/Spicer	131N-40-1771
2-40-1811	Dana/Spicer	131N-40-1811
2-40-1851	Dana/Spicer	131N-40-1851
2-40-1871	Dana/Spicer	131N-40-1871
2-40-2051	Dana/Spicer	131N-40-2051
2-4800	Neapco	CP213X
2-4900	Neapco	CP1204X
2-6302	Neapco	CP1306X
2-675X	Neapco	CP188X
2-94-28X	Dana/Spicer	KT116
20-30-12-10800	Dana/Spicer	RT-25-16-108
20-30-12-7400	Dana/Spicer	RT-25-16-72
20-30-22-10800	Dana/Spicer	RT-25-14-108
20-30-22-7400	Dana/Spicer	RT-25-14-72
20053	Neapco	CP178X
20054	Neapco	CP160X

NUMBER	COMPETITION	ARVINMERITOR
203012108	Dana/Spicer	RT-25-16-108
20301210800	Dana/Spicer	RT-25-16-108
20301274	Dana/Spicer	RT-25-16-72
2030127400	Dana/Spicer	RT-25-16-72
203022108	Dana/Spicer	RT-25-14-108
20302210800	Dana/Spicer	RT-25-14-108
20302274	Dana/Spicer	RT-25-14-72
2030227400	Dana/Spicer	RT-25-14-72
20527	Neapco	CP527X
2075X	Neapco	CP279X
2075X	Neapco	R279X
2075X1A	Neapco	CP279X
2075X1A	Neapco	R279X
210084-2X	Dana/Spicer	CB210084-2X
2100842X	Dana/Spicer	CB210084-2X
210088-1X	Dana/Spicer	CB210088-1X
2100881X	Dana/Spicer	CB210088-1X
210090-1X	Dana/Spicer	CB210090-1X
2100901X	Dana/Spicer	CB210090-1X
2101211X	Dana/Spicer	CB210121-1XSA
2101301X	Dana/Spicer	CB210207-1X
210140-1X	Dana/Spicer	CB210140-1X
2101401X	Dana/Spicer	CB210140-1X
210144-1X	Dana/Spicer	CB210144-1X
2101441X	Dana/Spicer	CB210144-1X
210207-1X	Dana/Spicer	CB210207-1X
2102071X	Dana/Spicer	CB210207-1X
21033J	Neapco	72NYS31-2
210367-1X	Dana/Spicer	CB210367-1X
2103671X	Dana/Spicer	CB210367-1X
210370-1X	Dana/Spicer	CB210370-1X
2103701X	Dana/Spicer	CB210370-1X
210391-1X	Dana/Spicer	CB210391-1X
2103911X	Dana/Spicer	CB210391-1X
210433-1X	Dana/Spicer	CB210433-1X
2104331X	Dana/Spicer	CB210433-1X
210527X	Dana/Spicer	CB210527X
2106601X	Dana/Spicer	CB210661-1XSA
2106611X	Dana/Spicer	CB210661-1XSA
210797-2X	Dana/Spicer	CB310006-2X
2107972X	Dana/Spicer	CB310006-2X
210866-1X	Dana/Spicer	CB210866-1X
2108661X	Dana/Spicer	CB210866-1X
210873-1X	Dana/Spicer	CB210873-1X
2108731X	Dana/Spicer	CB210873-1X
2108751X	Dana/Spicer	CB210875-1XSA
2108811X	Dana/Spicer	CB310012-1XSA
211016X	Dana/Spicer	CB211016X
211187X	Dana/Spicer	CB211187X
211355X	Dana/Spicer	131N-CV82-HD
21569	Neapco	CP1204X
22-30-22-10800	Dana/Spicer	RT-275-14-108
2201701	Dana/Spicer	131N-40-1701
221049	Dana/Spicer	121N-2-1049
223022108	Dana/Spicer	RT-275-14-108
22302210800	Dana/Spicer	RT-275-14-108
22329	Dana/Spicer	131N-2-329
22349	Dana/Spicer	131N-2-349
22479	Dana/Spicer	131N-2-479
22579	Dana/Spicer	131N-2-579
226367	Dana/Spicer	131N-26-367
226367	Dana/Spicer	131N-26-497
226427	Dana/Spicer	131N-26-367
226427	Dana/Spicer	131N-26-497

NUMBER	COMPETITION	ARVINMERITOR
2281177	Dana/Spicer	133N-28-1177
2281697	Dana/Spicer	133N-28-1697
2281707	Dana/Spicer	133N-28-1707
2281717	Dana/Spicer	133N-28-1717
2281747X	Dana/Spicer	131N-28-1747X
2281757	Dana/Spicer	131N-28-1757
2281777X	Dana/Spicer	131N-28-1777X
2281777X	Dana/Spicer	131N-28-2947X
228277	Dana/Spicer	131N-28-277
2282947X	Dana/Spicer	131N-28-1777X
2282947X	Dana/Spicer	131N-28-2947X
2282957X	Dana/Spicer	131N-28-1747X
228307	Dana/Spicer	131N-28-307
228327	Dana/Spicer	131N-28-327
228357	Dana/Spicer	131N-28-357
228367	Dana/Spicer	131N-28-367
228397	Dana/Spicer	131N-28-397
228417	Dana/Spicer	131N-28-417
228427	Dana/Spicer	131N-28-427
228437	Dana/Spicer	131N-28-437
22899	Dana/Spicer	121N-2-899
22939	Dana/Spicer	131N-2-939
230104	Dana/Spicer	DEFR22-4
23011	Neapco	CP3147X
230118	Dana/Spicer	DEFR33-1
230121	Dana/Spicer	DEFR22-5
230124	Dana/Spicer	DEFR37-1
230141	Dana/Spicer	DEFR28-4
230151	Dana/Spicer	DEFR41-1
230166	Dana/Spicer	DEFR35-1
230207	Dana/Spicer	DEFR40-5
230208	Dana/Spicer	DEFR25-2
230209	Dana/Spicer	DEFR25-1
230363	Dana/Spicer	DEFR28-3
230386	Dana/Spicer	DEFR38-3
230746	Dana/Spicer	DEFR55-1
230794	Dana/Spicer	DEFR47-6
230795	Dana/Spicer	DEFR47-4
230897	Dana/Spicer	DEFR43-1
230900	Dana/Spicer	DEFR44-1
230902	Dana/Spicer	DEFR65-1
230909	Dana/Spicer	DEFR42-1
230910	Dana/Spicer	DEFR47-5
230921	Dana/Spicer	DEFR50-2
23100	Neapco	CP353X
231000	Dana/Spicer	DEFR25-4
231004	Dana/Spicer	DEFR34-1
231013	Dana/Spicer	DEFR55-2
231022	Dana/Spicer	DEFR48-5
231028	Dana/Spicer	DEFR48-2
231046	Dana/Spicer	WIR46-2
231047	Dana/Spicer	DEFR56-2
231058	Dana/Spicer	DEFR48-2
2310621KX	Dana/Spicer	131N-3-7260KX
231101	Dana/Spicer	DEFR47-7
231102	Dana/Spicer	DEFR50-4
231179	Dana/Spicer	DEFR54-1
231206	Dana/Spicer	DEFR40-4
23128KX	Dana/Spicer	131N-3-128KX
231359	Dana/Spicer	DEFR50-7
231599	Dana/Spicer	DEFR47-13
231616	Dana/Spicer	DEFR62-1
231803	Dana/Spicer	DEFR56-7
23190	Neapco	CP357X

CROSS REFERENCE LISTING

NUMBER	COMPETITION	ARVINMERITOR
234441KX	Dana/Spicer	131N-3-4441KX
234681KX	Dana/Spicer	133N-3-7961KX
234951KX	Dana/Spicer	131N-3-7981KX
235221KX	Dana/Spicer	131N-3-8001KX
235221X	Dana/Spicer	131N-3-8001KX
235821X	Dana/Spicer	131N-3-8021KX
236061KX	Dana/Spicer	131N-3-6061KX
237171KX	Dana/Spicer	131N-3-7171KX
237481KX	Dana/Spicer	133N-3-8041KX
237481X	Dana/Spicer	133N-3-8041KX
237681KX	Dana/Spicer	133N-3-7681KX
237961KX	Dana/Spicer	133N-3-7961KX
237981KX	Dana/Spicer	131N-3-7981KX
238001KX	Dana/Spicer	131N-3-8001KX
238021KX	Dana/Spicer	131N-3-8021KX
238041KX	Dana/Spicer	133N-3-8041KX
238861X	Dana/Spicer	121N-3-8861KX
238961X	Dana/Spicer	121N-3-8961KX
24-30-12-10800	Dana/Spicer	RT-3-13-108
24-30-12-7400	Dana/Spicer	RT-3-13-72
24-30-32-10800	Dana/Spicer	RT-3-16-108
24-30-32-7400	Dana/Spicer	RT-3-16-72
24-30-42-10800	Dana/Spicer	RT-3-14-108
24-30-42-7400	Dana/Spicer	RT-3-14-72
2401031	Dana/Spicer	131N-40-1031
2401221	Dana/Spicer	131N-40-1221
2401231	Dana/Spicer	131N-40-1231
2401291	Dana/Spicer	131N-40-1291
2401521	Dana/Spicer	131N-40-1521
2401701	Dana/Spicer	131N-40-1701
2401711	Dana/Spicer	131N-40-1711
2401741	Dana/Spicer	121N-40-1741
2401771	Dana/Spicer	131N-40-1771
2401811	Dana/Spicer	131N-40-1811
2401851	Dana/Spicer	131N-40-1851
2401871	Dana/Spicer	131N-40-1871
2402051	Dana/Spicer	131N-40-2051
2402211	Dana/Spicer	121N-40-2211
2402301	Dana/Spicer	121N-40-2301
243012108	Dana/Spicer	RT-3-13-108
24301210800	Dana/Spicer	RT-3-13-108
24301274	Dana/Spicer	RT-3-13-72
2430127400	Dana/Spicer	RT-3-13-72
24303210800	Dana/Spicer	RT-3-16-108
24303274	Dana/Spicer	RT-3-16-72
2430327400	Dana/Spicer	RT-3-16-72
243042108	Dana/Spicer	RT-3-14-108
24304210800	Dana/Spicer	RT-3-14-108
24304274	Dana/Spicer	RT-3-14-72
2430427400	Dana/Spicer	RT-3-14-72
2432142108	Dana/Spicer	RT-3-11-108
243214210800	Dana/Spicer	RT-3-11-108
243214274	Dana/Spicer	RT-3-11-72
24321427400	Dana/Spicer	RT-3-11-72
24473	Dana/Spicer	131N-4-473
24503	Dana/Spicer	131N-4-503
24533	Dana/Spicer	131N-4-533
24800	Neapco	CP213X
24900	Neapco	CP1204X
253288KX	Dana/Spicer	16N-3-288X
253711	Dana/Spicer	131N-53-711
26-30-22-108	Dana/Spicer	RT-45-3-108
26-30-22-10800	Dana/Spicer	RT-45-3-108
26200	Neapco	CP1205X
26302	Neapco	CP1306X
263022108	Dana/Spicer	RT-45-3-108
26302210800	Dana/Spicer	RT-45-3-108
26600	Neapco	CP141N
2675X	Neapco	CP188X
28-30-22-10800	Dana/Spicer	RT-35-13-108
28-30-22-7400	Dana/Spicer	RT-35-13-72
28-30-42-10800	Dana/Spicer	RT-35-16-108
28-30-42-7200	Dana/Spicer	RT-35-16-72
28-30-52-10800	Dana/Spicer	RT-35-156-108
28-30-52-7400	Dana/Spicer	RT-35-156-72
28-30-62-10800	Dana/Spicer	RT-35-14-108
28-30-62-7400	Dana/Spicer	RT-35-14-72
28-30-92-10800	Dana/Spicer	RT-35-10-108
28-30-92-7400	Dana/Spicer	RT-35-10-72
280150	Neapco	CP2031
28015X	Neapco	CP153X
280194	Neapco	R280194
280196	Neapco	R280196
280200	Neapco	CP153X
280200	Neapco	CP200X
280350	Neapco	CP2011X
28051XB	Neapco	CP153X
28053X	Neapco	CP178X
28053XB	Neapco	CP178X
28054X	Neapco	CP160X
28054XB	Neapco	CP160X
28055X	Neapco	CP115X
28056X	Neapco	CP1301X
28058X	Neapco	CP279X
28058X	Neapco	R279X
28059X	Neapco	CP280X
28059X	Neapco	R280X
280600	Neapco	CP3000
280700	Neapco	CP3012
28100X	Neapco	CP105X
28101X	Neapco	CP101X
28105X	Neapco	CP105X
28108X	Neapco	CP2011X
281175	Neapco	CP2033
28124X	Neapco	CP124X
28133X	Neapco	CP213X
28134X	Neapco	CP134X
281400	Neapco	CP51625-2
28150X	Neapco	CP3022X
28153X	Neapco	CP153X
28153XB	Neapco	CP153X
281550G	Neapco	CP105X
281554	Neapco	CP2031
281557	Neapco	CP105X
28155X	Neapco	CP155X
281569	Neapco	CP3147X
28165X	Neapco	CP165X
28170X	Neapco	CP170X
28187X	Neapco	CP260X
28188	Neapco	CP188X
28200X	Neapco	CP153X
28200XB	Neapco	CP153X
28213X	Neapco	CP213X
282173	Neapco	CP153X
28244X	Neapco	CP124X
282518	Neapco	CP2116
282600	Neapco	CP4015
28278X	Neapco	CP248X

CROSS REFERENCE LISTING

NUMBER	COMPETITION	ARVINMERITOR
28279X	Neapco	CP279X
28279X	Neapco	R279X
282800	Neapco	CP2033
28280X-4	Neapco	CP280X
28280X4	Neapco	CP280X
28280X4	Neapco	R280X
28281X	Neapco	CP281X
28281X	Neapco	R281X
28300X	Neapco	CP111X
28300XS	Neapco	CP111X
28301X	Neapco	CP101X
283022108	Dana/Spicer	RT-35-13-108
28302210800	Dana/Spicer	RT-35-13-108
28302274	Dana/Spicer	RT-35-13-72
2830227400	Dana/Spicer	RT-35-13-72
283031	Neapco	CP3147X
283042108	Dana/Spicer	RT-35-16-108
28304210800	Dana/Spicer	RT-35-16-108
28304272	Dana/Spicer	RT-35-16-72
2830427200	Dana/Spicer	RT-35-16-72
283052108	Dana/Spicer	RT-35-156-108
28305210800	Dana/Spicer	RT-35-156-108
28305274	Dana/Spicer	RT-35-156-72
2830527400	Dana/Spicer	RT-35-156-72
283062108	Dana/Spicer	RT-35-14-108
28306210800	Dana/Spicer	RT-35-14-108
28306274	Dana/Spicer	RT-35-14-72
2830627400	Dana/Spicer	RT-35-14-72
28309210800	Dana/Spicer	RT-35-10-108
28309274	Dana/Spicer	RT-35-10-72
2830927400	Dana/Spicer	RT-35-10-72
283100	Neapco	CP353X
283102	Neapco	CP3012
283105	Neapco	CP3147X
283130	Neapco	CP3022X
283131	Neapco	CP354X
283152	Neapco	CP3000
283190	Neapco	CP357X
28350	Neapco	CP111X
283500	Neapco	CP2031
284103	Neapco	CP2011X
284140	Neapco	CP4002
284143	Neapco	CP4143X
284152	Neapco	CP4102
284700	Neapco	CP1201X
284800	Neapco	CP213X
284900	Neapco	CP1204X
285122	Neapco	CP5122
285127	Neapco	CP5101
285132	Neapco	CP5008
285177	Neapco	CP5177
28531	Neapco	CP1204X
285554	Neapco	CP1200X
2858WB	Neapco	CP58WB-HWD
285900	Neapco	CP1200X
286103	Neapco	CP62N-HB
286107	Neapco	CP5008
286108	Neapco	CP62N-50
286109	Neapco	CP62N-51
286114	Neapco	CP62N-HB
286128	Neapco	CP62N-HWD
286143	Neapco	CP62N-DWT
286152	Neapco	CP62N-HB
286162	Neapco	CP62N-50
286163	Neapco	CP62N-51
286200	Neapco	CP1205X
286300	Neapco	CP1306-1X
286300G	Neapco	CP1306X
286500	Neapco	CP1306X
286600	Neapco	CP141N
287126	Neapco	CP72N-HWD
287205	Neapco	CP72N-DWT
287208	Neapco	CP72N-DWT
288105	Neapco	CP82N-HWD
288113	Neapco	CP82N-HWD
288207	Neapco	CP82N-HB
289014	Neapco	CP92N-DWT
289015	Neapco	CP92N-HWD
289016	Neapco	CP92N-HWD
289017	Neapco	CP92N-HB
28L6N8	Neapco	CPL6R-50
28N6	Neapco	CP111X
29428X	Dana/Spicer	KT116
3-0055	Neapco	CP115X
3-0155	Neapco	CP155N
3-0188	Neapco	CP148N
3-0332	Neapco	CP332X
3-1053	Neapco	CP178X
3-1054	Neapco	CP160X
3-188	Neapco	CP188X
3-2-119	Dana/Spicer	135N-2-119
3-2-159	Dana/Spicer	141N-2-159
3-2-429	Dana/Spicer	141N-2-429
3-28-427	Dana/Spicer	135N-28-427
3-28-47	Dana/Spicer	135N-28-47
3-28-537	Dana/Spicer	148N-28-537
3-28-547	Dana/Spicer	148N-28-547
3-28-557	Dana/Spicer	141N-28-557
3-28-57	Dana/Spicer	135N-28-57
3-28-647	Dana/Spicer	148N-28-547
3-28-97	Dana/Spicer	141N-28-97
3-3-118KX	Dana/Spicer	141N-3-118KX
3-3-1501KX	Dana/Spicer	135N-3-1501KX
3-3-1561KX	Dana/Spicer	135N-3-1561KX
3-3-1601KX	Dana/Spicer	148N-3-1601KX
3-3-1641KX	Dana/Spicer	148N-3-1641KX
3-3-2041KX	Dana/Spicer	141N-3-2041KX
3-3-2471KX	Dana/Spicer	135N-3-2471KX
3-3-488KX	Dana/Spicer	135N-3-488KX
3-3-508KX	Dana/Spicer	141N-3-508KX
3-3-598KX	Dana/Spicer	135N-3-598KX
3-3130	Neapco	CP3022X
3-3140	Neapco	CP460X
3-4-4421X	Dana/Spicer	148N-4-4421X
3-40-1561	Dana/Spicer	135N-40-1561
3-40-1571	Dana/Spicer	148N-40-1571
3-53-1031	Dana/Spicer	141N-53-1031
3-53-1181	Dana/Spicer	135N-53-1181
3-53-1181-1	Dana/Spicer	135N-53-1181-1
3-53-341	Dana/Spicer	148N-53-451
3-53-451	Dana/Spicer	148N-53-451
3-6700	Neapco	CP148N
3-70-28X	Dana/Spicer	KT122
3-70-38X	Dana/Spicer	KT124
3-70-99	Dana/Spicer	REBC148-2
3-94-18X	Dana/Spicer	KT117
3-94-28X	Dana/Spicer	KT118
30055	Neapco	CP115X

CROSS REFERENCE LISTING

NUMBER	COMPETITION	ARVINMERITOR
30056	Neapco	CP1301X
30155	Neapco	CP155N
30188	Neapco	CP148N
30332	Neapco	CP332X
31053	Neapco	CP178X
31054	Neapco	CP160X
3188	Neapco	CP188X
32-30-72-10800	Dana/Spicer	RT-4095-7-108
32-30-72-7400	Dana/Spicer	RT-4095-7-72
32119	Dana/Spicer	135N-2-119
32159	Dana/Spicer	141N-2-159
32202274	Dana/Spicer	RT-4-14-72
3220227400	Dana/Spicer	RT-4-14-72
323022108	Dana/Spicer	RT-4-14-108
32302210800	Dana/Spicer	RT-4-14-108
3230227400	Dana/Spicer	RT-4-14-72
323052108	Dana/Spicer	RT-4-10-108
32305210800	Dana/Spicer	RT-4-10-108
32305274	Dana/Spicer	RT-4-10-72
3230527400	Dana/Spicer	RT-4-10-72
323072108	Dana/Spicer	RT-4095-7-108
32307210800	Dana/Spicer	RT-4095-7-108
32307274	Dana/Spicer	RT-4095-7-72
3230727400	Dana/Spicer	RT-4095-7-72
32429	Dana/Spicer	141N-2-429
32479	Dana/Spicer	148N-2-479
32736414X	Dana/Spicer	991-10-2
32787317X	Dana/Spicer	991-11-2
3281947	Dana/Spicer	135N-28-47
3281957	Dana/Spicer	135N-28-57
3281997	Dana/Spicer	141N-28-97
328367	Dana/Spicer	141N-28-367
328427	Dana/Spicer	135N-28-427
32847	Dana/Spicer	135N-28-47
328507	Dana/Spicer	148N-28-507
328537	Dana/Spicer	148N-28-537
328547	Dana/Spicer	148N-28-547
328557	Dana/Spicer	141N-28-557
328567	Dana/Spicer	148N-28-567
32857	Dana/Spicer	135N-28-57
328572	Dana/Spicer	135N-28-57-2
328647	Dana/Spicer	148N-28-547
32897	Dana/Spicer	141N-28-97
33118KX	Dana/Spicer	141N-3-118KX
33125	Neapco	CP3000
33130	Neapco	CP3022X
33131	Neapco	CP354X
33140	Neapco	CP460X
331481KX	Dana/Spicer	141N-3-1481KX
331501KX	Dana/Spicer	135N-3-1501KX
33152	Neapco	CP3000
331561KX	Dana/Spicer	135N-3-1561KX
331601KX	Dana/Spicer	148N-3-1601KX
331641KX	Dana/Spicer	148N-3-1641KX
332041KX	Dana/Spicer	141N-3-2041KX
332471KX	Dana/Spicer	135N-3-2471KX
332J	Dana/Spicer	1227-Z-936
33488KX	Dana/Spicer	135N-3-488KX
33508KX	Dana/Spicer	141N-3-508KX
33598KX	Dana/Spicer	135N-3-598KX
33758KX	Dana/Spicer	135N-3-758KX
33788KX	Dana/Spicer	141N-3-788KX
3401561	Dana/Spicer	135N-40-1561
3401571	Dana/Spicer	148N-40-1571
340971	Dana/Spicer	148N-40-1571
34102611	Dana/Spicer	148N-4-10261-1
34104711X	Dana/Spicer	148N-4-10471-1X
3410471X	Dana/Spicer	148N-4-10471-1X
341551	Dana/Spicer	NL-112-1
341841	Dana/Spicer	141N-4-1841
343061	Dana/Spicer	148N-4-3061
343081	Dana/Spicer	148N-4-3081
343091	Dana/Spicer	148N-4-3091
343191	Dana/Spicer	148N-4-3571
343331X	Dana/Spicer	148N-4-3081
343781	Dana/Spicer	148N-4-3781
343861	Dana/Spicer	148N-4-3861
343941	Dana/Spicer	141N-4-3941
344421X	Dana/Spicer	148N-4-4421X
346221X	Dana/Spicer	148N-4-3781
346561	Dana/Spicer	141N-4-6561
346631X	Dana/Spicer	141N-4-6631X
347151	Dana/Spicer	141NYS24-4
347541	Dana/Spicer	148TYS28A
35-30-22-7400	Dana/Spicer	RT-45-3-72
35302274	Dana/Spicer	RT-45-3-72
3530227400	Dana/Spicer	RT-45-3-72
3531031	Dana/Spicer	141N-53-1031
3531081	Dana/Spicer	141N-53-1081
3531181	Dana/Spicer	135N-53-1181
35311811	Dana/Spicer	135N-53-1181-1
3531351	Dana/Spicer	135N-53-1351
3531361	Dana/Spicer	141N-53-1361
3531371	Dana/Spicer	141N-53-1371
353151	Dana/Spicer	135N-53-1351
353151	Dana/Spicer	148N-53-451
353341	Dana/Spicer	148N-53-451
353431	Dana/Spicer	148N-53-431
353451	Dana/Spicer	148N-53-451
36-30-22-10800	Dana/Spicer	RT-45-3-108
36-30-22-7400	Dana/Spicer	RT-45-3-72
36-30-62-10800	Dana/Spicer	RT-45-10-108
36-30-62-7400	Dana/Spicer	RT-45-10-72
36202210800	Dana/Spicer	RT-45-3-108
363012108	Dana/Spicer	RT-45-13-108
36301210800	Dana/Spicer	RT-45-13-108
36301274	Dana/Spicer	RT-45-13-72
3630127400	Dana/Spicer	RT-45-13-72
36302210800	Dana/Spicer	RT-45-3-108
36302274	Dana/Spicer	RT-45-3-72
3630227400	Dana/Spicer	RT-45-3-72
36306210800	Dana/Spicer	RT-45-10-108
3630627400	Dana/Spicer	RT-45-10-72
36321210800	Dana/Spicer	RT-45-187-108
3632127400	Dana/Spicer	RT-45-187-72
36700	Neapco	CP148N
37028X	Dana/Spicer	KT122
37038X	Dana/Spicer	KT124
37099	Dana/Spicer	REBC148-2
3789	Dana/Spicer	RRIR24-2
39418X	Dana/Spicer	KT117
39428X	Dana/Spicer	KT118
4-0058	Neapco	CP279X
4-0614	Neapco	CP62N-HB
4-0628	Neapco	CP62N-HWD
4-0643	Neapco	CP62N-DWT
4-1090	Neapco	US90X
4-5122	Neapco	CP5122

CROSS REFERENCE LISTING

NUMBER	COMPETITION	ARVINMERITOR
4-53-61	Dana/Spicer	155N-53-61
4-6062	Neapco	CP62N-50
4-6103	Neapco	CP62N-HB
4-6114	Neapco	CP62N-HB
4-6128	Neapco	CP62N-HWD
4-6143	Neapco	CP62N-DWT
40058	Neapco	CP279X
40058	Neapco	R279X
40165	Neapco	CP165X
40614	Neapco	CP62N-HB
40628	Neapco	CP62N-HWD
40643	Neapco	CP62N-DWT
41090	Neapco	US90X
4137268	Neapco	4137268
416081X	Dana/Spicer	148N-1-6081X
42669	Dana/Spicer	155N-2-669
428307	Dana/Spicer	155N-28-307
428417	Dana/Spicer	155NY53-5
431241KX	Dana/Spicer	155N-3-1241X
4401	Dana/Spicer	155N-4-1901
440461	Dana/Spicer	155N-40-761
440591	Dana/Spicer	155N-40-721
440721	Dana/Spicer	155N-40-721
441461	Dana/Spicer	155N-40-761
441891	Dana/Spicer	155N-4-1891
441901	Dana/Spicer	155N-4-1901
442051	Dana/Spicer	155N-4-2051
442431	Dana/Spicer	155N-4-2431
443581X	Dana/Spicer	155N-4-1901
444101	Dana/Spicer	155N-4-4101
444111X	Dana/Spicer	155NYS28-5A
444211	Dana/Spicer	155N-4-4211
4450311	Dana/Spicer	155N-4-5031-1
4451	Dana/Spicer	155N-4-2051
4455511	Dana/Spicer	155N-4-5551-1
4456111X	Dana/Spicer	155N-4-5611-1X
4456911X	Dana/Spicer	155N-4-6831-1X
4468311X	Dana/Spicer	155N-4-6831-1X
45122	Neapco	CP5122
453261	Dana/Spicer	BSS24-60A
45361	Dana/Spicer	155N-53-61
45371	Dana/Spicer	BSS24-53A
46062	Neapco	CP62N-50
46103	Neapco	CP62N-HB
46107	Neapco	CP5008
46114	Neapco	CP62N-HB
46128	Neapco	CP62N-HWD
46143	Neapco	CP62N-DWT
5-0069	Neapco	CP280X
5-0725	Neapco	CP72N-DWT
5-111X	Dana/Spicer	CP111X
5-115X	Dana/Spicer	CP115X
5-1200X	Dana/Spicer	CP1200X
5-1201X	Dana/Spicer	CP1201X
5-1204X	Dana/Spicer	CP1204X
5-1206X	Dana/Spicer	CP141N
5-121	Neapco	CP153X
5-129X	Dana/Spicer	CP279X
5-1306-1X	Dana/Spicer	CP1306-1X
5-1306X	Dana/Spicer	CP1306X
5-134X	Dana/Spicer	CP134X
5-153X	Dana/Spicer	CP153X
5-155X	Dana/Spicer	CP155X
5-160X	Dana/Spicer	CP160X
5-160XU	Dana/Spicer	CP160X
5-170X	Dana/Spicer	CP170X
5-177X	Dana/Spicer	CP280X
5-178X	Dana/Spicer	CP178X
5-178XU	Dana/Spicer	CP178X
5-188X	Dana/Spicer	CP188X
5-200X	Dana/Spicer	CP153X
5-2116X	Dana/Spicer	CP2116
5-212X	Dana/Spicer	CP1204X
5-213X	Dana/Spicer	CP213X
5-252	Dana/Spicer	CP153X
5-279X	Dana/Spicer	CP279X
5-28-627	Dana/Spicer	16N-28-627
5-2801	Neapco	R675X
5-280X	Dana/Spicer	CP280X
5-281X	Dana/Spicer	CP281X
5-2971X	Dana/Spicer	CP297-1X
5-297X	Dana/Spicer	CP297X
5-3-1411KX	Dana/Spicer	16N-3-1411X
5-3-2261KX	Dana/Spicer	16N-3-2261X
5-3008X	Dana/Spicer	CP3147X
5-3009X	Dana/Spicer	CP3147X
5-3022X	Dana/Spicer	CP3022X
5-3147X	Dana/Spicer	CP3147X
5-324X	Dana/Spicer	CP18N-96
5-332X	Dana/Spicer	CP332X
5-353X	Dana/Spicer	CP353X
5-4-3621	Dana/Spicer	16N-4-3621
5-4-4551	Dana/Spicer	16N-4-4551
5-4-4761X	Dana/Spicer	16N-4-4761X
5-4-5721	Dana/Spicer	16N-4-5721
5-4-5731	Dana/Spicer	16N-4-5731
5-4-5751	Dana/Spicer	16N-4-5751
5-4-6291X	Dana/Spicer	16N-4-6291X
5-40-1011	Dana/Spicer	16N-40-1011
5-40-741	Dana/Spicer	16N-40-1011
5-4002X	Dana/Spicer	CP4002
5-407X	Dana/Spicer	CP407X
5-4143X	Dana/Spicer	CP4143X
5-5000X	Dana/Spicer	CP5122
5-5121X	Dana/Spicer	CP5101
5-5177X	Dana/Spicer	CP5177
5-53-141	Dana/Spicer	16N-53-141
5-5800X	Dana/Spicer	CP58WB-HWD
5-6000X	Dana/Spicer	CP62N-DWT
5-6102X	Dana/Spicer	CP62N-HB
5-6106X	Dana/Spicer	CP62N-HWD
5-6108X	Dana/Spicer	CP62N-50
5-675X	Dana/Spicer	R675X
5-676X	Dana/Spicer	R676X
5-677X	Dana/Spicer	R677X
5-70-28X	Dana/Spicer	KT16SB
5-7000X	Dana/Spicer	CP72N-DWT
5-7105X	Dana/Spicer	CP72N-HWD
5-7126	Neapco	CP72N-HWD
5-7202X	Dana/Spicer	CP72N-HB
5-7205	Neapco	CP72N-DWT
5-7206	Neapco	CP72N-HB
5-7207	Neapco	CP72N-HB
5-7208	Neapco	CP72N-DWT
5-8105X	Dana/Spicer	CP82N-HWD
5-8200X	Dana/Spicer	CP82N-DWT
5-8202X	Dana/Spicer	CP82N-HB
5-9000X	Dana/Spicer	CP92N-DWT

CROSS REFERENCE LISTING

NUMBER	COMPETITION	ARVINMERITOR
5-9001X	Dana/Spicer	CP92N-HWD
5-9002X	Dana/Spicer	CP92N-HB
50069	Neapco	CP280X
50069	Neapco	R280X
50725	Neapco	CP72N-DWT
51-1020	Dana/Spicer	NL-112-1
5100X	Dana/Spicer	CP105X
5101X	Dana/Spicer	CP101X
5105X	Dana/Spicer	CP105X
511020	Dana/Spicer	NL-112-1
5111X	Dana/Spicer	CP111X
5115X	Dana/Spicer	CP115X
51200X	Dana/Spicer	CP1200X
51201X	Dana/Spicer	CP1201X
51203	Dana/Spicer	CP1203X
51204X	Dana/Spicer	CP1204X
51205X	Dana/Spicer	CP1205X
51206X	Dana/Spicer	CP141N
5121	Neapco	CP153X
5124X	Dana/Spicer	CP124X
5129X	Dana/Spicer	CP279X
5129X	Dana/Spicer	R279X
51300X	Dana/Spicer	CP51625-2
51301X	Dana/Spicer	CP1301X
513061X	Dana/Spicer	CP1306-1X
51306X	Dana/Spicer	CP1306X
5134X	Dana/Spicer	CP134X
5153X	Dana/Spicer	CP153X
5155X	Dana/Spicer	CP155N
5155X	Dana/Spicer	CP155X
5158X	Dana/Spicer	CP155N
5160X	Dana/Spicer	CP160X
5160XU	Dana/Spicer	CP160X
5165X	Dana/Spicer	CP165X
5170X	Dana/Spicer	CP170X
5177X	Dana/Spicer	CP280X
5177X	Dana/Spicer	R280X
5178X	Dana/Spicer	CP178X
5178XU	Dana/Spicer	CP178X
5188X	Dana/Spicer	CP188X
5200X	Dana/Spicer	CP153X
52011X	Dana/Spicer	CP2011X
52031X	Dana/Spicer	CP2031
52033X	Dana/Spicer	CP2033
52116X	Dana/Spicer	CP2116
5212X	Dana/Spicer	CP1204X
5213X	Dana/Spicer	CP213X
52140X	Dana/Spicer	CP2140
52279	Dana/Spicer	16N-2-279
5248X	Dana/Spicer	CP248X
5252	Dana/Spicer	CP153X
5260X	Dana/Spicer	CP260X
52629	Dana/Spicer	16N-2-629
5279X	Dana/Spicer	CP279X
5279X	Dana/Spicer	R279X
52801	Neapco	R675X
5280X	Dana/Spicer	CP280X
5280X	Dana/Spicer	R280X
528167	Dana/Spicer	16N-28-167
5281X	Dana/Spicer	CP281X
5281X	Dana/Spicer	R281X
528207	Dana/Spicer	16N-28-207
528217	Dana/Spicer	16N-28-167
528407	Dana/Spicer	16N-28-207

NUMBER	COMPETITION	ARVINMERITOR
528627	Dana/Spicer	16N-28-627
528667	Dana/Spicer	16N-28-887
52971X	Dana/Spicer	CP297-1X
5297X	Dana/Spicer	CP297X
53000X	Dana/Spicer	CP3000
53008X	Dana/Spicer	CP3147X
53009X	Dana/Spicer	CP3147X
53012X	Dana/Spicer	CP3012
53022X	Dana/Spicer	CP3022X
5306X	Dana/Spicer	R280X
53108KX	Dana/Spicer	16N-3-108X
53128KX	Dana/Spicer	16N-3-128X
531411KX	Dana/Spicer	16N-3-1411X
53147X	Dana/Spicer	CP3147X
532261KX	Dana/Spicer	16N-3-2261X
5324X	Dana/Spicer	CP18N-96
53288KX	Dana/Spicer	16N-3-288X
5332X	Dana/Spicer	CP332X
5353X	Dana/Spicer	CP353X
5354X	Dana/Spicer	CP354X
5357X	Dana/Spicer	CP357X
54002X	Dana/Spicer	CP4002
5401011	Dana/Spicer	16N-40-1011
54014X	Dana/Spicer	CP4102
54015X	Dana/Spicer	CP4015
540741	Dana/Spicer	16N-40-1011
5407X	Dana/Spicer	CP407X
5407X	Dana/Spicer	R407X
541051	Dana/Spicer	16N-4-1051
54123X	Dana/Spicer	CP4101
54138X	Dana/Spicer	CP4002
54143X	Dana/Spicer	CP4143X
541631	Dana/Spicer	16N-4-1631
541721	Dana/Spicer	16N-4-1721
5417211	Dana/Spicer	16N-4-1721-1
541931	Dana/Spicer	16N-4-1931
542051	Dana/Spicer	16N-4-1051
542081	Dana/Spicer	16N-4-2081
542411	Dana/Spicer	16N-4-3681
542501	Dana/Spicer	16N-4-2501
5431	Dana/Spicer	16N-4-1931
543311	Dana/Spicer	16N-4-3321
543321	Dana/Spicer	16N-4-3321
543601X	Dana/Spicer	16N-4-3601X
543621	Dana/Spicer	16N-4-3621
543681	Dana/Spicer	16N-4-3681
543861	Dana/Spicer	16N-4-3861
5438X	Dana/Spicer	R674X
5443X	Dana/Spicer	CP443X
544401	Dana/Spicer	16N-4-4401
544441X	Dana/Spicer	16N-4-4441X
544471	Dana/Spicer	16N-4-4471
544541	Dana/Spicer	16N-4-4541
544551	Dana/Spicer	16N-4-4551
544571	Dana/Spicer	16N-4-4571
544741	Dana/Spicer	16NYS36-7
544761X	Dana/Spicer	16N-4-4761X
544841X	Dana/Spicer	16N-4-4841X
544891X	Dana/Spicer	16N-4-6251
545031	Dana/Spicer	16N-4-5031
545061	Dana/Spicer	16N-4-6261
545081X	Dana/Spicer	16N-4-5081X
545111X	Dana/Spicer	16N-4-2081
545111X	Dana/Spicer	16NYS28-4A

CROSS REFERENCE LISTING

NUMBER	COMPETITION	ARVINMERITOR
545281X	Dana/Spicer	16N-4-5281X
545441	Dana/Spicer	16N-4-5441
545451X	Dana/Spicer	16N-4-6961X
545461	Dana/Spicer	16N-4-5461
545571	Dana/Spicer	16N-4-5571
5455711	Dana/Spicer	16N-4-5571-1
5456211X	Dana/Spicer	16TYS28-13A
545621X	Dana/Spicer	16N-4-5621X
545631	Dana/Spicer	16N-4-5631
545721	Dana/Spicer	16N-4-5721
545731	Dana/Spicer	16N-4-5731
545741	Dana/Spicer	16N-4-5741
545751	Dana/Spicer	16N-4-5751
545881	Dana/Spicer	16NYS32-43
545981	Dana/Spicer	16N-4-5981
545991X	Dana/Spicer	16N-4-5991X
546241	Dana/Spicer	16N-4-6241
546251	Dana/Spicer	16N-4-6251
546261	Dana/Spicer	16N-4-6261
546271	Dana/Spicer	16N-4-6271
5462711	Dana/Spicer	16N-4-6271-1
546281X	Dana/Spicer	16N-4-6281X
546291X	Dana/Spicer	16N-4-6291X
546321	Dana/Spicer	16N-4-6321
5463211	Dana/Spicer	16N-4-6321-1
546341	Dana/Spicer	16NYS28-60
5464211	Dana/Spicer	16N-4-6421-1
5464311X	Dana/Spicer	16N-4-6431-1X
5464411X	Dana/Spicer	16TYS32-86A
546891X	Dana/Spicer	16N-4-6891X
546951X	Dana/Spicer	16N-4-6951X
546961X	Dana/Spicer	16N-4-6961X
5469X	Dana/Spicer	CP677X
5469X	Dana/Spicer	R677X
5473311	Dana/Spicer	16N-4-7331-1
5473411X	Dana/Spicer	16N-4-7341-1X
54781	Dana/Spicer	16N-4-781
55000X	Dana/Spicer	CP5122
55008X	Dana/Spicer	CP5008
55015X	Dana/Spicer	CP5015
5510X	Dana/Spicer	CP676X
55121X	Dana/Spicer	CP5101
5515X	Dana/Spicer	CP675X
55177X	Dana/Spicer	CP5177
5527X	Dana/Spicer	CP527X
553141	Dana/Spicer	16N-53-141
5541	Dana/Spicer	CP541X
55800X	Dana/Spicer	CP58WB-HWD
55801X	Dana/Spicer	CP58WB-DWT
55802X	Dana/Spicer	CP58WB-HB
56000X	Dana/Spicer	CP62N-DWT
56102X	Dana/Spicer	CP62N-HB
56106X	Dana/Spicer	CP62N-HWD
56108X	Dana/Spicer	CP62N-50
56109X	Dana/Spicer	CP62N-51
5674X	Dana/Spicer	R674X
5675X	Dana/Spicer	R675X
5676X	Dana/Spicer	R676X
5677X	Dana/Spicer	R677X
57000X	Dana/Spicer	CP72N-DWT
57028X	Dana/Spicer	KT16SB
57105X	Dana/Spicer	CP72N-HWD
57126	Neapco	CP72N-HWD
57202X	Dana/Spicer	CP72N-HB

NUMBER	COMPETITION	ARVINMERITOR
57205	Neapco	CP72N-DWT
57206	Neapco	CP72N-HB
57207	Neapco	CP72N-HB
57208	Neapco	CP72N-DWT
58105X	Dana/Spicer	CP82N-HWD
58200X	Dana/Spicer	CP82N-DWT
58200X	Dana/Spicer	CP85WB-DWT
58202X	Dana/Spicer	CP82N-HB
59000X	Dana/Spicer	CP92N-DWT
59001X	Dana/Spicer	CP92N-HWD
59002X	Dana/Spicer	CP92N-HB
592X	Dana/Spicer	CPL6R-50
6-0324	Neapco	CP18N-96
6-0407	Neapco	CP407X
6-0916	Neapco	CP92N-HWD
6-0917	Neapco	CP92N-HB
6-1141	Neapco	CP62N-HB
6-1170	Neapco	US170X
6-1250	Neapco	US250X
6-1281	Neapco	CP62N-HWD
6-1431	Neapco	CP62N-DWT
6-2-749	Dana/Spicer	17NF20
6-28-137	Dana/Spicer	17N-28-137
6-28-347	Dana/Spicer	17N-28-347
6-2811	Neapco	R676X
6-3-2261KX	Dana/Spicer	17N-3-2651X
6-3-2341KX	Dana/Spicer	17N-3-2671X
6-3-2401KX	Dana/Spicer	17N-3-2401X
6-4-1081	Dana/Spicer	17N-4-2141
6-4-1551	Dana/Spicer	17N-4-3241
6-4-1741	Dana/Spicer	17N-4-1981
6-4-1751	Dana/Spicer	17N-4-2381
6-4-1981	Dana/Spicer	17N-4-1981
6-4-2141	Dana/Spicer	17N-4-2141
6-4-2381	Dana/Spicer	17N-4-2381
6-4-3041X	Dana/Spicer	17N-4-3041X
6-4-3241	Dana/Spicer	17N-4-3241
6-4-3561X	Dana/Spicer	17N-4-4411X
6-4-3611	Dana/Spicer	17N-4-3611
6-4-3791	Dana/Spicer	17N-4-3791
6-4-4091	Dana/Spicer	17N-4-4091
6-4-4191X	Dana/Spicer	17N-4-4411X
6-4-4291X	Dana/Spicer	17N-4-4291X
6-4-4411X	Dana/Spicer	17N-4-4411X
6-4-4421	Dana/Spicer	17N-4-4421
6-4-4591	Dana/Spicer	17N-4-4591
6-4-4601	Dana/Spicer	17N-4-4601
6-4-4601-1	Dana/Spicer	17N-4-4601-1
6-4-4731X	Dana/Spicer	17N-4-4731X
6-4-4741X	Dana/Spicer	17N-4-4741X
6-4-4911X	Dana/Spicer	17N-4-6321
6-4-5061X	Dana/Spicer	17N-4-5061X
6-4-5071X	Dana/Spicer	17N-4-5071X
6-4-5101X	Dana/Spicer	17N-4-6411X
6-4-5121X	Dana/Spicer	17N-4-6331
6-4-5151X	Dana/Spicer	17N-4-5151X
6-4-5451	Dana/Spicer	17N-4-5451
6-4-5461X	Dana/Spicer	17N-4-5461X
6-4-5501	Dana/Spicer	17N-4-5501
6-4-5511X	Dana/Spicer	17N-4-6871X
6-4-5521	Dana/Spicer	17N-4-5521
6-4-5531X	Dana/Spicer	17N-4-6951X
6-4-5791	Dana/Spicer	17N-4-5791
6-4-6031	Dana/Spicer	17N-4-6031

CROSS REFERENCE LISTING

NUMBER	COMPETITION	ARVINMERITOR
6-4-6041X	Dana/Spicer	17N-4-6041X
6-4-6321	Dana/Spicer	17N-4-6321
6-4-6331	Dana/Spicer	17N-4-6331
6-4-6391X	Dana/Spicer	17N-4-6391X
6-4-6411X	Dana/Spicer	17N-4-6411X
6-4-6451	Dana/Spicer	17N-4-6451
6-4-6481	Dana/Spicer	17N-4-6481
6-4-6601	Dana/Spicer	17N-4-6601
6-4-6871X	Dana/Spicer	17N-4-6871X
6-4-6921X	Dana/Spicer	17N-4-6921X
6-4-6931X	Dana/Spicer	17N-4-6931X
6-4-6951X	Dana/Spicer	17N-4-6951X
6-4-7141-1	Dana/Spicer	17N-4-7141-1
6-4-7161	Dana/Spicer	17N-4-7161
6-4-7181X	Dana/Spicer	17N-4-7181X
6-4-7541	Dana/Spicer	17N-4-7541
6-4-7631-1X	Dana/Spicer	17N-4-7631-1X
6-4-7641-1X	Dana/Spicer	17N-4-7641-1X
6-4-7851X	Dana/Spicer	17N-4-7851X
6-40-401	Dana/Spicer	17N-40-541
6-40-451	Dana/Spicer	17N-40-521
6-40-461	Dana/Spicer	17N-40-541
6-40-521	Dana/Spicer	17N-40-521
6-40-541	Dana/Spicer	17N-40-541
6-4071	Neapco	R677X
6-53-201	Dana/Spicer	17N-53-201
6-53-311	Dana/Spicer	17N-53-311
6-8113	Neapco	CP82N-HWD
6-82-1061-3	Dana/Spicer	17N-82-1061-3
6-82-971-1X	Dana/Spicer	17N-82-1061-3
6-8205	Neapco	CP82N-DWT
6-8207	Neapco	CP82N-HB
6-8208	Neapco	CP82N-HWD
6-9014	Neapco	CP92N-DWT
6-9016	Neapco	CP92N-HWD
6-9017	Neapco	CP92N-HB
6.3-28-17	Dana/Spicer	176N-28-17
6.3-3-11	Dana/Spicer	176N-3-21X
6.3-3-21KX	Dana/Spicer	176N-3-21X
6.3-3-41KX	Dana/Spicer	176N-3-41X
6.3-4-161	Dana/Spicer	176N-4-161
6.3-4-161-1	Dana/Spicer	176N-4-161-1
6.3-4-161B	Dana/Spicer	176N-4-161
6.3-4-331-1X	Dana/Spicer	176N-4-331-1X
6.3-4-331X	Dana/Spicer	176N-4-331X
6.3-4-391	Dana/Spicer	176N-4-391
6.3-4-531	Dana/Spicer	176N-4-531
6.3-4-541	Dana/Spicer	176N-4-541X
6.3-4-541X	Dana/Spicer	176N-4-541X
6.3-4-641	Dana/Spicer	176NYS38-10
6.3-4-781X	Dana/Spicer	176N-4-781X
6.3-4-791X	Dana/Spicer	176N-4-791X
6.5-28-117	Dana/Spicer	18N-28-117
6.5-28-127	Dana/Spicer	18N-28-127
6.5-3-1351KX	Dana/Spicer	18N-3-1351X
6.5-3-1371KX	Dana/Spicer	18N-3-1371X
6.5-4-1891	Dana/Spicer	18N-4-1891
6.5-4-1891-1	Dana/Spicer	18N-4-1891-1
6.5-4-1911	Dana/Spicer	18N-4-1911
6.5-4-1921	Dana/Spicer	18N-4-1921
6.5-4-1961	Dana/Spicer	18N-4-1961
6.5-4-2471	Dana/Spicer	18N-4-3381X
6.5-4-2491X	Dana/Spicer	18N-4-3381X
6.5-4-2701	Dana/Spicer	18N-4-2701

NUMBER	COMPETITION	ARVINMERITOR
6.5-4-2711X	Dana/Spicer	18N-4-2711X
6.5-4-2851X	Dana/Spicer	18N-4-1921
6.5-4-3161	Dana/Spicer	18N-4-3161
6.5-4-3221X	Dana/Spicer	18N-4-3221X
6.5-4-3251	Dana/Spicer	18N-4-3251
6.5-4-3281X	Dana/Spicer	18N-4-3281X
6.5-4-3381X	Dana/Spicer	18N-4-3381X
6.5-4-3441	Dana/Spicer	18NYS38-15
6.5-4-3551X	Dana/Spicer	18N-4-3551X
6.5-4-3561X	Dana/Spicer	18N-4-3561X
6.5-4-3921X	Dana/Spicer	18N-4-3921X
6.5-40-151	Dana/Spicer	18N-40-201
6.5-40-161	Dana/Spicer	18N-40-191
6.5-40-191	Dana/Spicer	18N-40-191
6.5-40-201	Dana/Spicer	18N-40-201
6.5-53-51	Dana/Spicer	18N-53-51
6.5-53-91	Dana/Spicer	18N-53-91
60124	Neapco	CP124X
60226	Neapco	CP124X
60324	Neapco	CP18N-96
60407	Neapco	CP407X
60407	Neapco	R407X
60916	Neapco	CP92N-HWD
60917	Neapco	CP92N-HB
61141	Neapco	CP62N-HB
61170	Neapco	US170X
61250	Neapco	US250X
61281	Neapco	CP62N-HWD
613881	Dana/Spicer	5WCS40-39
61431	Neapco	CP62N-DWT
6230047	Neapco	16N-4-4541
6230048	Neapco	16N-4-4551
6230058	Neapco	17N-28-137
6230060	Neapco	17N-4-2141
6230061	Neapco	17N-4-3031
6230062	Neapco	17N-4-3241
6230063	Neapco	17N-4-3791
6230067	Neapco	17N-4-3041X
6230093	Neapco	18N-4-2531X
6230112	Neapco	17N-4-5071X
6230114	Neapco	17N-4-5151X
6230118	Neapco	176N-4-161
6230128	Neapco	17N-4-8551X
6230129	Neapco	17N-4-6411X
6230130	Neapco	17NYS32-100A
6230131	Neapco	17N-4-6921X
627175002X	Dana/Spicer	984-23-2
62739	Dana/Spicer	17N-2-739
62749	Dana/Spicer	17NF1
62749	Dana/Spicer	17NF20
62811	Neapco	R676X
628137	Dana/Spicer	17N-28-137
62817	Dana/Spicer	17N-28-137
628347	Dana/Spicer	17N-28-347
628367	Dana/Spicer	17NY60-15
62887	Dana/Spicer	17N-28-137
631461KX	Dana/Spicer	17N-3-1461X
63158X	Dana/Spicer	17N-3-1461X
632241KX	Dana/Spicer	17N-3-2631X
632261KX	Dana/Spicer	17N-3-2651X
632341KX	Dana/Spicer	17N-3-2671X
632401KX	Dana/Spicer	17N-3-2401X
632551KX	Dana/Spicer	17N-3-2401X
632571KX	Dana/Spicer	17N-3-2571X

CROSS REFERENCE LISTING

NUMBER	COMPETITION	ARVINMERITOR
632591KX	Dana/Spicer	17NLS40-121A
632761KX	Dana/Spicer	17N-3-2761X
632817	Dana/Spicer	176N-28-17
633021KX	Dana/Spicer	17N-3-3021X
63311	Dana/Spicer	176N-3-21X
63321KX	Dana/Spicer	176N-3-21X
63341KX	Dana/Spicer	176N-3-41X
633441KX	Dana/Spicer	17N-3-2401X
634101	Dana/Spicer	176NYS38-3
6341011	Dana/Spicer	176N-4-211-1X
6341031	Dana/Spicer	176NYS38-14
63410311	Dana/Spicer	176TYS38-27
63410411X	Dana/Spicer	176TYS38-27A
6341041X	Dana/Spicer	176NYS38-14A
63411	Dana/Spicer	176N-4-11
63411611X	Dana/Spicer	176N-4-1161-1X
6341161X	Dana/Spicer	176N-4-1161X
634121	Dana/Spicer	176N-4-121
634151	Dana/Spicer	176N-4-151
634161	Dana/Spicer	176N-4-161
6341611	Dana/Spicer	176N-4-161-1
634161B	Dana/Spicer	176N-4-161
63416811	Dana/Spicer	176N-4-1681-1
634181X	Dana/Spicer	176N-4-181X
6342111X	Dana/Spicer	176N-4-211-1X
634211X	Dana/Spicer	176N-4-211X
634271	Dana/Spicer	176N-4-271
6342911	Dana/Spicer	176N-4-291-1
6343211	Dana/Spicer	176N-4-321-1
6343311X	Dana/Spicer	176N-4-331-1X
634331X	Dana/Spicer	176N-4-331X
634381	Dana/Spicer	176N-4-381
634391	Dana/Spicer	176N-4-391
634411	Dana/Spicer	176N-4-411
634421	Dana/Spicer	176N-4-421
634441	Dana/Spicer	176N-4-441
63452211X	Dana/Spicer	176TYS36-12A
634531	Dana/Spicer	176N-4-531
6345311	Dana/Spicer	176N-4-531-1
634541	Dana/Spicer	176N-4-541X
6345411X	Dana/Spicer	176N-4-541-1X
634541X	Dana/Spicer	176N-4-541X
634641	Dana/Spicer	176NYS38-10
634651	Dana/Spicer	176N-4-651
6346511	Dana/Spicer	176N-4-651-1
63471	Dana/Spicer	176N-4-71
6347111	Dana/Spicer	176TYS44-4
634731X	Dana/Spicer	176N-4-731X
6347711X	Dana/Spicer	176N-4-771-1X
6347811X	Dana/Spicer	176N-4-781-1X
634781X	Dana/Spicer	176N-4-781X
6347911X	Dana/Spicer	176N-4-791-1X
634791X	Dana/Spicer	176N-4-791X
6348611X	Dana/Spicer	176N-4-861-1X
634861X	Dana/Spicer	176N-4-861X
638618	Dana/Spicer	SERUR33-4
640101	Dana/Spicer	17N-40-61
640401	Dana/Spicer	17N-40-541
640451	Dana/Spicer	17N-40-521
640461	Dana/Spicer	17N-40-541
640521	Dana/Spicer	17N-40-521
640541	Dana/Spicer	17N-40-541
64061	Dana/Spicer	17N-40-61
64071	Neapco	R677X

NUMBER	COMPETITION	ARVINMERITOR
641081	Dana/Spicer	17N-4-2141
641151	Dana/Spicer	17N-4-2151
641211	Dana/Spicer	17N-4-1991
641391	Dana/Spicer	17N-4-2211
641411	Dana/Spicer	17N-4-3221
641471	Dana/Spicer	17N-4-2271
641551	Dana/Spicer	17N-4-3241
641611	Dana/Spicer	17N-4-3361
641731	Dana/Spicer	17N-4-2371
641741	Dana/Spicer	17N-4-1981
641751	Dana/Spicer	17N-4-2381
641771	Dana/Spicer	17N-4-2391
641781	Dana/Spicer	17N-4-3271
641911	Dana/Spicer	17N-4-2501
641971	Dana/Spicer	17N-4-1971
641981	Dana/Spicer	17N-4-1981
6419811	Dana/Spicer	17TYSC31-54
641991	Dana/Spicer	17N-4-1991
642141	Dana/Spicer	17N-4-2141
642151	Dana/Spicer	17N-4-2151
642161	Dana/Spicer	17N-4-2161
642171	Dana/Spicer	17N-4-3031
642181	Dana/Spicer	17N-4-2181
642191	Dana/Spicer	17N-4-2191
642211	Dana/Spicer	17N-4-2211
642231	Dana/Spicer	17N-4-3221
642271	Dana/Spicer	17N-4-2271
642291	Dana/Spicer	17N-4-3241
642311	Dana/Spicer	17N-4-3361
642371	Dana/Spicer	17N-4-2371
64238	Dana/Spicer	17NYS28-11
642381	Dana/Spicer	17N-4-2381
642391	Dana/Spicer	17N-4-2391
642411	Dana/Spicer	17N-4-3271
642441	Dana/Spicer	17N-4-2441
642501	Dana/Spicer	17N-4-2501
642511	Dana/Spicer	17N-4-2511
643031	Dana/Spicer	17N-4-3031
643041X	Dana/Spicer	17N-4-3041X
643121	Dana/Spicer	17N-4-3291
643181	Dana/Spicer	17N-4-4721
643221	Dana/Spicer	17N-4-3221
643231	Dana/Spicer	17N-4-1991
643241	Dana/Spicer	17N-4-3241
643271	Dana/Spicer	17N-4-3271
643291	Dana/Spicer	17N-4-3291
643361	Dana/Spicer	17N-4-3361
643371	Dana/Spicer	17N-4-4721
643391	Dana/Spicer	17N-4-3391
643501	Dana/Spicer	17N-4-3501
643561X	Dana/Spicer	17N-4-4411X
643611	Dana/Spicer	17N-4-3611
643721	Dana/Spicer	17N-4-3721
643791	Dana/Spicer	17N-4-3791
644091	Dana/Spicer	17N-4-4091
644131	Dana/Spicer	17N-4-4131
644141	Dana/Spicer	17N-4-4141
644151	Dana/Spicer	17N-4-4151
644161	Dana/Spicer	17NYS34-5
644171X	Dana/Spicer	17N-4-2181
644181X	Dana/Spicer	17N-4-4181X
644191X	Dana/Spicer	17N-4-4411X
644291X	Dana/Spicer	17N-4-4291X
644301X	Dana/Spicer	17N-4-4301X

CROSS REFERENCE LISTING

NUMBER	COMPETITION	ARVINMERITOR
644361X	Dana/Spicer	17N-4-4361X
644371	Dana/Spicer	17N-4-4371
644391X	Dana/Spicer	17N-4-4391X
644411X	Dana/Spicer	17N-4-4411X
644421	Dana/Spicer	17N-4-4421
644481X	Dana/Spicer	17N-4-4481X
644541	Dana/Spicer	17N-4-5351
644551	Dana/Spicer	17N-4-4551
6445511	Dana/Spicer	17TYS44-14
644561	Dana/Spicer	17N-4-4561
6445611	Dana/Spicer	17N-4-4561-1
644581	Dana/Spicer	17N-4-4581
644591	Dana/Spicer	17N-4-4591
644601	Dana/Spicer	17N-4-4601
6446011	Dana/Spicer	17N-4-4601-1
644651	Dana/Spicer	17N-4-4651
644681X	Dana/Spicer	17N-4-2501
644721	Dana/Spicer	17N-4-4721
644731X	Dana/Spicer	17N-4-4731X
644741X	Dana/Spicer	17N-4-4741X
644771	Dana/Spicer	17N-4-4771
6447711	Dana/Spicer	17N-4-4771-1
644831X	Dana/Spicer	17N-4-4831X
644851X	Dana/Spicer	17N-4-4851X
644861X	Dana/Spicer	17N-4-4861X
644911X	Dana/Spicer	17N-4-6321
644961	Dana/Spicer	17N-4-4961
644971	Dana/Spicer	17NYS32-99
644981X	Dana/Spicer	17NYS32-99
645001	Dana/Spicer	17NYS38-17
645031	Dana/Spicer	17N-4-5031
645041X	Dana/Spicer	17N-4-5041X
645051X	Dana/Spicer	17NYS32-100
645061X	Dana/Spicer	17N-4-5061X
645071X	Dana/Spicer	17N-4-5071X
645101X	Dana/Spicer	17N-4-6411X
645111X	Dana/Spicer	17N-4-5111X
645121X	Dana/Spicer	17N-4-6331
645131X	Dana/Spicer	17N-4-5131X
645141	Dana/Spicer	17N-4-5141
645151X	Dana/Spicer	17N-4-5151X
645311X	Dana/Spicer	17N-4-6891X
645341	Dana/Spicer	17N-4-5341
645351	Dana/Spicer	17N-4-5351
6453511	Dana/Spicer	17N-4-5351-1
645451	Dana/Spicer	17N-4-5451
6454611X	Dana/Spicer	17N-4-5461-1X
645461X	Dana/Spicer	17N-4-5461X
645481X	Dana/Spicer	17N-4-5481X
645501	Dana/Spicer	17N-4-5501
645511X	Dana/Spicer	17N-4-6871X
645521	Dana/Spicer	17N-4-5521
645531X	Dana/Spicer	17N-4-6951X
645541	Dana/Spicer	17N-4-5541
645551X	Dana/Spicer	17N-4-6941X
645591	Dana/Spicer	17N-4-6841X
645601X	Dana/Spicer	17N-4-6841X
645711	Dana/Spicer	17N-4-5711
645781	Dana/Spicer	17N-4-5781
645791	Dana/Spicer	17N-4-5791
645801	Dana/Spicer	17N-4-5801
645821	Dana/Spicer	17N-4-5821
645841	Dana/Spicer	17N-4-5841
645921	Dana/Spicer	17NYS38-63

NUMBER	COMPETITION	ARVINMERITOR
645931	Dana/Spicer	17NYS38-17
6459311	Dana/Spicer	17N-4-5931-1
645951	Dana/Spicer	17N-4-7851X
645961X	Dana/Spicer	17N-4-5961X
645991	Dana/Spicer	17N-4-5991
646001X	Dana/Spicer	17N-4-8531X
646011	Dana/Spicer	17N-4-6011
646021X	Dana/Spicer	17N-4-6021X
646031	Dana/Spicer	17N-4-6031
6460311	Dana/Spicer	17N-4-6031-1
6460411X	Dana/Spicer	17N-4-6041-1X
646041X	Dana/Spicer	17N-4-6041X
646041X	Dana/Spicer	17N-4-8551X
646321	Dana/Spicer	17N-4-6321
646331	Dana/Spicer	17N-4-6331
646371	Dana/Spicer	17NYS32-99
646381X	Dana/Spicer	17NYS32-99A
646391X	Dana/Spicer	17N-4-6391X
646401	Dana/Spicer	17NYS32-100
6464011	Dana/Spicer	17N-4-7621-1
646411X	Dana/Spicer	17N-4-6411X
646421X	Dana/Spicer	17NYS32-100A
646451	Dana/Spicer	17N-4-6451
646481	Dana/Spicer	17N-4-6481
646601	Dana/Spicer	17N-4-6601
6466111	Dana/Spicer	17N-4-6611-1
646821	Dana/Spicer	17N-4-6821
6468211	Dana/Spicer	17N-4-6821-1
646841X	Dana/Spicer	17N-4-6841X
6468611	Dana/Spicer	17N-4-6861-1
646871X	Dana/Spicer	17N-4-6871X
646891X	Dana/Spicer	17N-4-6891X
6469211X	Dana/Spicer	17N-4-6921-1X
646921X	Dana/Spicer	17N-4-6921X
6469311X	Dana/Spicer	17N-4-6931-1X
646931X	Dana/Spicer	17N-4-6931X
646941X	Dana/Spicer	17N-4-6941X
646951X	Dana/Spicer	17N-4-6951X
6469611X	Dana/Spicer	17N-4-6961-1X
6471411	Dana/Spicer	17N-4-7141-1
647161	Dana/Spicer	17N-4-7161
6471611	Dana/Spicer	17TYS38-76
647171X	Dana/Spicer	17NYS34-9A
6471811X	Dana/Spicer	17TYS38-76A
647181X	Dana/Spicer	17N-4-7181X
6473011	Dana/Spicer	17TYS32-73
647541	Dana/Spicer	17N-4-7541
647561X	Dana/Spicer	17NYS34-19A1
6476211	Dana/Spicer	17N-4-7621-1
6476311X	Dana/Spicer	17N-4-7631-1X
6476411X	Dana/Spicer	17N-4-7641-1X
647761	Dana/Spicer	17NYS38-38
6477711X	Dana/Spicer	17TYS38-75A
647771X	Dana/Spicer	17NYS38-38A
647851X	Dana/Spicer	17N-4-7851X
6489911X	Dana/Spicer	17N-4-8991-1X
649041X	Dana/Spicer	17N-4-9041X
6528117	Dana/Spicer	18N-28-117
6528127	Dana/Spicer	18N-28-127
6531351KX	Dana/Spicer	18N-3-1351X
6531371KX	Dana/Spicer	18N-3-1371X
6531431KX	Dana/Spicer	18N-3-1431X
653151	Dana/Spicer	17N-53-151
653201	Dana/Spicer	17N-53-201

CROSS REFERENCE LISTING

NUMBER	COMPETITION	ARVINMERITOR
653311	Dana/Spicer	17N-53-311
6540151	Dana/Spicer	18N-40-201
6540161	Dana/Spicer	18N-40-191
6540191	Dana/Spicer	18N-40-191
6540201	Dana/Spicer	18N-40-201
6541891	Dana/Spicer	18N-4-1891
65418911	Dana/Spicer	18N-4-1891-1
6541901	Dana/Spicer	18N-4-3491
6541911	Dana/Spicer	18N-4-1911
6541921	Dana/Spicer	18N-4-1921
6541961	Dana/Spicer	18N-4-1961
6541971	Dana/Spicer	18N-4-1971
6541981	Dana/Spicer	18N-4-1981
6541991	Dana/Spicer	18N-4-1991
6542001	Dana/Spicer	18N-4-2001
6542011	Dana/Spicer	18N-4-2011
6542051	Dana/Spicer	18N-4-2051
6542101	Dana/Spicer	18NYS40-5
6542171	Dana/Spicer	18N-4-2171
65421711	Dana/Spicer	18N-4-2171-1
6542271X	Dana/Spicer	18N-4-2271X
6542291	Dana/Spicer	18N-4-2291
6542341X	Dana/Spicer	18N-4-2341X
6542351X	Dana/Spicer	18N-4-2351X
6542361X	Dana/Spicer	18N-4-2361X
6542401X	Dana/Spicer	18N-4-2291
6542441	Dana/Spicer	18N-4-2441
6542451X	Dana/Spicer	18N-4-2451X
6542471	Dana/Spicer	18N-4-3371
6542471	Dana/Spicer	18N-4-3381X
6542481X	Dana/Spicer	18N-4-3371
6542491X	Dana/Spicer	18N-4-3381X
6542531X	Dana/Spicer	18N-4-2531X
6542551X	Dana/Spicer	18N-4-2551X
6542581	Dana/Spicer	18N-4-2581
6542651	Dana/Spicer	18N-4-3201
6542701	Dana/Spicer	18N-4-2701
6542711X	Dana/Spicer	18N-4-2711X
6542751	Dana/Spicer	18NYS44-3
6542761X	Dana/Spicer	18N-4-3501X
6542781	Dana/Spicer	18N-4-2781
6542851X	Dana/Spicer	18N-4-1921
6542931X	Dana/Spicer	18N-4-3491
6543021	Dana/Spicer	18N-4-3021
6543161	Dana/Spicer	18N-4-3161
6543171X	Dana/Spicer	18N-4-3571X
6543201	Dana/Spicer	18N-4-3201
65432211X	Dana/Spicer	18N-4-3221-1X
6543221X	Dana/Spicer	18N-4-3221X
6543251	Dana/Spicer	18N-4-3251
6543271	Dana/Spicer	18N-4-3271
65432711	Dana/Spicer	18N-4-3271-1
6543281X	Dana/Spicer	18N-4-3281X
6543371	Dana/Spicer	18N-4-3371
65433711	Dana/Spicer	18N-4-3371-1
65433811X	Dana/Spicer	18N-4-3381-1X
6543381X	Dana/Spicer	18N-4-3381X
6543441	Dana/Spicer	18NYS38-15
6543451	Dana/Spicer	18N-4-3451
65434511	Dana/Spicer	18N-4-3451-1
6543461	Dana/Spicer	18NYS44-3
6543491	Dana/Spicer	18N-4-3491
6543501X	Dana/Spicer	18N-4-3501X
65435511X	Dana/Spicer	18N-4-3551-1X

NUMBER	COMPETITION	ARVINMERITOR
6543551X	Dana/Spicer	18N-4-3551X
65435611X	Dana/Spicer	18N-4-3561-1X
6543561X	Dana/Spicer	18N-4-3561X
6543571X	Dana/Spicer	18N-4-3571X
65435811X	Dana/Spicer	18N-4-3581-1X
6543581X	Dana/Spicer	18N-4-3581X
6543591	Dana/Spicer	18N-4-3591
6543651X	Dana/Spicer	18NYS38-6A
6543721	Dana/Spicer	18NYS38-27
65437211	Dana/Spicer	18TYS38-27
65437311X	Dana/Spicer	18TYS38-27A
6543731X	Dana/Spicer	18NYS38-27A
6543731X	Dana/Spicer	18TYS38-27A
6543911	Dana/Spicer	18NYS38-21
65439111	Dana/Spicer	18N-4-3911-1
65439211X	Dana/Spicer	18N-4-3921-1X
6543921X	Dana/Spicer	18N-4-3921X
65445711X	Dana/Spicer	18N-4-4571-1X
655351	Dana/Spicer	18N-53-51
655391	Dana/Spicer	18N-53-91
68113	Neapco	CP82N-HWD
68205	Neapco	CP82N-DWT
68207	Neapco	CP82N-HB
68208	Neapco	CP82N-HWD
68210613	Dana/Spicer	17N-82-1061-3
68210614	Dana/Spicer	17N-82-1061-4
68210618	Dana/Spicer	17N-82-1061-8
68210619	Dana/Spicer	17N-82-1061-9
68210911 2	Dana/Spicer	17N-82-1171-2
68210914	Dana/Spicer	17N-82-1171-5
68211711	Dana/Spicer	17N-82-1171-1
682117112	Dana/Spicer	17N-82-1171-12
68211712	Dana/Spicer	17N-82-1171-2
68211715	Dana/Spicer	17N-82-1171-5
6821211	Dana/Spicer	17N-82-1211
682641	Dana/Spicer	17N-82-1171-5
6829711X	Dana/Spicer	17N-82-1061-3
69014	Neapco	CP92N-DWT
69016	Neapco	CP92N-HWD
69017	Neapco	CP92N-HB
7-2051	Neapco	CP72N-DWT
7000100	Neapco	16TYS32-86A
7000101	Neapco	16N-4-1721-1
7000102	Neapco	16N-4-5731
7000103	Neapco	16N-4-6291X
7000104	Neapco	16N-4-5721
7000105	Neapco	16N-4-5751
7000106	Neapco	16N-4-6241
7000107	Neapco	176N-4-161-1
7000108	Neapco	176TYS38-27A
7000109	Neapco	176N-4-791-1X
7000110	Neapco	176N-4-541-1X
7000111	Neapco	176N-4-821-1
7000112	Neapco	176NYS38-14A
7000113	Neapco	176NYS38-10
7000114	Neapco	176N-4-791X
7000115	Neapco	176N-4-541X
7000116	Neapco	176N-4-781-1X
7000117	Neapco	176N-4-331-1X
7000118	Neapco	176N-4-331X
7000119	Neapco	176N-4-781X
7000120	Neapco	176N-4-531
7000121	Neapco	176N-4-391
7000122	Neapco	176NYS36-12A

CROSS REFERENCE LISTING

NUMBER	COMPETITION	ARVINMERITOR
7000123	Neapco	17NYS32-100
7000124	Neapco	17NYS32-99
7000125	Neapco	17N-4-4561
7000126	Neapco	17N-4-4601
7000128	Neapco	17N-4-6951X
7000129	Neapco	17TYS38-76A
7000130	Neapco	17NYS38-38A
7000131	Neapco	17N-4-6481
7000132	Neapco	17N-4-7181X
7000133	Neapco	17N-4-6931X
7000134	Neapco	17N-4-4601-1
7000135	Neapco	17N-4-6331
7000137	Neapco	17N-4-5461X
7000138	Neapco	17N-4-7141-1
7000139	Neapco	17N-4-8531X
7000140	Neapco	17N-4-6391X
7000141	Neapco	17TYS32-99
7000142	Neapco	17N-4-6451
7000143	Neapco	17N-4-6871X
7000144	Neapco	17N-4-7631-1X
7000146	Neapco	17N-4-6021X
7000147	Neapco	17N-4-5521
7000148	Neapco	17N-4-6041-1X
7000149	Neapco	17N-4-6931-1X
7000150	Neapco	17N-4-2381
7000151	Neapco	17N-4-7541
7000152	Neapco	17N-4-7641-1X
7000153	Neapco	17TYSC31-54
7000154	Neapco	17TYS32-99A
7000155	Neapco	17N-4-5711
7000156	Neapco	17N-4-5791
7000157	Neapco	17N-4-4551
7000158	Neapco	17N-4-3221
7000159	Neapco	17N-4-5131X
7000160	Neapco	17N-4-5781
7000161	Neapco	17N-4-5501
7000162	Neapco	17NYS34-19A1
7000163	Neapco	17N-4-6921-1X
7000164	Neapco	17N-4-6841X
7000165	Neapco	18NYS38-27A
7000166	Neapco	18TYS38-27A
7000167	Neapco	18N-4-1891-1
7000168	Neapco	18N-4-3561X
7000169	Neapco	18N-4-3591-1
7000170	Neapco	18N-4-3561-1X
7000171	Neapco	18N-4-3591
7000172	Neapco	18N-4-2701
7000173	Neapco	18N-4-3921X
7000174	Neapco	18N-4-3381X
7000175	Neapco	18N-4-3381-1X
7000176	Neapco	18N-4-2711X
7000177	Neapco	18N-4-3221X
7000178	Neapco	18N-4-3551X
7000179	Neapco	18N-4-3161
7000180	Neapco	18TYS38-27
7000181	Neapco	18N-4-3921-1X
7000182	Neapco	18N-4-3281X
7000183	Neapco	18N-4-2271X
7000184	Neapco	18N-4-3551-1X
7000185	Neapco	18N-4-3251
7000186	Neapco	18NYS38-15
7000187	Neapco	18N-4-2171
70082	Neapco	131N-CV82-HD
72051	Neapco	CP72N-DWT

NUMBER	COMPETITION	ARVINMERITOR
81-1020	Neapco	CB210527X
81-1022	Neapco	CB210527X
81-2011	Neapco	CB210088-1X
81-2012	Neapco	CB210088-1X
81-2013	Neapco	CB210090-1X
81-2020	Neapco	CB210088-1X
81-2040	Neapco	CB210866-1X
81-2041	Neapco	CB210866-1X
81-2042	Neapco	CB210873-1X
81-2121	Neapco	CB210367-1X
81-2122	Neapco	CB210370-1X
81-3011	Neapco	CB210391-1X
81-3012	Neapco	CB210433-1X
81-3020	Neapco	CB210144-1X
81-3021	Neapco	CB210140-1X
81-3022	Neapco	CB210144-1X
81-4010	Neapco	CB210084-2X
81-4011	Neapco	CB210084-2X
81-4012	Neapco	CB210207-1X
811020	Neapco	CB210527X
811022	Neapco	CB210527X
812011	Neapco	CB210088-1X
812012	Neapco	CB210088-1X
812013	Neapco	CB210090-1X
812020	Neapco	CB210088-1X
812040	Neapco	CB210866-1X
812041	Neapco	CB210866-1X
812042	Neapco	CB210873-1X
812121	Neapco	CB210367-1X
812122	Neapco	CB210370-1X
813011	Neapco	CB210391-1X
813012	Neapco	CB210433-1X
813020	Neapco	CB210144-1X
813021	Neapco	CB210140-1X
813022	Neapco	CB210144-1X
814010	Neapco	CB210084-2X
814011	Neapco	CB210084-2X
814012	Neapco	CB210207-1X
814020	Neapco	CB210207-1X
815010	Neapco	CB210121-1XSA
816010	Neapco	CB210661-1XSA
840101	Dana/Spicer	PS48-16-16
84091	Dana/Spicer	PS48-16-19
90161	Neapco	CP92N-HWD
90171	Neapco	CP92N-HB
9199903400	Dana/Spicer	R919990-3400
92V	Dana/Spicer	GCPL6R-50
931477	Dana/Spicer	CP153X
943648	Dana/Spicer	CP153X
95534724	Dana/Spicer	R9553-SF
981362	Dana/Spicer	DEFR47-2
981368	Dana/Spicer	DEFR47-2
A94633	Dana/Spicer	CP153X
D2C	Dana/Spicer	ND2C
D3A	Dana/Spicer	ND3A
D5A	Dana/Spicer	SERUR25-2
D6A	Dana/Spicer	DC17N
D6B	Dana/Spicer	DC17N
D6F	Dana/Spicer	DC17N
DS101K	Neapco	CB210527X
DS201KF	Neapco	CB210088-1X
DS202KD	Neapco	CB210088-1X
DS204KF	Neapco	CB210866-1X
DS301KG	Neapco	CB210144-1X

CROSS REFERENCE LISTING

NUMBER	COMPETITION	ARVINMERITOR
DS401KF	Neapco	CB210084-2X
DS401KG	Neapco	CB210207-1X
DS501KF	Neapco	CB210090-1X
DS601KF	Neapco	CB210661-1XSA
DT101X	Dana/Spicer	CP101X
DT1200	Dana/Spicer	CP1200X
DT1201	Dana/Spicer	CP1201X
DT1204	Dana/Spicer	CP1204X
DT1206	Dana/Spicer	CP141N
DT1306	Dana/Spicer	CP1306X
DT134	Dana/Spicer	CP134X
DT153	Dana/Spicer	CP153X
DT155	Dana/Spicer	CP155X
DT160	Dana/Spicer	CP160X
DT170	Dana/Spicer	CP170X
DT178	Dana/Spicer	CP178X
DT188	Dana/Spicer	CP188X
DT200	Dana/Spicer	CP200X
DT213	Dana/Spicer	CP213X
DT279	Dana/Spicer	CP279X
DT280	Dana/Spicer	CP280X
DT281	Dana/Spicer	CP281X
DT297	Dana/Spicer	CP297X
DT3022	Dana/Spicer	CP3022X
DT3147	Dana/Spicer	CP3147X
DT4137268	Dana/Spicer	4137268
DT6000X	Dana/Spicer	CP62N-DWT
DT7000	Dana/Spicer	CP72N-DWT
DT7000X	Dana/Spicer	CP72N-DWT
DT8200	Dana/Spicer	CP82N-DWT
DT8200X	Dana/Spicer	CP82N-DWT
N10-2-29	Neapco	10N-2-29
N10-2-701SF	Neapco	R10270-SF
N10-3-12	Neapco	10N-3-12X
N10-3-122	Neapco	10N-3-22X
N10-3-162	Neapco	10N-3-162X
N10-3-163	Neapco	10N-3-163X
N10-3-18KX	Neapco	10N-3-18KX
N10-3-22	Neapco	10N-3-22X
N10-3-32	Neapco	10N-3-32X
N10-3-33	Neapco	10N-3-33X
N10-3-81	Neapco	10N-3-81X
N10-3-83	Neapco	10N-3-83X
N10-4-103	Neapco	10N-4-103
N10-4-113	Neapco	10N-4-113
N10-4-12	Neapco	10N-4-12
N10-4-123	Neapco	10N-4-123
N10-4-13	Neapco	10N-4-13
N10-4-183	Neapco	10N-4-183
N10-4-193	Neapco	10N-4-193
N10-4-22	Neapco	10N-4-22
N10-4-282	Neapco	10N-4-282
N10-4-32	Neapco	10N-4-32
N10-4-43	Neapco	10N-4-43
N10-4-481	Neapco	10N-4-481
N10-4-52	Neapco	10N-4-52
N10-4-63	Neapco	10N-4-63
N10-4-93	Neapco	10N-4-93
N10229	Neapco	10N-2-29
N102701SF	Neapco	R10270-SF
N10270SF	Neapco	R10270-SF
N10312	Neapco	10N-3-12X
N103122	Neapco	10N-3-22X
N103162	Neapco	10N-3-162X

NUMBER	COMPETITION	ARVINMERITOR
N103163	Neapco	10N-3-163X
N103183	Neapco	10N-3-183X
N10318KX	Neapco	10N-3-18KX
N10322	Neapco	10N-3-22X
N10323	Neapco	10N-3-23X
N10332	Neapco	10N-3-32X
N10333	Neapco	10N-3-33X
N10381	Neapco	10N-3-81X
N10383	Neapco	10N-3-83X
N104103	Neapco	10N-4-103
N104113	Neapco	10N-4-113
N10412	Neapco	10N-4-12
N104123	Neapco	10N-4-123
N10413	Neapco	10N-4-13
N104133	Neapco	10N-4-133
N104143	Neapco	10N-4-143
N104173	Neapco	10N-4-173
N104183	Neapco	10N-4-183
N104193	Neapco	10N-4-193
N10422	Neapco	10N-4-22
N10423	Neapco	10N-4-23
N104282	Neapco	10N-4-282
N10432	Neapco	10N-4-32
N10433	Neapco	10N-4-33
N10443	Neapco	10N-4-43
N104443	Neapco	10N-4-443
N104453	Neapco	10N-4-453
N104473	Neapco	10N-4-473
N104481	Neapco	10N-4-481
N10452	Neapco	10N-4-52
N10453	Neapco	10N-4-53
N104573	Neapco	10N-4-573
N104611	Neapco	10N-4-611
N10463	Neapco	10N-4-63
N104703	Neapco	10N-4-703
N10473	Neapco	10N-4-473
N10483	Neapco	10N-4-83
N10493	Neapco	10N-4-93
N10V5	Neapco	R10V5
N2-2-329	Neapco	131N-2-329
N2-2-479	Neapco	131N-2-479
N2-28-1177	Neapco	133N-28-1177
N2-28-1707	Neapco	133N-28-1707
N2-28-1717	Neapco	133N-28-1717
N2-28-1757	Neapco	131N-28-1757
N2-28-307	Neapco	131N-28-307
N2-28-327	Neapco	131N-28-327
N2-28-357	Neapco	131N-28-357
N2-28-367	Neapco	131N-28-367
N2-28-397	Neapco	131N-28-397
N2-28-417	Neapco	131N-28-417
N2-28-427	Neapco	131N-28-427
N2-28-437	Neapco	131N-28-437
N2-3-7260KX	Neapco	131N-3-7260KX
N2-3-7981KX	Neapco	131N-3-7981KX
N2-3-8001KX	Neapco	131N-3-8001KX
N2-3-8021KX	Neapco	131N-3-8021KX
N2-3-8041KX	Neapco	133N-3-8041KX
N2-4-473	Neapco	131N-4-473
N2-4-503	Neapco	131N-4-503
N2-4-533	Neapco	131N-4-533
N2-40-1031	Neapco	131N-40-1031
N2-40-1701	Neapco	131N-40-1701
N2-40-1711	Neapco	131N-40-1711

CROSS REFERENCE LISTING

NUMBER	COMPETITION	ARVINMERITOR
N2-40-1771	Neapco	131N-40-1771
N2-40-1811	Neapco	131N-40-1811
N2-40-1851	Neapco	131N-40-1851
N2-40-1871	Neapco	131N-40-1871
N2-40-2051	Neapco	131N-40-2051
N203012108	Neapco	RT-25-16-108
N20301272	Neapco	RT-25-16-72
N203022108	Neapco	RT-25-14-108
N20302272	Neapco	RT-25-14-72
N2100842X	Neapco	CB210084-2X
N2100881X	Neapco	CB210088-1X
N2100901X	Neapco	CB210090-1X
N2101211X	Neapco	CB210121-1XSA
N2101301X	Neapco	CB210207-1X
N2101401X	Neapco	CB210140-1X
N2101441X	Neapco	CB210144-1X
N2102071X	Neapco	CB210207-1X
N2103671X	Neapco	CB210367-1X
N2103701X	Neapco	CB210370-1X
N2103911X	Neapco	CB210391-1X
N2104331X	Neapco	CB210433-1X
N210527X	Neapco	CB210527X
N2106611X	Neapco	CB210661-1XSA
N2108661X	Neapco	CB210866-1X
N2108731X	Neapco	CB210873-1X
N2108751X	Neapco	CB210875-1XSA
N2108811X	Neapco	CB310012-1XSA
N211016X	Neapco	CB211016X
N211187X	Neapco	CB211187X
N221049	Neapco	121N-2-1049
N221050	Neapco	121N-2-1050
N222323	Neapco	121N-2-2323
N223012108	Neapco	RT-275-14-108
N22329	Neapco	131N-2-329
N22349	Neapco	131N-2-349
N22479	Neapco	131N-2-479
N22579	Neapco	131N-2-579
N226367	Neapco	131N-26-367
N226367	Neapco	131N-26-497
N226427	Neapco	131N-26-367
N226427	Neapco	131N-26-497
N22686	Neapco	121N-2-686
N22799	Neapco	131N-2-799
N227991	Neapco	131N-2-799-1
N2281177	Neapco	133N-28-1177
N2281707	Neapco	133N-28-1707
N2281717	Neapco	133N-28-1717
N2281747X	Neapco	131N-28-1747X
N2281757	Neapco	131N-28-1757
N2281777X	Neapco	131N-28-1777X
N2281777X	Neapco	131N-28-2947X
N2282947X	Neapco	131N-28-1777X
N2282947X	Neapco	131N-28-2947X
N2282957X	Neapco	131N-28-1747X
N228307	Neapco	131N-28-307
N228327	Neapco	131N-28-327
N228357	Neapco	131N-28-357
N228367	Neapco	131N-28-367
N228397	Neapco	131N-28-397
N228417	Neapco	131N-28-417
N228427	Neapco	131N-28-427
N228437	Neapco	131N-28-437
N22899	Neapco	121N-2-899
N228991	Neapco	131N-2-899-1
N22939	Neapco	131N-2-939
N230129	Neapco	WAR13-5
N230686X	Neapco	121N-3-686X
N230794	Neapco	DEFR47-6
N230795	Neapco	DEFR47-4
N2312241X	Neapco	121N-3-1224-1X
N231224X	Neapco	121N-3-1224X
N231502	Neapco	1227-Z-936
N232321X	Neapco	121N-3-2321X
N235821X	Neapco	131N-3-8021KX
N237260KX	Neapco	131N-3-7260KX
N237981KX	Neapco	131N-3-7981KX
N238001KX	Neapco	131N-3-8001KX
N238021KX	Neapco	131N-3-8021KX
N238041KX	Neapco	133N-3-8041KX
N238861KX	Neapco	121N-3-8861KX
N238961KX	Neapco	121N-3-8961KX
N2401031	Neapco	131N-40-1031
N2401231	Neapco	131N-40-1231
N2401251	Neapco	131N-40-1251
N2401291	Neapco	131N-40-1291
N2401382	Neapco	131N-40-138-2
N2401521	Neapco	131N-40-1521
N2401701	Neapco	131N-40-1701
N2401711	Neapco	131N-40-1711
N2401741	Neapco	121N-40-1741
N2401771	Neapco	131N-40-1771
N2401811	Neapco	131N-40-1811
N2401851	Neapco	131N-40-1851
N2401871	Neapco	131N-40-1871
N2402051	Neapco	131N-40-2051
N2402091	Neapco	131N-40-2091
N2402211	Neapco	121N-40-2211
N2402301	Neapco	121N-40-2301
N243032108	Neapco	RT-3-16-108
N24303272	Neapco	RT-3-16-72
N243042108	Neapco	RT-3-14-108
N24304272	Neapco	RT-3-14-72
N24473	Neapco	131N-4-473
N24503	Neapco	131N-4-503
N24533	Neapco	131N-4-533
N253711	Neapco	131N-53-711
N2537111	Neapco	131N-53-711-1
N283022108	Neapco	RT-35-13-108
N28302272	Neapco	RT-35-13-72
N283042108	Neapco	RT-35-16-108
N28304272	Neapco	RT-35-16-72
N283052108	Neapco	RT-35-156-108
N28305272	Neapco	RT-35-156-72
N283062108	Neapco	RT-35-14-108
N28306272	Neapco	RT-35-14-72
N283092108	Neapco	RT-35-10-108
N28309272	Neapco	RT-35-10-72
N283388X	Neapco	131N-83-388X
N283489X	Neapco	121N-83-489X
N3-2-119	Neapco	135N-2-119
N3-2-159	Neapco	141N-2-159
N3-2-429	Neapco	141N-2-429
N3-28-427	Neapco	135N-28-427
N3-28-47	Neapco	135N-28-47
N3-28-537	Neapco	148N-28-537
N3-28-547	Neapco	148N-28-547
N3-28-557	Neapco	141N-28-557
N3-3-1641KX	Neapco	148N-3-1641KX

CROSS REFERENCE LISTING

NUMBER	COMPETITION	ARVINMERITOR
N3-40-1561	Neapco	135N-40-1561
N3-40-1571	Neapco	148N-40-1571
N3-40-1611	Neapco	135N-40-1611
N3-53-1031	Neapco	141N-53-1031
N3-53-1181	Neapco	135N-53-1181
N3-53-1181-1	Neapco	135N-53-1181-1
N32119	Neapco	135N-2-119
N32159	Neapco	141N-2-159
N323022108	Neapco	RT-4-14-108
N32302272	Neapco	RT-4-14-72
N323052108	Neapco	RT-4-10-108
N32305272	Neapco	RT-4-10-72
N323072108	Neapco	RT-4095-7-108
N32307272	Neapco	RT-4095-7-72
N32429	Neapco	141N-2-429
N32479	Neapco	148N-2-479
N328367	Neapco	141N-28-367
N328427	Neapco	135N-28-427
N32847	Neapco	135N-28-47
N328507	Neapco	148N-28-507
N328537	Neapco	148N-28-537
N328547	Neapco	148N-28-547
N328557	Neapco	141N-28-557
N328567	Neapco	148N-28-567
N328571	Neapco	135N-28-57-1
N328572	Neapco	135N-28-57-2
N32897	Neapco	141N-28-97
N331641KX	Neapco	148N-3-1641KX
N33788KX	Neapco	141N-3-788KX
N3401101	Neapco	135N-40-1101
N3401391	Neapco	148N-40-1391
N3401471	Neapco	135N-40-1471
N3401491	Neapco	135N-40-1491
N3401531	Neapco	135N-40-1531
N3401561	Neapco	135N-40-1561
N3401571	Neapco	148N-40-1571
N3401611	Neapco	135N-40-1611
N3401871	Neapco	148N-40-1391
N3531031	Neapco	141N-53-1031
N3531081	Neapco	141N-53-1081
N3531181	Neapco	135N-53-1181
N35311811	Neapco	135N-53-1181-1
N3531361	Neapco	141N-53-1361
N3531371	Neapco	141N-53-1371
N353151	Neapco	135N-53-1351
N353451	Neapco	148N-53-451
N363062108	Neapco	RT-45-10-108
N36306272	Neapco	RT-45-10-72
N3R26057	Neapco	R3R-26-57
N3R28157	Neapco	R3R-28-157
N3R28268	Neapco	R3R-2-8268
N3R28307	Neapco	R3R-28-307
N3R28325	Neapco	R3R-28-325
N3R28327	Neapco	R3R-28-327
N3R28397	Neapco	R3R-28-397
N3R28427	Neapco	R3R-28-427
N3R28437	Neapco	R3R-28-437
N3R28869	Neapco	R3R-28-869
N3R36081X	Neapco	R3R-3-6081X
N3R39101X	Neapco	R3R-3-9101X
N3R39131X	Neapco	R3R-3-9131X
N3R39161X	Neapco	R3R-3-9161X
N3R39165KX	Neapco	R3R-3-9165KX
N3R83482	Neapco	R3R-83-482
N431241KX	Neapco	155N-3-1241X
N440721	Neapco	155N-40-721
N440761	Neapco	155N-40-761
N5-28-627	Neapco	16N-28-627
N5-3-1411KX	Neapco	16N-3-1411X
N5-3-2261KX	Neapco	16N-3-2261X
N5-4-3621	Neapco	16N-4-3621
N5-4-4551	Neapco	16N-4-4551
N5-40-1011	Neapco	16N-40-1011
N528627	Neapco	16N-28-627
N531411KX	Neapco	16N-3-1411X
N532261KX	Neapco	16N-3-2261X
N53288KX	Neapco	16N-3-288X
N5401011	Neapco	16N-40-1011
N541721	Neapco	16N-4-1721
N541931	Neapco	16N-4-1931
N543601X	Neapco	16N-4-3601X
N543621	Neapco	16N-4-3621
N544401	Neapco	16N-4-4401
N544541	Neapco	16N-4-4541
N544551	Neapco	16N-4-4551
N6-28-137	Neapco	17N-28-137
N6-28-347	Neapco	17N-28-347
N6-3-2651KX	Neapco	17N-3-2651X
N6-3-2671KX	Neapco	17N-3-2671X
N6-4-1981	Neapco	17N-4-1981
N6-4-2141	Neapco	17N-4-2141
N6-4-3041X	Neapco	17N-4-3041X
N6-4-3241	Neapco	17N-4-3241
N6-4-3611	Neapco	17N-4-3611
N6-4-3791	Neapco	17N-4-3791
N6-4-4091	Neapco	17N-4-4091
N6-4-4411X	Neapco	17N-4-4411X
N6-4-4741X	Neapco	17N-4-4741X
N6-4-5151X	Neapco	17N-4-5151X
N6-4-6921X	Neapco	17N-4-6921X
N6-40-521	Neapco	17N-40-521
N6-40-541	Neapco	17N-40-541
N6-53-201	Neapco	17N-53-201
N6-53-311	Neapco	17N-53-311
N6.3-28-17	Neapco	176N-28-17
N6.3-3-21KX	Neapco	176N-3-21X
N6.3-4-161	Neapco	176N-4-161
N6.5-28-117	Neapco	18N-28-117
N6.5-3-1351KX	Neapco	18N-3-1351X
N6.5-3-1371KX	Neapco	18N-3-1371X
N6.5-4-1891	Neapco	18N-4-1891
N6.5-40-191	Neapco	18N-40-191
N6.5-40-201	Neapco	18N-40-201
N6.5-53-91	Neapco	18N-53-91
N628137	Neapco	17N-28-137
N628347	Neapco	17N-28-347
N632651KX	Neapco	17N-3-2651X
N632671KX	Neapco	17N-3-2671X
N632817	Neapco	176N-28-17
N63321KX	Neapco	176N-3-21X
N634161	Neapco	176N-4-161
N640521	Neapco	17N-40-521
N640541	Neapco	17N-40-541
N641981	Neapco	17N-4-1981
N641991	Neapco	17N-4-1991
N642141	Neapco	17N-4-2141
N642441	Neapco	17N-4-2441
N643031	Neapco	17N-4-3031

CROSS REFERENCE LISTING

NUMBER	COMPETITION	ARVINMERITOR
N643041X	Neapco	17N-4-3041X
N643241	Neapco	17N-4-3241
N643611	Neapco	17N-4-3611
N643791	Neapco	17N-4-3791
N644091	Neapco	17N-4-4091
N644411X	Neapco	17N-4-4411X
N644741X	Neapco	17N-4-4741X
N645151X	Neapco	17N-4-5151X
N646421X	Neapco	17NYS32-100A
N646921X	Neapco	17N-4-6921X
N651891	Neapco	18N-4-1891
N6528117	Neapco	18N-28-117
N6528127	Neapco	18N-28-127
N6531351KX	Neapco	18N-3-1351X
N6531371KX	Neapco	18N-3-1371X
N653151	Neapco	17N-53-151
N653201	Neapco	17N-53-201
N653311	Neapco	17N-53-311
N6540191	Neapco	18N-40-191
N6540201	Neapco	18N-40-201
N6541891	Neapco	18N-4-1891
N6542531X	Neapco	18N-4-2531X
N655391	Neapco	18N-53-91
N9038621409W	Neapco	R903862-1409W
N9038621602W	Neapco	R903862-1602W
N9093632600	Neapco	R909363-2600
N9093652600	Neapco	R909365-2600
N9118182600	Neapco	R911818-2600
N9121701511W	Neapco	R912170-1511W
N9121701803W	Neapco	R912170-1803W
N9124423400	Neapco	R919990-3400
N912747	Neapco	R912747
N912777	Neapco	R912777
N9137973400	Neapco	R919976-3400
N91382SF	Neapco	R91382SF
N9141561324W	Neapco	R914156-1324W
N9553SF	Neapco	R9553-SF
S9121701803W	Neapco	R912170-1803W
SPL*100-1X	Dana/Spicer	US90X
SPL*170-3X	Dana/Spicer	US170X
SPL*250X	Dana/Spicer	US250X
SPL*90X	Dana/Spicer	US90X

* SPL® is a registered trademark of Dana Corporation.

NUMERICAL PARTS LISTING

PART NUMBER	PAGE
10N-2-29	15-1
10N-3-122X	15-2
10N-3-12X	15-2
10N-3-162X	15-2
10N-3-163X	15-2
10N-3-183X	15-2
10N-3-18KX	15-1
10N-3-22X	15-2
10N-3-23X	15-2
10N-3-32X	15-2
10N-3-33X	15-2
10N-3-81X	15-2
10N-3-83X	15-2
10N-4-103	15-3
10N-4-113	15-3
10N-4-12	15-3
10N-4-123	15-3
10N-4-13	15-3
10N-4-133	15-3
10N-4-139	15-3
10N-4-143	15-3
10N-4-173	15-3
10N-4-183	15-3
10N-4-193	15-3
10N-4-22	15-3
10N-4-23	15-3
10N-4-282	15-3
10N-4-32	15-3
10N-4-33	15-3
10N-4-43	15-3
10N-4-443	15-3
10N-4-453	15-3
10N-4-473	15-3
10N-4-481	15-3
10N-4-52	15-3
10N-4-53	15-3
10N-4-573	15-3
10N-4-611	15-3
10N-4-63	15-3
10N-4-703	15-3
10N-4-73	15-3
10N-4-83	15-3
10N-4-93	15-3
121N-2-1049	1-2
121N-2-1050	1-2
121N-2-2323	1-2
121N-2-686	1-2
121N-2-899	1-2
121N-28-1947	5-1
121N-3-1224-1X	2-5
121N-3-1224X	2-5
121N-3-2321X	2-5
121N-3-686X	2-5
121N-3-8861KX	2-1
121N-3-8961KX	2-1
121N-40-1741	8-1
121N-40-2211	8-1
121N-40-2301	8-1
121N-53-471	7-2
121N-53-501	7-2
121N-53-691	7-2
121N-83-489X	13-6
131N-2-329	1-2
131N-2-349	1-2
131N-2-479	1-2
131N-2-579	1-2
131N-2-799	1-2
131N-2-799-1	1-2
131N-2-899-1	1-2
131N-28-1617	5-1
131N-28-1757	5-1
131N-28-277	5-1
131N-28-307	5-1
131N-28-327	5-1
131N-28-357	5-1
131N-28-367	5-1
131N-28-397	5-1
131N-28-417	5-1
131N-28-427	5-1
131N-28-437	5-1
131N-3-128KX	2-1
131N-3-4441KX	2-1
131N-3-6061KX	2-1
131N-3-7171KX	2-1
131N-3-7260KX	2-2
131N-3-7981KX	2-1
131N-3-8001KX	2-1
131N-3-8021KX	2-1
131N-4-1233	3-13
131N-4-3331	3-1
131N-4-4341	4-2
131N-4-473	3-13
131N-4-503	3-13
131N-4-533	3-13
131N-4-573	3-13
131N-4-583	3-13
131N-4-783	3-13
131N-4-803	3-13
131N-4-8091X	4-2
131N-40-1031	8-1
131N-40-1221	8-1
131N-40-1231	8-1
131N-40-1251	8-1
131N-40-1291	8-1
131N-40-138-2	13-8
131N-40-1521	8-1
131N-40-1701	8-1
131N-40-1711	8-1
131N-40-1771	8-1
131N-40-1811	8-1
131N-40-1851	8-1
131N-40-1871	8-1
131N-40-2051	8-1
131N-40-2091	8-1
131N-53-711	7-2
131N-53-711-1	7-2
131N-83-288X	13-7
131N-83-388X	13-6
131N-CV82-HD	13-6
131N-2-939	1-2
133N-28-1177	5-1
133N-28-1697	5-1
133N-28-1707	5-1
133N-28-1717	5-1
133N-28-1977	5-1
133N-28-3067X	13-8
133N-3-7681KX	2-1
133N-3-7961KX	2-1
133N-3-8041KX	2-1
133N-4-5441	4-2
135N-2-119	1-2
135N-28-1327X	13-8
135N-28-427	5-1
135N-28-47	5-1
135N-28-57	5-1
135N-28-57-1	5-1
135N-28-57-2	5-1
135N-3-1501KX	2-1
135N-3-1561KX	2-1
135N-3-2471KX	2-1
135N-3-488KX	2-1
135N-3-598KX	2-1
135N-3-758KX	2-1
135N-40-1101	8-1
135N-40-1471	8-1
135N-40-1491	8-1
135N-40-1531	8-1
135N-40-1561	8-1
135N-40-1611	8-1
135N-53-1181	7-2
135N-53-1181-1	7-2
135N-53-1181-2	7-2
135N-53-1351	7-2
141NYS28-19A	4-3
141N-2-159	1-2
141N-2-429	1-2
141N-28-367	5-1
141N-28-557	5-1
141N-28-97	5-1
141N-3-118KX	2-1
141N-3-1481KX	2-1
141N-3-2041KX	2-1
141N-3-508KX	2-1
141N-3-788KX	2-1
141N-4-1841	4-3
141N-4-2241	4-3
141N-4-2511	4-3
141N-4-3941	4-3
141N-4-6561	4-3
141N-4-6631X	4-3
141N-53-1031	7-2
141N-53-1081	7-1,10-1
141N-53-1361	7-2
141N-53-1371	7-2

NUMERICAL PARTS LISTING

PART NUMBER	PAGE
141NYS22A	4-3
141NYS24-4	4-3
141NYSB28-4	1-4
141TYSB22-11A	1-5
141TYSB22-18A	1-5
141TYSB24-6	1-4
141TYSB24-6A	1-4
141TYSB29-1A	1-4
148DYS28A	4-4
148N-1-6081X	1-1
148N-2-479	1-2
148N-28-507	5-1
148N-28-537	5-1
148N-28-547	5-1
148N-28-567	5-1
148N-3-1601KX	2-1
148N-3-1641KX	2-1
148N-4-10261-1	4-4
148N-4-10471-1X	4-4
148N-4-3061	4-4
148N-4-3081	4-4
148N-4-3091	4-4
148N-4-3571	4-4
148N-4-3781	4-4
148N-4-3861	4-4
148N-4-4421X	4-4
148N-40-1391	8-1
148N-40-1571	8-1
148N-53-451	7-2
148NYSB28-17	1-4
148NYSB29	1-4
148TYS22A	4-4
148TYS28A	4-4
148TYS32-4	4-4
148TYS32-4A	4-4
148TYSB28-11A	1-4
148TYSB29-1	1-4
148TYSB32-2A	1-4
155DYS28-1A	4-5
155DYS32-6	4-5
155DYS32-6A	4-5
155N-2-669	1-2
155N-28-307	5-1
155N-3-1241X	2-1
155N-4-1891	4-5
155N-4-1901	4-5
155N-4-1941-1	4-5
155N-4-2051	4-5
155N-4-2431	4-5
155N-4-4101	4-5
155N-4-4211	4-5
155N-4-5031-1	4-5
155N-4-5551-1	4-5
155N-4-5611-1X	4-5
155N-4-6831-1X	4-5
155N-40-721	8-1
155N-40-761	8-1
155N-53-61	7-2
155NY53-5	5-1
155NYS24-6	4-5
155NYS28-5A	4-5
155RY62	5-1
155TYS28-1A	4-5
155TYS28-26	4-5
155TYS28-49	4-5
155TYS28-49A	4-5
155TYS32-6	4-5
155TYS32-6A	4-5
155TYS32-6A3	4-5
155TYSB28-14A	1-4
155TYSB28-22A	1-4
155TYSB28-40A	1-4
155TYSB32-13A	1-4
155TYSC28-43	4-5
159N-4-761-1X	4-6
16N-2-629	1-3
16N-28-167	5-3
16N-28-207	5-3
16N-28-327	5-3
16N-28-627	5-3
16N-28-887	5-3
16N-3-108X	2-2
16N-3-128X	2-2
16N-3-1411X	2-2
16N-3-2261X	2-2
16N-3-288X	2-2
16N-4-1051	3-1
16N-4-1631	3-2
16N-4-1721	3-1
16N-4-1721-1	4-7
16N-4-1931	3-1
16N-4-2081	3-1
16N-4-2501	3-2
16N-4-3321	3-3
16N-4-3601X	3-1
16N-4-3621	3-1
16N-4-3681	3-2
16N-4-3861	3-1
16N-4-4401	3-3
16N-4-4441X	3-1
16N-4-4471	3-2
16N-4-4541	3-2
16N-4-4551	3-2
16N-4-4571	3-1
16N-4-4761X	3-1
16N-4-4841X	3-2
16N-4-5031	3-3
16N-4-5081X	3-1
16N-4-5281X	3-2
16N-4-5441	3-2
16N-4-5461	3-2
16N-4-5571	3-1
16N-4-5571-1	4-7
16N-4-5621X	3-1
16N-4-5631	3-3
16N-4-5721	3-2
16N-4-5731	3-3
16N-4-5741	3-3
16N-4-5751	3-3
16N-4-5981	3-2
16N-4-5991X	3-2
16N-4-6241	3-2
16N-4-6251	3-1
16N-4-6261	3-1
16N-4-6271	3-2
16N-4-6271-1	4-7
16N-4-6281X	3-2
16N-4-6291X	3-2
16N-4-6321	3-2
16N-4-6321-1	4-7
16N-4-6421-1	4-7
16N-4-6431-1X	4-7
16N-4-6891X	3-3
16N-4-6951-1X	4-7
16N-4-6951X	3-2
16N-4-6961X	3-2
16N-4-7171-1	4-7
16N-4-7331-1	4-7
16N-4-7341-1X	4-7
16N-4-781	3-1
16N-40-1011	8-1
16N-40-1041	8-1
16N-40-1051	8-1
16N-40-1191	8-1
16N-53-141	7-1,10-1
16N-53-191	7-1,10-1
16N-2-279	1-3
16NLS32-47A1	2-2
16NY61	5-3
16NYS28-4A	3-1
16NYS28-60	3-2
16NYS28-64A	3-2
16NYS30A	3-2
16NYS32-32A3	3-2
16NYS32-43	3-2
16NYS32-47	3-2
16NYS32-74	3-2
16NYS32-74A	3-2
16NYS34-23A	3-3
16NYS36-7	3-3
16NYS38-11A	3-3
16NYS38-12	3-3
16NYS38-12A	3-3
16NYS38-8A	3-3
16TYS28-13A	4-7
16TYS32-32A	4-7
16TYS32-32A3	4-7
16TYS32-5	4-7
16TYS32-76	4-7
16TYS32-76A	4-7
16TYS32-86A	4-7
17N-4-7771-1X	4-9
176N-28-17	5-3
176N-3-21X	2-3

PART NUMBER	PAGE
176N-3-41X	2-3
176N-4-11	3-10
176N-4-1161-1X	4-10
176N-4-1161X	3-10
176N-4-121	3-9
176N-4-1421	3-10
176N-4-1481-1X	4-10
176N-4-151	3-10
176N-4-161	3-10
176N-4-161-1	4-10
176N-4-1651-1X	4-10
176N-4-1681-1	4-11
176N-4-181X	3-9
176N-4-211-1X	4-10
176N-4-211X	3-10
176N-4-271	3-10
176N-4-271-1	4-10
176N-4-291-1	4-10
176N-4-321-1	4-10
176N-4-331-1X	4-10
176N-4-331X	3-10
176N-4-381	3-10
176N-4-391	3-10
176N-4-411	3-10
176N-4-421	3-9
176N-4-441	3-10
176N-4-531	3-9
176N-4-531-1	4-10
176N-4-541-1X	4-10
176N-4-541X	3-9
176N-4-651	3-10
176N-4-651-1	4-10
176N-4-71	3-9
176N-4-731X	3-10
176N-4-771-1X	4-10
176N-4-781X	3-10
176N-4-791-1X	4-11
176N-4-791X	3-10
176N-4-821-1	4-10
176N-4-851X	3-10
176N-4-861-1X	4-10
176N-4-861X	3-10
176N-53-21	7-1,10-1
176N-4-781-1X	4-10
176NYS32-3	3-9
176NYS32-3A2	3-9
176NYS36-12A	3-10
176NYS38-10	3-10
176NYS38-14	3-10
176NYS38-14A	3-10
176NYS38-3	3-10
176TYS32-3A1	4-10
176TYS36-10A1	4-10
176TYS36-12A	4-10
176TYS38-27	4-10
176TYS38-27A	4-10
176TYS38-27A2	4-10
176TYS38-5	4-10
176TYS44-4	4-10
176TYS45	4-11
176TYSC38-4A	4-10
17N-2-739	1-3
17N-28-137	5-3
17N-28-347	5-3
17N-3-1461X	2-2
17N-3-2401X	2-2
17N-3-2571X	2-2
17N-3-2631X	2-2
17N-3-2651X	2-2
17N-3-2671X	2-2
17N-3-2761X	2-2
17N-3-3021X	2-2
17N-4-1971	3-7
17N-4-1981	3-4
17N-4-1991	3-7
17N-4-2141	3-7
17N-4-2151	3-7
17N-4-2161	3-4
17N-4-2181	3-7
17N-4-2191	3-5
17N-4-2211	3-4
17N-4-2271	3-4
17N-4-2371	3-5
17N-4-2381	3-4
17N-4-2391	3-5
17N-4-2441	3-7
17N-4-2501	3-7
17N-4-2511	3-7
17N-4-3031	3-7
17N-4-3041X	3-7
17N-4-3221	3-5
17N-4-3241	3-5
17N-4-3271	3-5
17N-4-3291	3-4
17N-4-3361	3-4
17N-4-3391	3-4
17N-4-3501	3-7
17N-4-3611	3-8
17N-4-3721	3-4
17N-4-3791	3-6
17N-4-4091	3-4
17N-4-4131	3-5
17N-4-4141	3-4
17N-4-4151	3-5
17N-4-4181X	3-4
17N-4-4171X	3-6
17N-4-4291X	3-5
17N-4-4301X	3-4
17N-4-4361X	3-5
17N-4-4371	3-4
17N-4-4391X	3-5
17N-4-4411X	3-7
17N-4-4421	3-8
17N-4-4481X	3-5
17N-4-4551	3-9
17N-4-4561	3-7
17N-4-4561-1	4-9
17N-4-4581	3-8
17N-4-4591	3-7
17N-4-4601	3-7
17N-4-4601-1	4-9
17N-4-4651	3-9
17N-4-4721	3-4
17N-4-4731X	3-4
17N-4-4741X	3-5
17N-4-4771	3-8
17N-4-4771-1	4-9
17N-4-4831X	3-4
17N-4-4851X	3-5
17N-4-4861X	3-4
17N-4-4961	3-6
17N-4-5031	3-4
17N-4-5041X	3-4
17N-4-5061X	3-6
17N-4-5071X	3-7
17N-4-5111X	3-4
17N-4-5131X	3-4
17N-4-5141	3-5
17N-4-5151X	3-5
17N-4-5341	3-7
17N-4-5351	3-8
17N-4-5351-1	4-9
17N-4-5451	3-8
17N-4-5461-1X	4-9
17N-4-5461X	3-8
17N-4-5481X	3-7
17N-4-5501	3-6
17N-4-5521	3-5
17N-4-5541	3-5
17N-4-5711	3-7
17N-4-5781	3-5
17N-4-5791	3-6
17N-4-5801	3-7
17N-4-5821	3-6
17N-4-5841	3-8
17N-4-5931-1	4-9
17N-4-5961X	3-8
17N-4-5991	3-5
17N-4-6011	3-6
17N-4-6021X	3-6
17N-4-6031	3-7
17N-4-6031-1	4-9
17N-4-6041-1X	4-9
17N-4-6041X	3-7
17N-4-6321	3-4
17N-4-6331	3-4
17N-4-6391X	3-6
17N-4-6411X	3-5
17N-4-6451	3-4
17N-4-6481	3-4
17N-4-6601	3-8
17N-4-6611-1	4-9
17N-4-6821	3-9
17N-4-6821-1	4-9

NUMERICAL PARTS LISTING

PART NUMBER	PAGE
17N-4-6841X	3-9
17N-4-6861-1	4-8
17N-4-6871X	3-6
17N-4-6891X	3-7
17N-4-6901-1X	4-8
17N-4-7691-1	4-9
17N-4-6921-1X	4-9
17N-4-6921X	3-8
17N-4-6931-1X	4-9
17N-4-6931X	3-9
17N-4-6941X	3-5
17N-4-6951-1X	4-8
17N-4-6951X	3-5
17N-4-6961-1X	4-9
17N-4-6961X	3-8
17N-4-7071X	3-8
17N-4-7141	3-5
17N-4-7141-1	4-8
17N-4-7161	3-8
17N-4-7171X	3-6
17N-4-7181X	3-8
17N-4-7231X	3-5
17N-4-7241X	3-7
17N-4-7321-1X	4-8
17N-4-7541	3-6
17N-4-7561-1X	4-8
17N-4-7561X	3-6
17N-4-7621-1	4-8
17N-4-7631-1X	4-8
17N-4-7641-1X	4-8
17N-4-7851X	3-8
17N-4-8461-1	4-9
17N-4-8521X	3-4
17N-4-8531X	3-5
17N-4-8551-1X	4-9
17N-4-8551X	3-7
17N-4-8991-1X	4-8
17N-4-9001-1X	4-8
17N-4-9001X	3-6
17N-4-9041X	3-6
17N-40-521	8-2
17N-40-541	8-2
17N-40-61	8-1
17N-40-621	8-2
17N-40-631	8-2
17N-53-151	7-1,10-1
17N-53-201	7-1,10-1
17N-53-241	7-1,10-1
17N-53-311	7-1,10-1
17N-53-411	7-1,10-1
17N-82-1061-3	9-2
17N-82-1061-4	9-2
17N-82-1061-8	9-2
17N-82-1061-9	9-2
17N-82-1171-1	9-2
17N-82-1171-12	9-2
17N-82-1171-2	9-2
17N-82-1171-5	9-2
17N-82-1211	9-2
17NF1	1-3
17NF20	1-3
17NF27	1-3
17NF28	1-3
17NLS40-121A	2-2
17NLS40-124A	2-2
17NLS40-82DC	2-2
17NLS40-98CA	2-2
17NY60-15	5-3
17NYS26	3-4
17NYS28-11	3-4
17NYS28-66A	3-4
17NYS32-100	3-5
17NYS32-100A	3-5
17NYS32-100A1	3-5
17NYS32-100A2	3-5
17NYS32-40A1	3-6
17NYS32-41A1	3-5
17NYS32-41A2	3-6
17NYS32-60	3-5
17NYS32-92A	3-6
17NYS32-99	3-6
17NYS32-99A	3-6
17NYS32-99A3	3-6
17NYS34-15	3-6
17NYS34-18A1	3-6
17NYS34-19	3-6
17NYS34-19A1	3-6
17NYS34-20	3-6
17NYS34-29	3-6
17NYS34-29A	3-6
17NYS34-5	3-7
17NYS34-9A	3-6
17NYS38-17	3-8
17NYS38-17A2	3-8
17NYS38-31	3-8
17NYS38-32A2	3-8
17NYS38-38	3-8
17NYS38-38A	3-8
17NYS38-44A1	3-8
17NYS38-61	3-8
17NYS38-61A	3-8
17NYS38-63	3-8
17NYS38-78	3-8
17NYS40-106	3-8
17NYS40-106A	3-8
17NYS40-106A1	3-8
17NYS40-37A	3-8
17NYSM40-170	9-2
17NYSM40-172	9-2
17NYSM40-173	9-2
17NYSM40-177	9-2
17TYS28-57	4-8
17TYS28-57A	4-8
17TYS28-63	4-8
17TYS31-66A	4-8
17TYS32-60	4-8
17TYS32-60A	4-8
17TYS32-73	4-8
17TYS32-92A	4-8
17TYS32-94A	4-8
17TYS32-95A1	4-8
17TYS32-99	4-8
17TYS32-99A	4-8
17TYS34-14A1	4-8
17TYS34-29	4-8
17TYS34-18A1	4-8
17TYS37-1A	4-9
17TYS38-29A	4-9
17TYS38-75A	4-9
17TYS38-76	4-9
17TYS38-76A	4-9
17TYS38-76A2	4-9
17TYS38-78A	4-9
17TYS44-14	4-9
17TYSB32-98A	4-8
17TYSC31-54	4-8
18N-28-117	5-3
18N-28-127	5-3
18N-3-1351X	2-3
18N-3-1371X	2-3
18N-3-1431X	2-3
18N-4-1891	3-11
18N-4-1891-1	4-12
18N-4-1911	3-11
18N-4-1921	3-11
18N-4-1961	3-12
18N-4-1971	3-11
18N-4-1981	3-11
18N-4-1991	3-12
18N-4-2001	3-11
18N-4-2011	3-12
18N-4-2051	3-11
18N-4-2171	3-12
18N-4-2171-1	4-12
18N-4-2271X	3-11
18N-4-2291	3-11
18N-4-2341X	3-11
18N-4-2351X	3-11
18N-4-2361X	3-12
18N-4-2441	3-11
18N-4-2451X	3-11
18N-4-2531X	3-11
18N-4-2551X	3-11
18N-4-2581	3-12
18N-4-2701	3-12
18N-4-2711X	3-12
18N-4-2781	3-11
18N-4-3021	3-12
18N-4-3161	3-12
18N-4-3201	3-12
18N-4-3221-1X	4-12
18N-4-3221X	3-12
18N-4-3251	3-12
18N-4-3271	3-11
18N-4-3271-1	4-11
18N-4-3281-1X	4-11
18N-4-3281X	3-11
18N-4-3371	3-11
18N-4-3371-1	4-11
18N-4-3381-1X	4-11
18N-4-3381X	3-11
18N-4-3451	3-12
18N-4-3451-1	4-12
18N-4-3491	3-12
18N-4-3491-1	4-12
18N-4-3501X	3-12
18N-4-3551-1X	4-12
18N-4-3551X	3-12
18N-4-3561-1X	4-12
18N-4-3561X	3-12
18N-4-3571X	3-11
18N-4-3581-1X	4-12
18N-4-3581X	3-12
18N-4-3591	3-12
18N-4-3591-1	4-12
18N-4-3621-1X	4-12
18N-4-3691X	3-11
18N-4-3911-1	4-12
18N-4-3921-1X	4-12
18N-4-3921X	3-12
18N-4-4271-1X	4-12
18N-4-4351X	3-11
18N-4-4571-1X	4-11
18N-40-191	8-2
18N-40-201	8-2
18N-53-171	7-1,10-1
18N-53-51	7-1,10-1
18N-53-91	7-1,10-1
18NLS48-13A	2-3
18NYS34-5A	3-11
18NYS36-17	3-11
18NYS36-20A	3-11
18NYS38-15	3-12
18NYS38-21	3-12
18NYS38-27	3-12
18NYS38-27A	3-12
18NYS38-27A1	3-12
18NYS38-27A2	3-12
18NYS38-6A	3-12
18NYS40-5	3-12
18NYS44-3	3-12
18TYS31-5A	4-11
18TYS32-12A1	4-11
18TYS32-12A2	4-11
18TYS34-5	4-11
18TYS36-17	4-11
18TYS38-15	4-12
18TYS38-27	4-12
18TYS38-27A	4-12
18TYS38-27A2	4-12
18TYS38-9	4-12
18TYS38-13A	4-12
18TYS45	4-12
20RLS40-11A1S	2-1
20RLS40-2A1S	2-1
20RLS40-3A1S	2-1
20RY60-5	5-2
20RY60-6	5-2
20RY60-7	5-2
20RYSM40-24	9-2
20RYSM40-26	9-2
20RYSM40-27	9-2
20RYSM40-28	9-2
20RYSM40-31	9-2
20RYSM40-35	9-2
20WYS28-1A	3-22
20WYS28-2A	3-22
20WYS32-10A	3-22
20WYS32-17	3-22
20WYS32-17A	3-22
20WYS32-2	3-22
20WYS32-2A	3-23
20WYS32-5A	3-22
20WYS32-6A	3-22
20WYS32-7A	3-22
20WYS32-8A	3-22
20WYS32-9A	3-22
20WYS34-1A	3-23
20WYS34-2A	3-23
20WYS34-3A	3-23
20WYS34-4A	3-23
20WYS36-1A	3-23
20WYS36-2A	3-23
20WYS36-3A	3-23
20WYS38-10A	3-23
20WYS38-10A1	3-23
20WYS38-11A	3-23
20WYS38-3A	3-23
20WYS38-4A	3-23
20WYS38-8	3-23
20WYS38-8A	3-23
20WYS40-2A	3-23
20WYS40-3	3-23
20WYS44-2A	3-23
20WYS45	3-23
20WYS57-1	3-23
20WYSC38-18	3-23
25RLS48-1A1S	2-1
25RPL-SLIP	8-2
25RY68-3	5-2
25WYS36-1A	3-24
25WYS36-2A	3-24
25WYS36-3A	3-24
25WYS38-13	3-24
25WYS38-13A	3-24
25WYS38-6A	3-24
25WYS38-8A	3-24
25WYS38-8A1	3-24
25WYS38-9A1	3-24
25WYS40-2A	3-24
25WYS40-3	3-24
25WYS40-4A	3-24
25WYS44-2	3-24
25WYS44-2A	3-24
25WYS45	3-24
25WYS57-1	3-24
25WYSC38-11	3-24
3WCS28-93A	1-1
3WCS32-75A1	1-1
4137268	13-4,13-5
58WBLS28-41A	2-4
58WBLS28-42A	2-4
58WBY53-1	5-4
58WBYR24-6	3-22
58WBYR26	3-22
58WBYR32-34	3-22
58WBYS22-3	3-13
58WBYS25-8	3-13
58WBYS28-1	3-13
58WBYS28-145	3-13
58WBYS28-172	3-13
58WBYS28-186A	3-14
58WBYS28-51	3-13
58WBYS28-6	3-13
58WBYS28-82	3-13
58WBYS30	3-14
58WBYS31-13	3-14
58WBYS31-21	3-14
58WBYS34-7	3-14
5WCS31-7A1	1-1
5WCS32-103	1-1
5WCS32-103A1	1-1
5WCS32-86A	1-1
5WCS38-18A	1-1
5WCS38-23A2	1-1
5WCS38-24A	1-1
5WCS40-39	1-1
5WCS40-45A	1-1
62NLS28-2A	2-4
62NLS28-3DC	2-4
62NLS28-43DC	2-4
62NLS28-82A	2-4
62NPS28-4	8-1
62NY52-7	5-4
62NY53-1	5-4
62NYS22-10	3-14
62NYS24-17	3-14
62NYS24-17A1	3-14
62NYS26-11A	3-14
62NYS26-13	3-14
62NYS28-123	3-15
62NYS28-123A	3-15
62NYS28-155	3-15
62NYS28-160	3-15
62NYS28-202	3-15
62NYS28-202A	3-15
62NYS28-21	3-15
62NYS28-26	3-15

PART NUMBER	PAGE
62NYS28-32	3-15
62NYS31-5	3-15
62NYS32-48A	3-15
62NYS36-2	3-15
72NLS32-142A	2-4
72NLS32-1DC	2-4
72NLS32-20DC	2-4
72NY52-20	5-4
72NYR24-2	3-22
72NYS24	3-16
72NYS24-22	3-16
72NYS26-3	3-16
72NYS26-7	3-16
72NYS28-1	3-16
72NYS28-10	3-16
72NYS28-141	3-16
72NYS28-141A	3-16
72NYS28-166	3-16
72NYS28-166A	3-16
72NYS28-177	3-16
72NYS28-183	3-16
72NYS28-2	3-16
72NYS28-200	3-16
72NYS28-23	3-16
72NYS28-5	3-16
72NYS28-51	3-16
72NYS28-6	3-16
72NYS28-65	3-16
72NYS28-84	3-16
72NYS30-2	3-16
72NYS30-2A	3-16
72NYS30-3	3-16
72NYS31	3-16
72NYS31-1	3-17
72NYS31-2	3-16
72NYS31-27	3-17
72NYS31-2A	3-16
72NYS31-3	3-16
72NYS31-4	3-16
72NYS31-4A	3-16
72NYS31-8	3-17
72NYS31-93	3-16
72NYS32-104	3-17
72NYS32-110	3-17
72NYS32-12	3-17
72NYS32-16	3-17
72NYS32-219	3-17
72NYS32-220	3-17
72NYS32-221	3-17
72NYS32-222	3-17
72NYS32-244	3-17
72NYS32-244A	3-17
72NYS32-250	3-17
72NYS32-256	3-17
72NYS32-39	3-17
72NYS32-48	3-17
72NYS32-9	3-17
72NYS33	3-17
72NYS34-24	3-17
72NYS34-28	3-17
72NYS34-42	3-17
72NYS34-42A1	3-17
72NYS36-1	3-18
72NYS36-13	3-18
72NYS36-19	3-18
72NYS36-22	3-17
72NYS36-38	3-18
72NYS36-40	3-17
72NYS36-54	3-17
72NYS36-54A2	3-17
72NYS40-99	3-18
72NYSM32-58	9-3
750NYSM27-12	9-1
750NYSM27-13	9-1
750NYSM28-112	9-1
750NYSM28-155	9-1
82NLS40-83A	2-4
82NLS40-85A	2-4
82NPS40	8-1
82NY58	5-4
82NY58-2	5-4
82NY60-19	5-4
82NYS31-16	3-18
82NYS31-32	3-18
82NYS32	3-18
82NYS32-74A	3-18
82NYS32-74A1	3-18
82NYS36-26	3-18
82NYS38-15	3-19
82NYS40-28	3-19
850NYSM30-25	9-1
850NYSM32-18	9-1
850NYSM34-48	9-1
85WBY60-11	5-4
85WBYSB36-30	1-5
85WBYSB38-16	1-5
92NF26	1-3
92NLS48-3DC	2-4
92NLS48-47DC	2-4
92NLS48-66A	2-4
92NY64	5-4
92NY66	5-4
92NY68-2	5-4
92NYR28-3	3-22
92NYS28-6	3-20
92NYS32-25	3-20
92NYS32-25A	3-20
92NYS32-26	3-20
92NYS32-26A	3-20
92NYS32-27	3-20
92NYS33-2	3-20
92NYS36-41	3-20
92NYS38-12	3-20
92NYS38-39	3-20
92NYS38-39A	3-20
92NYS38-46A	3-20
92NYS38-52	3-20
92NYS38-52A	3-20
92NYS38-67	3-20
92NYS38-69	3-20
92NYS38-69A	3-20
92NYS38-75	3-20
92NYS38-75A1	3-20
92NYS40-17	3-20
92NYS40-17A	3-20
92NYS42-4	3-20
92NYS44-18	3-20
92NYS44-19	3-21
92NYS44-22	3-20
92NYS44-22A	3-20
92NYS45-2	3-20
92NYS51	3-21
92NYSB36-72	1-5
92NYSC38-106	3-20
950NYSM38-1	9-1
950NYSM38-15	9-1
983-14-2	6-1
983-15-2	6-1
984-23-2	6-1
BLWP11-2	10-10
BLWP22-1	10-10
BLWP32	10-10
BLWP32-2	10-10
BLWP32-3	10-10
BLWP33-1	10-10
BLWP33-2	10-10
BLWR18-1	10-10
BLWR18-2	10-10
BLWR18-3	10-10
BLWR18-4	10-10
BLWR18-6	10-10
BPS28-16-1	8-1
BSS24-53	7-1,10-1
BSS24-53A	7-1,10-1
BSS24-60A	7-1,10-1
BSS31-18	7-1,10-1
BSS32-34	7-1,10-1
CB210084-2X	12-4
CB210088-1X	12-4
CB210090-1X	12-4
CB210121-1XSA	12-5
CB210140-1X	12-4
CB210144-1X	12-4
CB210207-1X	12-4
CB210367-1X	12-4
CB210370-1X	12-4
CB210391-1X	12-5
CB210433-1X	12-4
CB210527X	12-5
CB210661-1XSA	12-5
CB210866-1X	12-4
CB210873-1X	12-4
CB210875-1XSA	12-3
CB211016X	12-4

PART NUMBER	PAGE
CB211187X	12-4
CB310001-1X	12-4
CB310002-1X	12-4
CB310003-1X	12-4
CB310005-1X	12-4
CB310006-1X	12-4
CB310006-2X	12-4
CB310006-3X	12-4
CB310007-1X	12-4
CB310008-1X	12-3
CB310011-1X	12-3
CB310013-1X	12-3
CB310015-1X	12-5
CP443X	11-6
CP541X	11-7
CP674X	11-14
CP675X	11-14
CP676X	11-14
CP677X	11-14
CP101X	11-6
CP105X	11-5
CP111X	11-6
CP115X	11-13
CP1200X	11-7
CP1201X	11-7
CP1204X	11-7
CP1205X	11-5
CP124X	11-13
CP1301X	11-5
CP1306-1X	11-5
CP1306X	11-5
CP134X	11-6
CP141N	11-7
CP148N	11-6
CP153X	11-6
CP155N	11-6
CP155X	11-6
CP160X	11-6
CP165X	11-6
CP170X	11-5
CP178X	11-6
CP188X	11-6
CP18N-96	11-12
CP20 RPL S	11-15
CP200X	11-6
CP2011X	11-5
CP2031	11-11
CP2033	11-11
CP2116	11-8
CP213X	11-6
CP2140	11-7
CP248X	11-7
CP25 RPL S	11-15
CP260X	11-5
CP279X	11-13
CP280X	11-13
CP281X	11-13
CP297-1X	11-5
CP297X	11-5
CP3000	11-8
CP3012	11-11
CP3022X	11-5
CP3121	11-8
CP3147X	11-5
CP332X	11-5
CP353X	11-7
CP354X	11-7
CP357X	11-7
CP4002	11-8
CP4015	11-5
CP407X	11-13
CP4101	11-8
CP4102	11-11
CP4143X	11-8
CP460X	11-6
CP5008	11-11
CP5015	11-11
CP5101	11-8
CP5122	11-8
CP51625-2	11-5
CP5177	11-8
CP527X	11-5
CP58WB-DWT	11-8
CP58WB-DWT-PL	11-8
CP58WB-HB	11-8
CP58WB-HB-PL	11-8
CP58WB-HWD	11-8
CP58WB-HWD-PL	11-8
CP62N-50	11-8
CP62N-51	11-8
CP62N-DWT	11-8
CP62N-DWT-PL	11-8
CP62N-HB	11-8
CP62N-HB-PL	11-8
CP62N-HWD	11-8
CP62N-HWD-PL	11-8
CP72625-4	11-5
CP72N-118	11-9
CP72N-136	11-9
CP72N-DWT	11-9
CP72N-DWT-PL	11-9
CP72N-HB	11-9
CP72N-HB-PL	11-9
CP72N-HWD	11-9
CP72N-HWD-PL	11-9
CP72N-170	11-10
CP750N	11-6
CP750N-1	11-6
CP750N-4	11-6
CP750N-7	11-6
CP750N-8	11-6
CP82N-68	11-9
CP82N-77	11-9
CP82N-DWT	11-10
CP82N-DWT-PL	11-10
CP82N-HB	11-10
CP82N-HB-PL	11-10
CP82N-HWD	11-10
CP82N-HWD-PL	11-10
CP850N-4	11-6
CP850N-9	11-6
CP85WB-DWT	11-9
CP85WB-DWT-PL	11-9
CP85WB-HB	11-9
CP85WB-HB-PL	11-9
CP85WB-HWD	11-9
CP85WB-HWD-PL	11-9
CP92N-70	11-9
CP92N-DWT	11-9
CP92N-DWT-PL	11-9
CP92N-HB	11-9
CP92N-HB-PL	11-9
CP92N-HWD	11-9
CP92N-HWD-PL	11-9
CP950N	11-6
CP950N-3	11-6
CPL10N-2	11-6
CPL15N	11-5
CPL15N-1S	11-5
CPL6R-50	11-5
CPL6R-51	11-5
CPL6R-53	11-5
CSC8-20-52	10-2
CSH4-28-13	10-2
CSH5-24-27	10-2
CSH5-24-28	10-2
CSH5-24-37	10-2
CSH5-24-34	10-2
DC155N	10-4
DC17N	10-4
DC17N-3	10-4
DC62N-1	10-4
DC72N	10-4
DC72N-1	10-4
DC82N-1	10-4
DC82N-4	10-4
DEFR22-4	10-6
DEFR22-5	10-6
DEFR25-1	10-6
DEFR25-2	10-6
DEFR25-4	10-6
DEFR28-3	10-6
DEFR28-4	10-6
DEFR33-1	10-6
DEFR34-1	10-6
DEFR35-1	10-6
DEFR35-3	10-6
DEFR37-1	10-6
DEFR38-1	10-6
DEFR38-3	10-6
DEFR38-5	10-6
DEFR40-4	10-6
DEFR40-5	10-6
DEFR41-1	10-6

PART NUMBER	PAGE
DEFR42-1	10-6
DEFR43-1	10-6
DEFR44-1	10-6
DEFR47-12	10-6
DEFR47-13	10-7
DEFR47-2	10-7
DEFR47-4	10-6
DEFR47-5	10-6
DEFR47-6	10-6
DEFR47-7	10-7
DEFR48-10	10-6
DEFR48-2	10-6
DEFR48-5	10-6
DEFR49-1	10-6
DEFR50-2	10-7
DEFR50-4	10-6
DEFR50-7	10-7
DEFR53-4	10-6
DEFR54-1	10-7
DEFR54-5	10-7
DEFR55-1	10-7
DEFR55-2	10-6
DEFR55-3	10-6
DEFR56-2	10-6
DEFR56-7	10-7
DEFR59-1	10-7
DEFR59-2	10-6
DEFR60-1	10-7
DEFR62-1	10-6
DEFR65-1	10-7
DEFR66-1	10-6
GCB210084-2X	12-4
GCB210088-1X	12-4
GCB210090-1X	12-4
GCB210121-1X	12-5
GCB210130-1X	12-4
GCB210140-1X	12-4
GCB210144-1X	12-4
GCB210207-1X	12-4
GCB210367-1X	12-4
GCB210370-1X	12-4
GCB210391-1X	12-4
GCB210433-1X	12-4
GCB210527X	12-5
GCB210661-1X	12-5
GCB210866-1X	12-4
GCB210873-1X	12-4
GCB210875-1X	12-3
GCB211187X	12-4
GCP1204X	11-7
GCP1206X	11-5
GCP1306-1X	11-5
GCP1309X	11-5
GCP134X	11-6
GCP153X	11-6
GCP155X	11-6
GCP160X	11-6
GCP170X	11-5
GCP178X	11-6
GCP188X	11-6
GCP212X	11-7
GCP213X	11-6
GCP242X	11-5
GCP3022X	11-5
GCP3147X	11-5
GCP443X	11-6
GCP353X	11-7
GCP62N-DWT	11-8
GCP62N-HB	11-8
GCP62N-HWD	11-8
GCP72N-DWT	11-9
GCP72N-HB	11-9
GCP72N-HWD	11-9
GCP82N-HB	11-10
GCP82N-HWD	11-10
GCP92N-HWD	11-9
KT116	10-8
KT117	10-8
KT118	10-8
KT121	10-7
KT122	10-7
KT123	10-7
KT124	10-7
KT125	10-7
KT126	10-7
KT16SB	10-7
KT17SB	10-7
L6NLS20-127	14-2
L6NLS20-133A	14-2
L6NLS20-55DC	14-2
L6NLS20-63DC1	14-2
L6NLS20-65DC	14-2
L6NYS12-39	14-1
L6NYS13-31	14-2
L6NYS13-34	14-2
L6NYS14-100	14-1
L6NYS14-65	14-1
L6NYS16-12	14-1
L6NYS16-16	14-1
L6NYS16-18	14-1
L6NYS16-34	14-1
LPHC37-1	10-9
LPHC39-3	10-9
MS-212030-2	10-2
MS-212060-2	10-2
ND2C	10-5
ND2K	10-4
ND3A	10-5
ND3H	10-5
ND3K	10-4
NL-25-1	10-3
NL-26-1	10-3
NL-112-1	10-3
NUHX6-24-14	10-3
NUEL8-20-8	10-3
NUHX7-20-1	10-3
NUJA8-20-6	10-3
PLWE53-4	10-13
PLEX31-14	10-13
PLEX33-1	10-13
PLEX42-2	10-13
PLWE30-1	10-13
PLWE33-2	10-13
PLWE36-1	10-13
PLWE36-6	10-13
PLWE36-7	10-13
PLWE40-5	10-13
PLWE43-1	10-13
PLWE43-12	10-13
PLWE43-2	10-13
PLWE53-15	10-13
PS28-16-13	8-1
PS28-16-8	8-1
PS32-16-30	8-1
PS32-16-76	8-1
PS32-16-77	8-1
PS40-16-15	8-2
PS40-16-23	8-2
PS40-16-34	8-1
PS40-16-61	8-2
PS40-16-62	8-2
PS48-10-1	8-2
PS48-16-1	8-2
PS48-16-16	8-2
PS48-16-19	8-2
PS48-16-38	8-2
PS48-16-5	8-2
R170	11-9
R279X	11-13
R280194	10-5
R280195	10-5
R280X	11-13
R281X	11-13
R407X	11-13
R490	11-10
R490D	11-10
R600	11-10
R674X	11-14
R675X	11-14
R676X	11-14
R677X	11-14
R10270-SF	15-4
R10V5	5-3
R280196	10-5
R3R-26-57	13-5
R3R-28-157	5-2
R3R-28-307	5-2
R3R-28-325	5-2
R3R-28-327	5-2
R3R-28-397	5-2
R3R-28-427	5-2
R3R-28-437	5-2
R3R-28-869	13-7
R3R-3-6081X	2-5

PART NUMBER	PAGE
R3R-3-9101X	2-5
R3R-3-9131X	2-5
R3R-3-9161X	2-5
R3R-3-9165KX	2-2
R3R-83-482	13-6
R903862-1409W	13-3
R903862-1602W	13-3
R909363-2600	13-1,13-2
R909365-2600	13-1,13-2
R911818-2600	13-1,13-2
R912170-1511W	13-3
R912170-1803W	13-3
R912747	13-4,13-5
R912777	13-4,13-5
R91382SF	13-9
R914156-1324W	13-3
R919976-3400	13-1,13-2
R919990-3400	13-1,13-2
R9553-SF	13-9
RBR28-1	10-6
REBC141	10-8
REBC141-1	10-8
REBC148	10-8
REBC148-2	10-8
REBC16S	10-8
REBC17S	10-8
RECP148	10-9
RECP155	10-9
RRIR24-2	10-10
RRIR36-4	10-10
RT-125-11-108	10-11
RT-125-11-72	10-11
RT-15-11-108	10-11
RT-15-11-72	10-11
RT-15-13-108	10-11
RT-15-13-72	10-11
RT-175-11-72	10-11
RT-175-14-108	10-11
RT-175-16-108	10-11
RT-2-11-72	10-11
RT-2-14-108	10-11
RT-2-14-72	10-11
RT-225-11-108	10-11
RT-225-11-72	10-11
RT-2375-14-108	10-11
RT-2375-14-72	10-11
RT-25-14-108	10-11
RT-25-14-72	10-11
RT-25-16-108	10-11
RT-25-16-72	10-11
RT-275-10-108	10-11
RT-275-13-108	10-11
RT-275-13-72	10-11
RT-275-14-108	10-11
RT-275-14-72	10-11
RT-3-11-108	10-11
RT-3-11-72	10-11
RT-3-13-108	10-11
RT-3-13-72	10-11
RT-3-14-108	10-11
RT-3-14-72	10-11
RT-3-16-108	10-11
RT-3-16-72	10-11
RT-3-187-108	10-11
RT-3-187-72	10-11
RT-325-11-108	10-11
RT-325-11-72	10-11
RT-325-13-108	10-11
RT-325-13-72	10-11
RT-325-187-72	10-11
RT-35-10-108	10-12
RT-35-10-72	10-12
RT-35-11-108	10-12
RT-35-11-72	10-12
RT-35-13-108	10-12
RT-35-13-72	10-12
RT-35-14-108	10-12
RT-35-14-72	10-11
RT-35-156-108	10-12
RT-35-156-72	10-12
RT-35-16-108	10-11
RT-35-16-72	10-11
RT-4-10-108	10-12
RT-4-10-72	10-12
RT-4-12-108	10-12
RT-4-12-72	10-12
RT-4-14-108	10-12
RT-4-14-72	10-12
RT-4-187-108	10-12
RT-4-187-72	10-12
RT-4095-7-108	10-12
RT-4095-7-72	10-12
RT-45-10-108	10-12
RT-45-10-72	10-12
RT-45-13-108	10-12
RT-45-13-72	10-12
RT-45-187-108	10-12
RT-45-187-72	10-12
RT-45-3-108	10-12
RT-45-3-72	10-12
RT-45-375-108	10-12
RT-45-375-72	10-12
RT-459-7-108	10-12
RT-459-7-72	10-12
S-155-2	10-2
S-168-2	10-2
S-179-2	10-2
S-1616-2	10-2
S-1716-2	10-2
S-1812-2	10-2
S-1818-2	10-2
S-1820-2	10-2
S-1822-2	10-2
S-11212	10-2
S-165B-2	10-2
SERUR21-3	10-5
SERUR22-4	10-5
SERUR25-1	10-5
SERUR25-2	10-5
SERUR25-4	10-5
SERUR33-4	10-5
SERUR33-5	10-5
SERUR40-3	10-5
SERUR40-8	10-5
SERUR40-9	10-5
SERUS20	10-5
SERUE39-2	10-5
SERUR14-16	10-5
SERUR32-7	10-5
SERUR32-9	10-5
SERUR40-21	10-5
SERUS28-4	10-5
SP-1010	10-2
SP-1012	10-2
SP-1045	10-2
SP-1049	10-2
SP-1013	10-2
SP-1014	10-2
US170X	11-14
US250X	11-14
US90X	11-6
WA-15Z	10-1
WA-18	10-1
WA-48	10-1
WA-46	10-1
WALM7-2	10-1
WAR13-5	10-1
WAR20-1	10-1
WAR8-14	10-1
WIR46-2	10-9
40-X-1233	10-3
40-X-1236	10-3
40-X-1237	10-3
1199-H-1620	10-10
1199-N-1860	10-10
1199-X-1870	10-10
1199-B-2576	10-10
1199-T-2854	10-10
1199-A-3329	10-9
1227-N-898	10-3
1227-Q-901	10-3
1227-R-902	10-3
1227-Z-936	10-3
1227-A-937	10-3
1227-C-939	10-3
1227-D-940	10-3
1227-G-943	10-3
1227-J-946	10-3
1227-K-1051	10-3
1229-E-1071	10-4
1229-G-1281	10-4
1229-E-1331	10-4
1229-S-1397	10-4
1229-N-1548	10-4

NUMERICAL PARTS LISTING

PART NUMBER	PAGE	PART NUMBER	PAGE	PART NUMBER	PAGE
1229-S-1605	10-4				
1229-N-1730	10-4				
1229-T-1736	10-4				
1229-A-2653	10-4				
1229-F-2918	10-4				
1229-W-4521	10-4				
1898-R-720	10-10				
1898-Q-771	10-10				

NOTES

MERITOR AFTERMARKET PARTS WARRANTY

We warrant all new parts for one year from date of shipment to the buyer against defective material or workmanship (but not against damage caused by accident, abuse or improper installation, maintenance or repair) when such parts are used on vehicles the specifications of which have been approved by our Engineering Department.


As the exclusive remedy under this warranty, we will, at our option, repair or replace such parts free of charge, or take back the nonconforming parts and refund the monies paid by buyer for such parts, if found on examination by us to be nonconforming and if any necessary return charges are prepaid.

If it is necessary to return any parts under this warranty, buyer agrees not to make any deduction on account thereof from remittances on current accounts while claims are in the process of disposition. Any expense incurred without our consent for repairs or replacement will not be allowed.

THIS WARRANTY IS EXPRESSLY IN LIEU OF ALL OTHER WARRANTIES OR CONDITIONS, EXPRESS, IMPLIED OR STATUTORY, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR PARTICULAR PURPOSE. IN NO EVENT SHALL SELLER BE LIABLE FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES OF ANY NATURE.

Only genuine Meritor replacement parts are covered by this aftermarket parts warranty.

Distributed by:



ArvinMeritor™

Meritor Heavy Vehicle Systems, LLC
7975 Dixie Highway
Florence, Kentucky 41042 USA
888-725-9355

www.arvinmeritor.com
XpresswayPlus.arvinmeritor.com

Information contained in this publication was in effect at the time the publication was approved for printing and is subject to change without notice of liability. ArvinMeritor reserves the right to revise the information presented or discontinue the production of parts at any time.

Litho in USA
Revised 06/09
PB-9895 (13028/26971)
©2009 ArvinMeritor, Inc.